EOS: 2022/KK 0000272
KLI-1090/2022

ADÁS-VÉTELI KERETSZERZŐDÉS

Hivatkozási szám: 68-7/D/2020/SZTE/7

amely létrejött

egyrészről

Név:	**Szegedi Tudományegyetem**
Székhely:	HU-6720 Szeged, Dugonics tér 13.
Aláírásra jogosult képviselő:	Prof. Dr. Lengyel Csaba elnök
OH intézményi azonosító:	FI 62198
Adószám:	19308650-2-06
a továbbiakban: Megrendelő,	

Név:	**Johnson & Johnson Kft.**
Székhely:	1123 Budapest, Nagyenyed Utca 8-14.
Adószám:	10495177-2-44
Cégjegyzékszám:	01-09-174269
Képviseli:	Hugyecz Tamás Gábor, ügyvezető
Pénzforgalmi számla száma:	10800007-72188031-00000000
Pénzforgalmi szolgáltató:	CITIBANK Rt.
a továbbiakban: Eladó,	

mint Eladó,- továbbiakban „**Eladó**" - (együttes említésük esetén: „**Szerződő Felek**" vagy „**Felek**")

1. Preambulum

1.1. A Szegedi Tudományegyetem mint Ajánlatkérő ***„Egészségügyi fogyóanyagok beszerzése dinamikus beszerzési rendszer keretében a Szegedi Tudományegyetem részére - 7. ajánlattételi szakasz – Traumatológiai implantátumok beszerzése"*** tárgyban a közbeszerzésekről szóló 2015. évi CXLIII. törvény (továbbiakban Kbt.) Második része alapján, dinamikus beszerzési rendszer ajánlattételi szakaszában közbeszerzési eljárást folytatott le. A közbeszerzési eljárás nyertese a **1.,5.,6., 8., 11., 13., 14., 16., 18., 20., 23., 27., 29.** részben[1] Eladó lett. Jelen Keretszerződés (továbbiakban Szerződés) megkötésére a Kbt. 131. §-a szerint, a fenti közbeszerzési eljárás eredménye alapján kerül sor.

1.2. Felek a szerződést a közbeszerzési eljárás során keletkezett közbeszerzési dokumentumokban foglaltak szerint kötik meg. Felek közbeszerzési dokumentumok alatt a Kbt. 3. § 21. pontja szerinti fogalmat értik. Ezen dokumentumok a jelen szerződés elválaszthatatlan, szerves részét képezik függetlenül attól, hogy fizikai értelemben a jelen szerződés mellékletét alkotják-e.

A közbeszerzési dokumentumok a jelen szerződéssel együttesen értelmezendők és alkalmazandók, különös tekintettel az alábbiakra:

- kiegészítő tájékoztatásra adott ajánlatkérői válaszok (amennyiben erre sor került);
- ajánlattételi felhívás és közbeszerzési dokumentumok;
- Eladó ajánlata.

[1] A rész száma és tárgya a szerződés aláírása során kerül rögzítésre.

A fenti dokumentumok közötti, ugyanazon kérdésre vonatkozó bármely eltérés, ellentmondás, értelmezési nehézség esetén a dokumentumok hierarchiája a fenti felsorolás szerinti sorrendnek megfelelő.

Szerződő Felek a Ptk. 6:63. § (5) bekezdésében foglaltaktól eltérően abban állapodnak meg, hogy a közöttük létrejött megállapodás kizárólag a jelen szerződésben foglaltakra, valamint a közbeszerzési dokumentumokban foglaltakra terjed ki, annak nem képezi részét a Felek között korábban kialakult szokás, gyakorlat, illetve a jelen szerződés tárgya szerinti üzletágban a hasonló jellegű szerződés alanyai által széles körben ismert és rendszeresen alkalmazott szokás.

2. A Szerződés tárgya

2.1. A Szerződés tárgya: ***Egészségügyi fogyóanyagok beszerzése dinamikus beszerzési rendszer keretében a Szegedi Tudományegyetem részére - 7.* ajánlattételi szakasz – Traumatológiai implantátumok beszerzése**

2.2. Vevő a Szerződés időtartama (12 hónap = tizenkettő hónap) alatt az ártáblázat szerinti esetszám alapján megállapított összeg eléréséig jogosult megrendeléseket küldeni Eladónak.

[A szerződés aláírása során a nyertességgel érintett részek tekintetében az ajánlattételi felhívás II.2.4) pontja szerinti keretmennyiség e pontban rögzítésre kerül.]

2.3. A Szerződés tárgyát képező termékek részletes megnevezéseit az Eladó ajánlatának megfelelően a jelen Szerződés 1. számú melléklete tartalmazza. Az árunak és a feltételeknek meg kell felelnie a közbeszerzési dokumentumokban foglalt specifikációnak, valamint az Eladó ajánlatában rögzített leírásnak, jellemzőknek, és hatályos minőségi bizonyítványoknak.

2.4. Eladó kötelezettséget vállal a Szerződés 1. számú melléklete szerinti termék Vevő részére határidőben történő szállítására.

2.5. A Szerződés elválaszthatatlan részét képezik a közbeszerzési eljárás során keletkezett dokumentumok, így különösen az eljárást megindító felhívás, a dokumentáció, a kiegészítő tájékoztatás(ok), és az Eladó, mint nyertes Ajánlattevő ajánlata (együtt közbeszerzési dokumentáció). A közbeszerzési dokumentáció fizikailag nem kerül csatolásra a Szerződéshez, ám a Felek számára ismert annak tartalma. A közbeszerzési dokumentációban foglaltak az Eladóra nézve kötelező érvényűek a Szerződés időtartama alatt.

2.6. Eladó a Szerződés aláírásával akként nyilatkozik, hogy a Szerződés elválaszthatatlan részét képező dokumentumokat saját felelősségére ellenőrizte, az azokban foglalt tényeket, előírásokat ismeri, Szerződéses árát és az egyéb Szerződéses ajánlatait ezen információk figyelembevételével és a teljesítés helyszínek ismeretében állapította meg.

3. A teljesítés helye

3.1. Vevő telephelye: Szegedi Tudományegyetem, Szent-Györgyi Albert Klinikai Központ Traumatológiai Klinika, 6725 Szeged, Semmelweis u. 6. II. em., Vevő konszignációs raktára.

4. A szerződés időtartama, teljesítési határidő

4.1. A Szerződés időtartama: A Szerződés mindkét fél általi aláírás esetén lép hatályba és 12 hónap határozott időtartamra jön létre.

4.2. Amennyiben a szerződés 2.2. pontja szerinti, teljes esetszám szerinti összeg elérésére a 4.1. pontban rögzített időtartam előtt sor kerül, úgy a szerződés időtartama a szerződés szerinti összeg kimerüléséig tart.

4.3. Vevő fenntartja a jogot arra, hogy éljen a szerződés időtartamának további legfeljebb 12 hónappal történő meghosszabbítási lehetőségével a Kbt. 141. § (4) bekezdése szerint abban az esetben, ha a szerződés 2.2. pontja szerinti összeg a szerződés 4.1. pontja szerinti időtartamban nem kerül Vevő által

megrendelésre (lehívásra). A meghosszabbítás időtartamára a szerződésben foglalt rendelkezések és az ajánlatban rögzített egységára alkalmazandóak.

4.4. Ajánlatkérő az egyedi beszerzési megrendeléseket a szerződés időtartama alatt küldi meg nyertes Ajánlattevő részére, de az egyedi megrendelés teljesítési időtartama túlnyúlhat a keretszerződés időtartamán.

4.5. A konszignációs raktárba történő szállítások határidejét a szerződés 5. fejezete tartalmazza.

4.6. Eladó vállalja, hogy amennyiben a jelen szerződés teljesítése során olyan körülmény állna elő, amely akadályozza a határidőben történő, szerződésszerű teljesítést, akkor haladéktalanul köteles erről Vevőt írásban értesíteni, megjelölve a késedelem okait, valamint a késedelem várható időtartamát.

4.7. Az eseti megrendelések, illetve a konszignációs raktár feltöltésének teljesítése akkor tekinthető hiba-, hiánymentesnek és sikeresnek, ha a Szerződésben szereplő feltételeknek megfelelő terméket az Eladó rendeltetésszerű használatra, hiány- és hibamentesen Vevő részére a konszignációs raktárba leszállítja, valamint a szükséges dokumentumokat Vevő részére átadja.

4.8. Vevő kijelenti, Eladó pedig tudomásul veszi, hogy a fenti határidők betartása közérdek, ahhoz Vevőnek kiemelt érdeke fűződik, ezért Eladó köteles a teljesítését úgy megszervezni, hogy az biztosítsa a gazdaságos és gyors, összehangolt munkavégzést, amelynek érdekében a Felek a Szerződés teljesítése érdekében fokozott együttműködési kötelezettséget vállalnak.

5. Teljesítés, átadás-átvétel

5.1. Eladó a Szerződés aláírásával kijelenti, hogy a Szerződés tárgyára és teljesítésére vonatkozó, az Ajánlattevők rendelkezésére bocsátott dokumentumokat, és a Vevő követelményeit megismerte, azok tartalmát elfogadta, az eljárás során a tevékenységgel kapcsolatban további információ kérésére vonatkozó lehetőségével tisztában volt, minden az ajánlattételhez szükséges választ, információt megkapott, a Szerződés rendelkezéseit mindezekre is tekintettel magára nézve kötelezőnek elfogadja.

5.2. Eladó kötelezettséget vállal arra, hogy tevékenységét az arra vonatkozó kötelező jogi normák (törvények, rendeletek, utasítások, szabványok stb.), ezek hiányában a kialakult szakmai követelmények, és gyakorlat alapján végzi el. Eladónak rendelkeznie kell a szerződés tárgyát képező termékek magyarországi forgalomba hozatalhoz szükséges dokumentumokkal, engedélyekkel.

5.3. Eladó a Szerződés aláírásával kifejezetten tudomásul veszi, hogy a Szerződés aláírását követően Eladó viseli annak jogkövetkezményét, amely a Szerződés tartalmát képező dokumentumok olyan hiányosságából adódik, amelyet Eladónak a tőle elvárható szakmai gondosság mellett észlelnie kellett volna, de a közbeszerzési eljárás során nem jelzett. Bármilyen mulasztás, amelyet az Eladó követ el amiatt, hogy a közbeszerzési eljárás során, a szerződéskötést megelőzően vagy azt követően nem szerzett kellő információt olyan ügyekről, amelyek befolyásolhatják vállalt tevékenysége ellátását, nem menti fel az Eladót azok alól a kockázatok, kötelezettségek és felelősségek alól, amelyek a Szerződés szerint reá hárulnak a tevékenységének ellátása során.

5.4. Vevő – a Kbt. 135. § (1) bekezdése alapján – az eseti megrendelések, illetve konszignációs lejelentések teljesítésének elismeréséről (teljesítésigazolás) vagy az elismerés megtagadásáról legkésőbb az Eladó teljesítésétől számított 5 napon belül nyilatkozik. A teljesítés elfogadása nem jelenti az Eladó szerződésszegése esetén a Vevőt megillető igényérvényesítés jogáról való lemondást.

5.5. Eladó köteles a Vevő számára új, steril, rendeltetésszerű használatra alkalmas terméket szállítani. Eladó köteles a termékeket úgy szállítani, hogy azokat semmilyen károsodás, sérülés ne érje. A szállítás során keletkezett hibákért Eladó vállalja a felelősséget.

5.6. Eladó a Szerződés az ajánlatában megajánlott termékeket köteles szállítani. Eladó az ajánlatában nem szereplő terméket nem szállíthat. Eladó gondoskodik arról, hogy a szállítás a megfelelő csomagolásban történjen, amely megakadályozza a sérülést, károsodást, időjárásból származó befolyásokat és egyéb környezeti hatásokat. A csomagolásnak alkalmasnak kell lennie arra, hogy a termékek épségét és minőségét a fuvarozás és a tárolás időtartama alatt megóvja. A csomagolást Eladónak el kell látni a szükséges megjelölésekkel (megnevezés, csomagra vonatkozó kezelési előírások stb.) és mellékelni kell a csomag tartalmát azonosító jegyzéket. Eladó a terméket oly módon köteles csomagolni, hogy gyűjtőcsomagolás alkalmazása esetén sem szállítható le egy adott szállítás keretében a megrendeltet meghaladó mennyiség.

5.7. Az áru lerakása az Eladó feladata. Felek a Szerződés tárgyát képező termékek beszállításakor mennyiségi ellenőrzést tartanak. Ennek során Vevő igazolja azt, hogy Eladó határidőben eleget tett-e a szállítási kötelezettségének, illetve milyen típusú és mennyiségű termék került elhelyezésre Vevő konszignációs raktárában. Felek megállapodnak, hogy beszállításkor Vevő csak a termékek csomagolását köteles megvizsgálni. A csomagolt termékeket Vevő (vagy az általa meghatalmazott személy) Eladó jelenlétében veszi át. Vevő az átvételkor mennyiségi ellenőrzést végez.

5.8. Az áruátvétel feltétele az árura vonatkozó minőségi előírások megfelelősége. Eladó nem hivatkozhat arra, hogy Vevőnek a termékek minőségi hibáját ismernie kellett a mennyiségi átadás időpontjában és Vevő erről tudva azért vette át a terméket, mert azt a Szerződésben kikötött teljesítés helyett megfelelőnek minősítette. Bármely nem szerződésszerű teljesítés jogfenntartás nélküli elfogadása Vevő részéről nem értelmezhető joglemondásként azon igényekről, amelyek Vevőt a szerződésszegés következményeként megilletik.

5.9. Szállítás alkalmával a termékek átadásakor a szállítóleveleket Vevő részére 2 (két) példányban kell biztosítani.

5.10. Eladó az eseti megrendelés visszaigazolásával egyidőben írásban köteles tájékoztatni Vevőt a kiszállítás időpontjáról, figyelembe véve Szerződés szerinti teljesítési határidőket. Eladó köteles úgy időzíteni a szállítás időpontját, hogy az anyagok átadása munkanapokon 8:00-15:00 óra között megtörténjen. Amennyiben ezen időpontig nem történhet meg az áruátvétel, és az Vevőnek nem róható fel, úgy az ezen időpont után felmerült többletköltségeket (gép, munkaerő stb.) Eladó köteles viselni, melyet Vevő jogosult kiszámlázni. Eladó kötelezettséget vállal arra, hogy teljesítése során a törvényileg előírt munkavédelmi, tűzvédelmi, balesetelhárítási, környezetvédelmi, valamint a közterületi rendre vonatkozó előírásokat betartja.

5.11. Eladó minden alvállalkozójáért, megbízottjáért, teljesítési segédjéért úgy felel, mintha a tevékenységet maga látta volna el.

5.12. Eladót a Termékekre azok Vevő részére történő átadását követően kellékszavatosság terheli.

5.13. Vevő kizárólag steril terméket fogad el. A terméken a sterilitási lejárati idő pontos feltüntetése szükséges.

5.14. A leszállított termékek legkisebb csomagolási egységén fel kell tüntetni a gyártó nevét, termék nevét, gyártói/forgalmazói kódszámot, méretadatok, felhasználhatósági időt. A gyűjtőcsomagoláson szerepeljen a gyártó neve, termék neve, gyártói/forgalmazói kódszám, méretadatok, kiszerelés, felhasználhatósági idő.

5.15. Eladó jelen szerződés alapján valamennyi terméket úgy köteles leszállítani, hogy azok szavatossága (felhasználhatósága) a mindenkor hatályos szakmai és minőségbiztosítási előírásoknak megfeleljen és a termék felhasználhatósági ideje a teljesítést követően legalább 12 hónap időtartam alatt fennálljon. Eladó kizárólag a termék forgalomba hozatali engedélyében meghatározott lejárati idejű termékeket adhat át a Vevő részére.

5.16. A Termékek csomagolásán minden esetben jól láthatóan fel kell tüntetni a termékek felhasználásának idejét (a szavatossági idő/sterilitási idő lejártát) és a tárolás módját. Ennek hiányában a Vevő a leszállított termék átvételét megtagadhatja. A Vevő az átvételt megtagadhatja továbbá, ha a leszállított termék nem felel meg a fenti bekezdésben meghatározott szavatossági követelményeknek. Az átvétel megtagadása esetén a Vevő a késedelmes teljesítés jogkövetkezményeit alkalmazhatja az Eladóval szemben.

5.17. Amennyiben a felhasználhatósági időtartam alatt a Termékek valamelyike tekintetében megállapítást nyer, hogy a jelen szerződésben, illetve az Eladó ajánlatában rögzített minőségi paramétereket, követelményeket nem teljesíti, és funkciójának megfelelően nem használható, Eladó a Vevő által megküldött bejelentés alapján köteles a Terméket saját költségére 5 napon belül kicserélni.

Konszignációs raktár létrehozása:

5.18. A szerződés tárgyának keretében az Eladó feladatát képezi az eszközök teljesítési helyére történő szállítása, továbbá a teljesítés helyszínén (**Szegedi Tudományegyetem, Szent-Györgyi Albert Klinikai Központ, 6725 Szeged, Semmelweis u. 6. Vevő konszignációs raktára**) konszignációs raktárt kell létrehoznia azon termékek tárolására, amelyeket Vevő a szerződéskötést követően megjelöl. A konszignációs raktár létrehozásához a szükséges helyiséget Vevő biztosítja.

5.19. A konszignációs raktárban kizárólag olyan termékek lehetnek elhelyezve, amelyek az elhelyezést követően legalább 12 hónap sterilitással rendelkeznek. Ennek ellenőrzése Eladó feladata, a

raktárkészlet időszakos ellenőrzésénél ennek megfelelően kell eljárnia. Eladó köteles időben gondoskodni szükség szerint az érintett termék(ek) megfelelő felhasználhatósági/sterilitási idővel rendelkező termék(ek)re történő kicseréléséről.

5.20. Eladó kötelezettséget vállal a konszignációs raktárba történő termékelhelyezésre. A konszignációs raktárt a közbeszerzési dokumentumok részét képező műszaki leírásban, és a Szerződés 3. számú mellékletében foglalt, termékazonosítóval rendelkező termékkel kell feltölteni. A konszignációs raktárkészlet elvárt mennyiségét Felek a szerződéskötést követő 10 munkanapon belül egyeztetik. A raktárkészlet feltöltésére a nyertes Eladónak az egyeztetett mennyiségben az egyeztetést lezárását követően 10 munkanap áll rendelkezésére. A konszignációs készlet kihelyezését egyszerre és teljes körűen kell elvégeznie az Eladónak a Vevővel egyeztetett időpontban, a kihelyezett indulókészletről jegyzőkönyvet szükséges felvenni, amit Vevő erre kijelölt munkatársa, Eladó részéről pedig a konszignációs kihelyezést végző képviselője ír alá.

5.21. Vevő az eladói konszignációs készletről történt kivételezésekről 2 munkanapon belül köteles konszignációs jelentést (továbbiakban: „Konszignációs jelentés") megküldeni Eladó felé, amely tartalmazza az eladói konszignációs készletről felhasznált termékek mennyiségét, összetételét, egyedi azonosítószámát vagy LOT-számát.

5.22. Az Eladó a konszignációs raktárkészlet pótlását, a Konszignációs jelentésben foglalt termék mennyiséggel és összetétellel azonos mennyiségben és összetételben, a Konszignációs jelentés részére megküldését követő 96 órán belül köteles elvégezni.

5.23. A Konszignáció jelentés Eladó részére történő megküldését követően a Vevő a felhasznált mennyiség és összetételre vonatkozóan írásban megrendelést ad ki az Eladó felé (e-mailen, vagy egyéb elektronikus úton, vagy személyesen), amelynek alapján az Eladó jogosult benyújtani számláját. Az írásos megrendelés kiadására az alábbi személy, vagy az általa meghatalmazott személy jogosult[2]:

Vevő kapcsolattartója:

Név: Zubor Ildikó
Értesítési cím: Semmelweis utca 6 II. em
Telefon/fax: +36 70 439 9213
E-mail: molnarne.zubor.ildko@med.u-szeged.hu

Eladó kapcsolattartója a konszignációs raktárkészlet pótlására, és az írásos megrendelések kapcsán:

Név: Árvai-Takács Ildikó
Értesítési cím: 1123 Budapest, Nagyenyed Utca 8-14
Telefon/fax: +36-30-378-6973 és +36-1-8842-882 fax: +36-1-8842-759
E-mail: jnj.medical.megrendeles@its.jnj.com

5.24. Felek a konszignációs készlet mennyiségét érintő módosításról közösen állapodnak meg. Eladó a módosított készletszintet az értesítés kézhezvételétől számított 5 munkanapon belül köteles beszállítani.

5.25. Vevő nem köteles a meghatározott készletszinten túl eladói konszignációs készletet tárolni. Eladó ilyen irányú kérése Felek egyeztetést tartanak.

5.26. Vevő köteles Eladó által biztosított konszignációs készlet jellegének megfelelő tárolási területet biztosítani, az eladói konszignációs készlet megőrzéséről gondoskodni.

5.27. Az Eladó a konszignációs raktárkészleteket előre egyeztetett időpontban bármikor ellenőrizheti, és leltározhatja, azonban évente egyszer a konszignációs készlet leltározását a számviteli jogszabályoknak megfelelően a Vevővel előzetesen egyeztetett időpontban elvégzi. A leltár során az Eladó Leltározási Jegyzőkönyvet és Leltárfelvételi ívet vesz fel, és a Számviteli Törvénynek megfelelően a leltárt lebonyolítja. A leltározáson a Vevő részéről a konszignációs raktár kezelője, illetve erre a feladatra kijelölt munkatársa kötelezően részt vesz. A leltár során jelentkező eltérések

[2] A szerződés aláírása során kerül kitöltésre.

(hiány/többlet) a helyszínen megállapításra kerülnek, amelyeknek rendezése 5 munkanapon belül megtörténik.

5.28. Felek rögzítik, hogy a konszignációs raktárból történő felhasználással szerez Vevő tulajdonjogot az egyes termékeken. A konszignációs raktárban történő tárolás időtartama alatt a termékek továbbra is Eladó tulajdonában maradnak.

5.29. Amennyiben Felek között fennálló Szerződés megszűnik, úgy a Szerződés megszűnését követő hónap utolsó napjáig Eladó köteles Vevő által fel nem használt termékeket a konszignációs raktárból térítésmentesen elszállítani. Ennek elmulasztása esetén Eladó köteles megtéríteni Vevő raktározási költségeit.

6. Az ellenszolgáltatás meghatározása, fizetési feltételek

6.1. Vevő Eladónak az 1. számú mellékletben meghatározott termékekért az ártáblázat szerint egységárak alkalmazásával, az Eladó által leszállított, és Vevő által a Konszignációs jelentésben bejelentett és az írásbeli megrendelésben leigazolt mennyiség után tartozik fizetni. A termékek ellenértékének megfizetése az Eladó által a közbeszerzési eljárás során, Eladó nyertes ajánlatában megajánlott egységárak szerint alakul.

Felek a Szerződés teljesítéséért az Eladónak járó ellenszolgáltatást **nettó 183 640 500.- Ft + ÁFA** keretösszegben határozzák meg, az alábbiak szerint:

1.részajánlati kör	**11 511 000,00 Ft + Áfa**
5.részajánlati kör	**11 880 000,00 Ft + Áfa**
6.részajánlati kör	**5 235 000,00 Ft + Áfa**
8.részajánlati kör	**4 518 000,00 Ft + Áfa**
11.részajánlati kör	**4 800 000,00 Ft + Áfa**
13.részajánlati kör	**5 430 000,00 Ft + Áfa**
14.részajánlati kör	**4 848 000,00 Ft + Áfa**
16.részajánlati kör	**11 868 000,00 Ft + Áfa**
18.részajánlati kör	**59 135 500,00 Ft + Áfa**
20.részajánlati kör	**21 125 000,00 Ft + Áfa**
23.részajánlati kör	**24 410 000,00 Ft + Áfa**
25.részajánlati kör	**8 190 000,00 Ft + Áfa**
27.részajánlati kör	**8 980 000,00 Ft + Áfa**
29.részajánlati kör	**1 710 000,00 Ft + Áfa**

6.2. Az Eladó a Vevő által a konszignációs raktárból történő kivételezések alapján összeállított és megküldött, kötelezettségvállalással ellátott írásbeli megrendelés alapján állítja ki és küldi meg a szabályszerű számlát a Vevő részére. A számla benyújtásának feltétele tehát a Vevő által kiállított teljesítésigazolás. Az Eladó köteles a konszignációs raktárból kivételezett és kötelezettségvállalási dokumentummal (írásbeli megrendeléssel) megrendelt árukat teljes mennyiségben lejelentésenként leszámlázni, függetlenül azok visszapótlásának menetétől. Az Eladó köteles a számlát a teljesítés elismerésétől (az írásbeli megrendelés kiadásától) számított 8 napon belül kiállítani. A teljesítés elismerésére az írásbeli megrendelés szolgál.

6.3. Felek megállapodnak a Kbt. 141. § (4) bekezdés a) pontja alapján, hogy amennyiben Eladó egy adott termék tekintetében a jelen szerződés 1. számú mellékletében meghatározott egységárhoz képest árkedvezményt kíván érvényesíteni, azt jogosult egyoldalú, joghatás kiváltására alkalmas írásbeli jognyilatkozatban jelezni a Vevő felé a jelen szerződésben megjelölt kapcsolattartási pontjainak valamelyikére, amely jognyilatkozatban egyértelműen jelzi az árkedvezménnyel érintett termék megjelölését, az árkedvezmény mértékét, illetve az árkedvezménnyel érintett időszakot.

6.4. Az ellenszolgáltatás tartalmaz minden költséget, amely az eljárást megindító felhívásban és közbeszerzési dokumentumokban meghatározott feltételekkel a szerződés teljesítéséhez szükséges, beleértve a termékek teljesítés helyére történő szállítását is. Az ajánlati ár a közbeszerzési dokumentumokban megadott műszaki tartalom teljes egészére vonatkozik, magában foglal minden

járulékos költséget is pl. vám, díjak, illetékek, járulékok. Az ellenszolgáltatás tartalmazza a szállítási költséget is, továbbá az ár tartalmazza a behozatallal, forgalomba hozatallal kapcsolatban felmerülő összes költséget (vám, adók, díjak, illetékek, szükséges hatósági engedélyek díja, egyéb), valamennyi járulékos költséget, díjat, azonban nem tartalmazza az általános forgalmi adót.

6.5. Vevő előleget nem fizet.

6.6. Számlázási cím: Szegedi Tudományegyetem, 6720 Szeged, Dugonics tér 13. Számlaküldési cím: 6725 Szeged, Tisza L. krt. 107. Elektronikus számla címe: bejovo.szamla@gmf.u-szeged.hu

6.7. Vevő a szerződés ellenértékét az Eladó által – a teljesítés elismerését követően – a jogszabályoknak megfelelően kiállított számla kézhezvételét követően teljesíti, a Kbt. 135. § (1), (5)-(6) és (4) bekezdése, valamint Ptk. 6:130. § (3) bekezdésében és az Ebtv. 9/A §-ban foglaltak szerint, a számla kézhezvételét követő 60 napon belül. A kifizetés átutalással történik Eladó **CITIBANK Rt.** banknál vezetett **10800007-72188031-00000000** számlaszámára, a kifizetés pénzneme HUF.

6.8. A számlához a Vevő által aláírt teljesítésigazoló dokumentumokat (Konszignációs jelentés és írásbeli megrendelés) mellékelni kell. A számlán hivatkozni kell a megrendelés számára.

6.9. A kifizetésre vonatkozó további jogszabályok különösen:
- a Közbeszerzésekről szóló 2015. évi CXLIII. törvény
- az általános forgalmi adóról szóló 2007. évi CXXVII. törvény
- a Polgári Törvénykönyvről szóló 2013. évi V. törvény.

6.10. Késedelmes fizetés esetén Eladó a Ptk. 6:155. § (1) bekezdése szerinti késedelmi kamatot jogosult követelni.

6.11. A Kbt. 136. § (1) bekezdés a) pontja alapján Eladó nem számolhat el a Szerződés teljesítésével összefüggésben olyan költségeket, amelyek a 62. § (1) bekezdés k) pont ka)-kb) alpontja szerinti feltételeknek nem megfelelő társaság tekintetében merülnek fel, és amelyek az Eladó adóköteles jövedelmének csökkentésére alkalmasak.

6.12. Eladó köteles a Szerződés teljesítésének teljes időtartama alatt tulajdonosi szerkezetét a Vevő számára megismerhetővé tenni és a Kbt. 143. § (3) bekezdése szerinti ügyletekről a Vevőt haladéktalanul értesíteni.

6.13. A Kbt. 136. § (2) bekezdése értelmében a külföldi adóilletékességű Eladó köteles mind a Szerződéshez arra vonatkozó meghatalmazást csatolni, hogy az illetősége szerinti adóhatóságtól a magyar adóhatóság közvetlenül beszerezhet az Eladóra vonatkozó adatokat az országok között jogsegély igénybevétele nélkül.

7. Szerződést biztosító mellékkötelezettségek

Késedelmi kötbér:

7.1. Eladó késedelembe esik, ha a Szerződésben meghatározott határidők késedelmet szenvednek. Az Eladó késedelmét kimentheti, ha bizonyítja, hogy a szerződésszegést ellenőrzési körén kívül eső, előre nem látható és elháríthatatlan körülmény okozta.

7.2. Amennyiben Eladó a szerződéssel kapcsolatban bármely kötelezettségét határidőben nem vagy nem megfelelően teljesíti, feladatainak teljesítésével felróható okból késedelembe esik Vevő késedelmi kötbérre jogosult azzal, hogy Vevő a kötbért meghaladó kárát is érvényesítheti.

7.3. Késedelmes teljesítés esetén Eladó a késedelmes teljesítéssel érintett termékek nettó ellenértékének 2%-a/minden megkezdett naptári nap késedelmi kötbér megfizetésére köteles, amelynek felső határa az eseti megrendelés, illetve a konszignációs raktár feltöltéséhez szükséges termékek nettó ellenértékének 30%-a. Amennyiben Eladó késedelme meghaladja a 30 napot, Vevő a 30 napot meghaladó késedelmes teljesítést meghiúsulásként értékelheti és jogosult az eseti megrendelést azonnali hatállyal felmondani, amely esetben Eladó a 7.5. pont szerinti meghiúsulási kötbér fizetésére köteles. A Vevő elállási jogát az Eladóhoz intézett írásbeli nyilatkozattal gyakorolhatja. Az elállás az Eladó kötbér- és kártérítési fizetési kötelezettségét nem érinti.

Meghiúsulási kötbér:

7.4. Amennyiben az eseti megrendelés, illetve a konszignációs raktár feltöltésének teljesítése meghiúsul, illetve Eladó 30 napot meghaladó késedelembe esik, Vevő az eseti megrendelés, illetve a konszignációs raktár feltöltéséhez szükséges termékek nettó ellenértékének 30%-ának megfelelő összegű meghiúsulási kötbérre válik jogosulttá.

7.5. Az eseti megrendelések 3 (három) alkalommal történő meghiúsulását Vevő a Szerződés meghiúsulásaként értékelheti, és jogosult a Szerződést azonnali hatállyal felmondani vagy elállni, amely esetben Vevő a teljes nettó szerződéses ellenérték 30%-ának megfelelő összegű meghiúsulási kötbérre válik jogosulttá. A Vevő elállási jogát az Eladóhoz intézett írásbeli nyilatkozattal gyakorolhatja. Az elállás az Eladó kötbér- és kártérítési fizetési kötelezettségét.

Általános rendelkezések:

7.6. Egyik fenti kötbér alkalmazása sem zárja ki másik típusú kötbér alkalmazását, ha több kötbértípus alkalmazásának feltételei is megvalósulnak, valamint nem zárja ki a Vevő kártalanítási igényérvényesítését, illetve a Szerződés megszegésének, és/vagy az eseti szerződésszegés egyéb jogkövetkezményeinek alkalmazását. Vevő a teljesítésigazolásban köteles rögzíteni a késedelem tényét és időtartamát.

7.7. A kötbérigények érvényesítése nem zárja ki a szerződésszegésből eredő egyéb igények érvényesítésének lehetőségét.

7.8. Vevő a Ptk. 6:186. § (1) bekezdését megfelelően alkalmazza, miszerint a kötbérek abban az esetben érvényesíthetők, ha az Eladó olyan okból, amelyért felelős megszegi a szerződést.

Jótállás, szavatosság:

7.9. A leszállított termékek legkisebb csomagolási egységén fel kell tüntetni a gyártó nevét, termék nevét, gyártói/forgalmazói kódszámot, méretadatok, felhasználhatósági időt. A gyűjtőcsomagoláson szerepeljen a gyártó neve, termék neve, gyártói/forgalmazói kódszám, méretadatok, kiszerelés, felhasználhatósági idő.

7.10. Eladó kijelenti, hogy a vonatkozó termékek sterilitásukat a gyártástól számított minimum 24 hónapig, a szállítástól (átadás-átvétel időpontjától) számítva minimum 12 hónapig megőrzik, nem szállítható 1 évnél korábbi lejáratú termék.

Eladó jelen szerződés alapján valamennyi terméket úgy köteles leszállítani, hogy azok szavatossága (felhasználhatósága) a mindenkor hatályos szakmai és minőségbiztosítási előírásoknak megfeleljen és a termék felhasználhatósági ideje az átadás-átvételtől számított legalább 12 hónapig alatt fennálljon. Eladó kizárólag a termék forgalomba hozatali engedélyében meghatározott lejárati idejű termékeket adhat át a Vevő részére. A Termékek csomagolásán minden esetben jól láthatóan fel kell tüntetni a termékek felhasználásának idejét (a szavatossági idő/sterilitási idő lejártát) és a tárolás módját. Ennek hiányában a Vevő a leszállított termék átvételét megtagadhatja. A Vevő az átvételt megtagadhatja továbbá, ha a leszállított termék nem felel meg a fenti bekezdésben meghatározott szavatossági követelményeknek. Az átvétel megtagadása esetén a Vevő a késedelmes teljesítés jogkövetkezményeit alkalmazhatja az Eladóval szemben.

Amennyiben a felhasználhatósági időtartam alatt a Termékek valamelyike tekintetében megállapítást nyer, hogy a jelen szerződésben, illetve az Eladó ajánlatában rögzített minőségi paramétereket, követelményeket nem teljesíti, és funkciójának megfelelően nem használható, Eladó a Vevő által megküldött bejelentés alapján köteles a Terméket saját költségére 5 napon belül kicserélni.

7.11. Eladó valamennyi termék vonatkozásában a Ptk. 6:159 § és a Ptk. 6:175 § alapján kellékszavatossággal és jogszavatossággal tartozik.

7.12. Eladó garanciát vállal arra, hogy az 1. sz. mellékletben megjelölt termékek megfelelnek a törvényes és szerződésben kikötött tulajdonságoknak, valamint rendelkeznek a gyártó, vagy meghatalmazott képviselőjének megfelelőségi nyilatkozatával, valamint szükség esetén az orvostechnikai eszközökről szóló 4/2009. (III.17.) EüM rendelet 5. § (1) bekezdése szerinti CE jelöléssel, illetve tanúsítvánnyal.

7.13. Az Eladó szavatolja, hogy

- az általa jelen szerződés keretében szállított áru új, steril, használatban nem volt,
- a szállított termék alkalmas a rendeltetésszerű használatra, valamint mentes mindenfajta tervezési, anyagbeli, kivitelezési, illetve az Eladó vagy közreműködők tevékenységével vagy mulasztásával bármilyen más módon összefüggő hibáktól.

- a szállított termék a közbeszerzési eljárás Közbeszerzési dokumentumában megjelölt feltételeknek maradéktalanul megfelel és a teljes jótállási időtartam alatt megőrzi használhatóságát és valamennyi egyéb követelménynek való megfelelését
- az átadott termékeken a kereskedelmi láncolatban őt megelőző fél nem alkalmazott tulajdonjog-fenntartatást, Vevő tulajdonszerzésének semmiféle akadálya nincs.

7.14. A Vevő köteles írásban haladéktalanul értesíteni Eladót a szavatosság, illetve a jótállás alapján érvényesíteni kívánt bármilyen igényről. Ha az Eladó nem, vagy nem szerződésszerűen tesz eleget a kötelezettségének, akkor Vevő Eladó költségére, kockázatára és felelősségére jogosult - de nem köteles - minden ésszerű intézkedést megtenni az Áru kicserélése érdekében.

7.15. A jótállás időtartama a sikeres átadás-átvétel napját követő napon kezdődik.

7.16. A jótállási, szavatossági felelősségére a Ptk. és a vonatkozó egyéb jogszabályok rendelkezései az irányadók. Ha a jótállás időtartama alatt Eladó nem tesz eleget a jótállásból eredő kötelezettségének, úgy Vevő a kellékszavatossági jogok vonatkozó szabályait gyakorolja.

7.17. A jótállás nem köthető semmilyen korlátozó feltételhez, azaz az Eladó a Ptk. szerinti jótállási és szavatossági felelősségét nem korlátozhatja.

8. A Szerződés teljesítésében részt vevők

8.1. A Szerződés teljesítésébe alvállalkozók is bevonhatók – a Kbt. és a Szerződés rendelkezéseivel összhangban – de az Eladó az alvállalkozói teljesítéséért úgy felel, mintha a teljesítést saját maga végezte volna.

8.2. A Szerződés teljesítésében részt vevő gazdasági szereplőkre a Kbt. 138-139. §-ában foglaltakat alkalmazni kell.

8.3. Az alvállalkozó nem adhat ajánlatot, nem fogadhat el és nem igazolhat vissza megrendelést, és nem számlázhat a Szerződés alapján.

8.4. Eladó a Szerződés teljesítésében közreműködő, általa bevont gazdasági szereplők teljesítéséért úgy felel, mintha saját maga teljesített volna, az a saját teljesítésének minősülne.

8.5. Eladó jelen szerződés aláírásával kijelenti, hogy az általa igénybe venni kívánt alvállalkozó nem áll a megelőző közbeszerzési eljárásban előírt kizáró okok hatálya alatt. Eladó a szerződés megkötésének időpontjában, majd - a később bevont alvállalkozók tekintetében - a szerződés teljesítésének időtartama alatt köteles előzetesen Vevőnek valamennyi olyan alvállalkozót bejelenteni (a megnevezésen túl az elérhetőség, valamint a képviseletre jogosult megjelölésével), amely részt vesz a szerződés teljesítésében. Eladó a szerződés teljesítésének időtartama alatt köteles Vevőt tájékoztatni az alvállalkozók bejelentésben közölt adatainak változásáról.

9. Vis maior

9.1. Eladó nem felelős a mulasztásokért, ha a mulasztás oka vis maior eredménye. Eladó csak abban az esetben hivatkozhat vis maiorra, ha értesítette a Vevőt a vis maior eseményről, annak okairól és várható időtartamáról.

9.2. A Szerződésben meghatározott, a vis maior eseménnyel érintett határidők a vis maior időtartamával módosítani lehet, a Felek külön megállapodása alapján, amennyiben a Kbt. 141. §-ában foglalt feltételek fennállnak.

9.3. Vis maiornak minősül a Felek működési körén kívüli, külső esemény, amely ésszerűen nem elhárítható vagy kikerülhető, és amely a szerződés teljesítését valamely szerződő fél számára ideiglenesen vagy véglegesen lehetetlenné teszi (pl. földrengés, árvíz, háború, természeti katasztrófa).

9.4. Bármely Fél, amely vis maiorra hivatkozik, köteles a másik Felet az aktuális vis maior eseményről haladéktalanul, illetve, ha a vis maior esemény az értesítés lehetőségét kizárja, az értesítés lehetővé válását követően haladéktalanul írásban értesíteni. Ezen írásos értesítésnek tartalmaznia kell az esemény jellemzőit és annak a jelen szerződés teljesítésére gyakorolt hatását, valamint a késedelem miatt a teljesítés várható időpontját.

10. Titoktartási kötelezettség

10.1. Az Eladót, illetve minden alkalmazottját, illetve az általa a teljesítésbe bevont alvállalkozókat, egyéb közreműködőket titoktartási kötelezettség terheli a Szerződés teljesítése során vagy azzal összefüggésben tudomásukra jutott (vagy birtokukba került), illetve más módon megismert minden olyan, nem nyilvánosan hozzáférhető, illetve nem közérdekű adat, terv, információ, okmány, dokumentum tartalma vonatkozásában, amelynek nyilvánosságra hozatala a Vevő hivatali, üzleti vagy egyéb titkait sértené. A titoktartási kötelezettség alól jogszabály felmentést adhat. A titoktartás a megállapodás megszűnésétől számított 3 évig áll fenn. Eladó kijelenti, hogy a közpénzek felhasználásával, a köztulajdon használatának nyilvánosságával, átláthatóbbá tételével és ellenőrzésének bővítésével összefüggő jogszabályokban foglaltakat ismeri, és tudomásul veszi.

10.2. Jelen Szerződésben foglalt rendelkezéseknek az Eladói alkalmazottak, alvállalkozók, illetve egyéb közreműködők részéről történő megismertetése, betartatása, illetve a betartatásának ellenőrzése az Eladó kötelessége, illetve felelőssége. A jogosulatlan nyilvánosságra hozatalból származó hátrányok elhárításához, illetve kiküszöböléséhez szükséges költségek – az esetleges titoksértésért fennálló felelősségen túl – az Eladót terhelik, kivéve, ha bizonyítja, hogy a titok megőrzése és megőriztetése tekintetében úgy járt el, ahogy az adott helyzetben általában elvárható.

10.3. Felek kötelezettséget vállalnak arra, hogy a jelen Szerződéssel szabályozott kapcsolatok folytán tudomásukra jutott cégszerű, üzleti információkat, adatokat, tényeket a másik fél előzetes hozzájárulása nélkül nem hozzák harmadik természetes vagy jogi személy tudomására, nem teszik harmadik személy számára hozzáférhetővé, és abból adódóan külön üzleti előny szerzésére nem törekednek.

11. Kapcsolattartás

11.1. Felek részéről a Szerződés teljesítése során kapcsolattartásra kijelölt személyek:

Vevő kapcsolattartója
Név: Zubor Ildikó
Értesítési cím: Semmelweis utca 6 II. em
Telefon/fax: +36 70 439 9213
E-mail: molnarne.zubor.ildko@med.u-szeged.hu

Név: Árvai-Takács Ildikó
Értesítési cím: 1123 Budapest, Nagyenyed Utca 8-14
Telefon/fax: +36-30-378-6973 és +36-1-8842-882 fax: +36-1-8842-759
E-mail: jnj.medical.megrendeles@its.jnj.com

A kapcsolattartásra kijelölt személyek kötelesek a teljesítést akadályozó körülményekről haladéktalanul írásban értesíteni egymást és kezdeményezni a szükséges intézkedést. Személyükben történő változásról a Felek egymást 48 órán belül írásban értesítik. A kapcsolattartók személyének változása nem minősül szerződésmódosításnak.

12. A Szerződés megszűnése

12.1. Jelen Szerződés megszűnik, amennyiben eltelt a 4.1. és 4.3. pontban meghatározott időtartam, vagy a szerződés szerinti összeg kimerülésével.

12.2. Felek a másik fél ismételt és/vagy súlyos szerződésszegése esetén a Szerződést a másik félhez intézett egyoldalú, írásbeli nyilatkozattal, azonnali hatállyal felmondhatják.

12.3. Amennyiben felek a Szerződés vonatkozásában az azonnali hatályú felmondással kívánnak élni, úgy az erre irányuló jognyilatkozatában meg kell jelölni az azonnali hatályú felmondás okát.

12.4. A Szerződés tekintetében a Vevő a Szerződés azonnali hatályú felmondására jogosult, és az azonnali hatályú felmondás jogkövetkezményei alkalmazásának akkor van helye, ha

- A Szerződés megkötését követően jut tudomására, hogy a szerződő fél tekintetében a közbeszerzési eljárás során kizáró ok állt fenn, és ezért ki kellett volna zárni a közbeszerzési eljárásból (kötelező felmondási ok).
- A szerződés 7.6. pontja szerinti esetekben.
- Eladó rendszeresen vagy súlyosan megszegi a Szerződésből eredő kötelezettségeit.
- A Kbt. 143. § (3) bekezdésében meghatározott okok valamelyike megvalósult.
- Eladó az átláthatóság tekintetében valótlan tartalmú nyilatkozatot tesz.
- Az Eladóval szemben a csődeljárásról és a felszámolási eljárásról szóló 1991. évi IL. törvény 11. § (2) bekezdés h) pontja szerinti (illetve a mindenkor hatályos jogszabályok szerinti) végelszámolási, csőd- (ide nem értve a fizetési haladék időtartamát) vagy felszámolási eljárásban biztosított fizetési haladék eredménytelen elteltét követően.
- Az Eladó a jelen szerződés szerinti titoktartási kötelezettséget megszegi.
- Alvállalkozó jogosulatlan igénybevétele esetén.
- Az Eladó egyéb súlyos szerződésszegése esetén.

12.5. Felmondás esetén a Felek kötelesek egymással a megszűnés napjával elszámolni.

12.6. Bármely nem szerződésszerű teljesítés jogi fenntartás nélküli elfogadása a Vevő részéről nem értelmezhető joglemondásként azon igényről vagy igényekről, amelyek a Vevőt szerződésszegés következményeként megilletik.

13. Egyéb feltételek

13.1. A Kbt. 136. § (1) bekezdésére figyelemmel Felek rögzítik, hogy Eladó nem fizet, illetve számol el a Szerződés teljesítésével összefüggésben olyan költségeket, amelyek a Kbt. 62. § (1) bekezdés k) pont ka)-kb) alpontja szerinti feltételeknek nem megfelelő társaság tekintetében merülnek fel, és amelyek az Eladó adóköteles jövedelmének csökkentésére alkalmasak. Továbbá Eladó vállalja, hogy a Szerződés teljesítésének teljes időtartama alatt tulajdonosi szerkezetét a Vevő számára megismerhetővé teszi és a Kbt. 143. § (3) bekezdés szerinti ügyletekről a Vevőt haladéktalanul értesíti.

13.2. Kbt. 143. § (3) bekezdése értelmében Vevő jogosult és egyben köteles a Szerződést felmondani - ha szükséges olyan határidővel, amely lehetővé teszi, hogy a Szerződéssel érintett feladata ellátásáról gondoskodni tudjon - ha

a) az Eladóban közvetetten vagy közvetlenül 25%-ot meghaladó tulajdoni részesedést szerez valamely olyan jogi személy vagy személyes joga szerint jogképes szervezet, amely tekintetében fennáll a Kbt. 62. § (1) bekezdés k) pont kb) alpontjában meghatározott feltétel.

b) Eladó közvetetten vagy közvetlenül 25%-ot meghaladó tulajdoni részesedést szerez valamely olyan jogi személyben vagy személyes joga szerint jogképes szervezetben, amely tekintetében fennáll a Kbt. 62. § (1) bekezdés k) pont kb) alpontjában meghatározott feltétel.

13.3. A Kbt. 143. § (3) bekezdés szerinti felmondás esetén Eladó a Szerződés megszűnése előtt már teljesített szolgáltatás szerződés szerinti pénzbeli ellenértékére jogosult.

13.4. Eladó köteles haladéktalanul írásban jelezni Vevőnek bármely tényt, vagy körülményt, amely a szerződés rész- és/vagy véghatáridejének csúszását, vagy egyéb szerződésszegést eredményezhet, vagy amelyek kihatással vannak a szerződésre, illetve az elvárt minőségre.

13.5. Felek rögzítik, hogy a szerződés közbeszerzési eljárás alapján került megkötésre, ezért a Kbt. rendelkezéseit is alkalmazni kell a szerződés teljesítésére, módosítására és megszüntetésére. A jelen szerződés kiegészítése vagy módosítása csak írásban, a Felek közös megegyezése alapján a Kbt. 141. § által meghatározott feltételek szerint lehetséges.

13.6. Felek megállapodnak, hogy a szerződés teljesítése során közöttük felmerült vitás kérdéseket először megkísérlik közvetlen tárgyalások útján rendezni. Az egyeztetés eredménytelensége esetén fordulnak bírósághoz. Felek kikötik a Vevő székhelye szerinti bíróságok illetékességét.

13.7. Eladó tudomásul veszi, hogy a Vevő a Kbt. 37. §-a és 43. §-a alapján a szerződés adatait, illetve a szerződést nyilvánosságra hozza.

13.8. Amennyiben a szerződés bármelyik rendelkezése érvénytelenné válna, a szerződés többi része továbbra is hatályos és érvényes marad. Ebben az esetben a Feleknek olyan megállapodásra kell jutniuk, amely leginkább megfelel az érvénytelenné vált rendelkezés eredeti céljának.

14. A Szerződés hatálybalépése

14.1. A Szerződés magyar nyelven, **4** db eredeti példányban készül és a felek kölcsönös aláírása után lép hatályba. A Vevő **3** db, az Eladó **1** db eredeti példányt kap[3].

14.2. Felek a Szerződést, mint akaratukkal mindenben megegyezőt, magukra nézve kötelezőnek ismerik el, és kijelentik, hogy annak aláírására jogosultak és a Szerződés hatálybalépéséhez további jogcselekményre nincs szükség.

14.3. A Szerződésben nem szabályozott kérdésekben a Ptk., a Kbt., valamint az egyéb vonatkozó jogszabályok rendelkezései irányadók.

Kelt 2022.09.09.

.....

Dr. Lengyel Csaba, elnök

Johnson & Johnson Kft.
H-1123 Budapest, Nagyenyed u. 8-14.
Tel.: (06-1) 884 2800 • Fax: (06-1) 884 2729
CITIBANK BUDAPEST Rt. 10800007-72188031
Ad.ig.sz: 10495177-2-44

.....

Hugyecz Tamás Gábor ügyvezető

Johnson & Johnson Egészségügyi és Babaápolási Termékeket Gyártó és Forgalmazó Kft.

2022 AUG. 04

Pénzügyi ellenjegyző:

.....

Pozsár Anita, gazdálkodási elnökhelyettes

.....

Dr. Fendler Judit, kancellár

Jogi ellenjegyzés:

.....

Dr. Nagy Paulina
beszerzési igazgató

Mellékletek:

1. Eladó ajánlata szerinti árazott méretválaszték
2. A közbeszerzési eljárás során keletkezett dokumentumok (fizikailag nem kerül csatolásra a Szerződéshez)
3. Konszignációs raktár indulókészlete (később kerül csatolásra)

[3] A példányszámok a szerződés aláírása során kerülnek kiküldésre.

SZTE-traumin

Ajánlattevő neve: **Johnson & Johnson Kft.**
Ajánlattevő székhelye: 1123 Budapest, Nagyenyed utca 8-14.

Cégszerű aláírás

Az ártáblázatban elegendő azokat a részeket beazonosítani, amelyre Ajánlattevő ajánlatot kíván tenni.
Amely részekre az Ajánlattevő nem kíván ajánlattal élni, azon sorokat kérjük üresen hagyni!
Ajánlatkérő előírja az általa ártáblázatként kibocsátott excel fájl, mint nyílattkozatminta kötelező alkalmazását az ajánlat összeállítása és benyújtása során!
Az ártáblázat sorai vagy oszlopai nem törölhetőek azon tételek esetében sem, amelyekre az Ajánlattevő nem kíván ajánlattétellel élni! A tablázat sorai és oszlopai nem bővíthetőek!

TRAUMATOLÓGIAI IMPLANTÁTUMOK

Az Ajánlatkérő által meghatározott műszaki leírás

RK.	Megnevezés	Termékjellemzők, leírás, minőség	1 eset meghatározása	Db	Esetszám db	Egységár (nettó HUF) Az egy eset tartalmi elemei egységárának feltüntetése szükséges!)	Összesen egységár (nettó HUF) Az egy eset tartalmi elemei egységárának összesen értéke!)	A FELOLVASÓLAP RÉSZÉT KÉPEZI! - Az ajánlatok összehasonlítását szolgáló ajánlati ár / Összesen ajánlati ár (tervezett mennyiség x egységár) (nettó HUF) (F x H oszlop)	ÁFA kulcs (%)	A megajánlott termék gyártója/Szállítói cikkszám/ uzonosítószám	A megajánlott áru vonatkozásában a 4/2009. (III. 17.) ÜM rendelet alapján szükséges-e a termék forgalomba hozatalához és használatba vételéhez CE megfelelőség értékelési tanúsítvány megléte. Amennyiben igen, úgy a CE megfelelőségi tanúsítványt az ajánlatan csatolni kell, oldalszámmal vagy fájl elnevezéssel megjelölve azt is, hogy az adott árura az ajánlatban mely csatolt dokumentum a vonatkozó	Az ajánlatban csatolni kell a megajánlott részekre vonatkozó termékadatlapot, vagy gyártói adatlapot vagy termékismertetőt. Kérjük a vonatkozó dokumentum oldalszámának vagy fájl elnevezésének megjelölését is! (a magyar nyelv mellett, angol nyelven is benyújtható)	Az ajánlatban csatolni kell a műszaki leírás szerint a forma-, méret-, hossz.- illetve átmérő-választékok bemutatását oldalszámmal vagy fájl elnevezéssel megjelölve azt is, hogy az adott árura az ajánlatban mely csatolt dokumentum a vonatkozó. Kérjük a vonatkozó dokumentum oldalszámának vagy fájl elnevezésének megjelölését is!
1.1	Dinamikusan reteszelhető tomportáji törések vellőüszegek és csavarjaik. 3-nal több tomportáji fragmentumbol álló töréseikhez. Pertrochanter, intertrochanter, magasan levő subtrochanter töréseikhez, hosszu változatban distalisabban lévő, vagy distalis irányban kiterjedő töréseikhez, ipszlaterális, csetleg patologiás trochanter töréseikhez.Osteoporotikus csonthoz.	Az implantátum titanötvözetből készüljön, legyen elérhető rövid (170, 200 mm), normal (240 mm) és hosszu (300-420 mm, 20 mm-es ugrasokkal) változata is. Átmerője rövid és normál méretben 9-12 mm steril csomagolásban. Hosszu változatban 9,10, 12 mm, jobb es balodalisagot megkülönböztetve, steril csomagolásban. Legyen alkalmas kanülált technikával történő bevezetésre. Proximálisan pengevel legyen reteszelhető, mely gatolja a rotaciot. A penge legyen perforalt, hogy augmentaciot lehessen alkalmazni sulyosan oszteoporotikus betegeknél. A penge hossza legyen 75 mm-130 mm között elérhető 5 mm-es ugrasokkal, steril csomagolásban. A penge es a szeg szöge 125, 130 fok legyen, 240 mm-es hosszual legyen elérhető 135 fokos változat is. Legyen elérhető hozza zarosapka 0-5-10-15 mm nagysagban. Disztalis reteszelés lehessen dinamikus vagy statikus, 5 mm-es reteszcsavarral, rövid es normal szegek eseten röntgen atereszto celzo berendezéssel. A reteszcsavarok 26-68 mm-ig 2 mm-es, 72-80 mm-ig 4 mm-es 85-100 mm-ig 5 mm-es ugrasokkal álljanak rendelkezésre. Az ajánlattevő biztositson implantátum beültető, és kivevő keszletet. Szükség eseten legyen elérhető az augmentálashoz csontcement es beültető eszközei.Az implantátumok egyenként csomagoltak, atlaszo csomagolásban, vonalkoddal ellatott etikettel, a csomagolason a cikkszam, gyari szam, megnevezés, meret, anyagösszetétel, CE-jelzes, es minden egyeb, fontos informacio megtalálható.	femur szeg	1	30	88 300	163 300	4 899 000	27	Gyarto: Synthes GmbH, Moller GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	1.1 resz PFNA.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			penge	1		55 000					GI 056032 0100		
			reteszcsavar	1		7 000					GI 056032 0100		
			zarosapka	1		13 000					GI 056032 0100, CE0482		
1.2	Dinamikusan reteszelhető tomportáji törések vellőüszegek és csavarjaik. 3-nal több tomportáji fragmentumbol álló töréseikhez. Pertrochanter, intertrochanter, magasan levő subtrochanter töréseikhez, hosszu változatban distalisabban lévő, vagy distalis irányban kiterjedő töréseikhez, ipszlaterális, csetleg patologiás trochanter töréseikhez, malunionokhoz, nonunionokhoz..Osteoporotikus csonthoz.	Az implantátum titanötvözetből készüljön, legyen elérhető rövid (170, 200 mm), normal (235 mm) és hosszu (260-480 mm, 20 mm-es ugrasokkal) változata is. Átmerője 9-12 mm. Normál és hosszú változatban jobb és balodalisagot megkülönböztetve, steril csomagolásban. Legyen alkalmas kanülált technikával történő bevezetésre. Proximálisan pengevel vagy csavarral legyen reteszelhető, mely gátolja a rotaciót. A penge es a csavar legyen perforalt, hogy augmentaciot lehessen alkalmazni sulyosan oszteoporotikus betegeknél. A penge hossza legyen 70 mm-130 mm között elérhető 5 mm-es ugrasokkal, steril csomagolásban. A csavar hossza legyen 70 mm-130 mm között elérhető 5 mm-es ugrasokkal, steril csomagolásban. A penge/csavar es a szeg szöge 125, 130 135 fokos változatban is legyen elérhető. Legyen elérhető hozza zarosapka 0-5-10-15 mm nagyságban. Disztalis reteszeles lehessen dinamikus vagy statikus, 5,0 mm-es reteszcsavarral, rövid es normal szegek eseten röntgen atereszto celzo berendezéssel. A reteszcsavarok 26-80 mm-ig 2 mm-es, 85-100 mm-ig 5 mm-es ugrásokkal álljanak, rendelkezesre. Az ajanlattevő biztositson implantátum beültető, es kivevő készletet.Szükség eseten legyen elérhető az augmentalashoz csontcement es beültető eszközei.Az implantátumok, egyenként csomagoltak, atlaszo csomagolásban, vonalkoddal ellatott etikettel, a csomagolason a cikkszám, gyari szám, megnevezes, meret, anyagösszetetel, CE-jelzes, es minden egyeb, fontos informacio megtalalhato.	femur szeg	1	20	110 000	195 000	3 900 000	27	Gyarto: Synthes GmbH, Moller GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	1.2 resz TFNA.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			penge	1		63 000					GI 056032 0100		
			reteszcsavar	1		7 000					GI 056032 0100		
			zarosapka	1		15 000					GI 056032 0100, CE0482		
1.3	Proximális femur, nyak törések ellátasara szolgalo implantátumok	Proximalis femur törések kezelesere szolgáló implantatum, amely alkalmas: subcapital es transcervical törésekkezelésére. A fej-nyak fragmentumot lemezzel es csavarral rögzíti.A lemez130° -oses szögstabil legyen,5.0mm átmerőjű zarocsavarokkal működjön. Legyen elérhető sterilen,titaniumbol egy es ket lyukas változatban. A rendszer antirotacios csavart tartalmazzon, ami 7, 5° szögel zarjon be a csapszegged, hogy ezáltal a kis femur fejbe is behelyezhető legyen.Az antirotacios csavar átmerőjeő. 4mm-es legyen, valamint 75mm-tól 130mm-es méret szortimentben álljon rendelkezésre, 5mm-es meretemelkedessel. Szükségesn tovabba az elhúzó kapcsolodo csapszeg, amely 10mm-es átmerőjű, anyagat tekintve titanium, 75-130mm -es hosszúságú skálán mozogjon, 5mm-es meretemelkedessel. Mindkettő sterilen legyen elérhető. A lemez 5.0mm-es átmerőjű reteszcsavarral legyen rögzíthető, melyen T25-ös StarDrive fej talalhato. A reteszcsavar 30-60mm-es hosszúsághanálljon rendelkezesre. 30 es 50mm között 2mm-es emelkedessel, illetőleg 50 es 60mm között pedig 5mm-es emelkedessel. Mind steril, mind nem steril változatban elérhető legyen. 1 db Műszerkészlet követelmény.	lemez	1	20	66 000	135 600	2 712 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	1.3 resz Femoral_Neck_System_DSEM-TRM-0614-0098-3_LR_HU.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			csapszeg	1		37 300					GI 056032 0100		
			antirotációs csavar	1		22 400					GI 056032 0100		
			reteszcsavar	1		9 900					GI 056032 0100		
						1. részajánlati kör összesen (felolvasólapra irandó érték):		11 511 000					-
5.1	Nyílt vagy zart tomporközeli es/vagy combcsontdiaphysis törés primer ellatasa különféle lehetőségged biro felfúrasos vagy felfúras nélküli szeggel	Az implantatum titan ötvözetből készüljön. A szegek kanülált módszerrel legyenek bevezethetőek, legyenek alkalmasak felfúras nelkűli es felfúrasos technikaval történő bevezetesre is. Proximálisan legyen lehetőség normal, dinamikus es u.n. recon reteszelesre is. Legyen kanülált zarokupak elérhető hozza 0- 5-10-15-20 mm méretekben. Disztalis reteszéssenel legyen többiranyu reteszési lehetőség. A szeg legyen elérhető jobbos es balos változatban is, 9-16 mm átmerőben, 300-480 mm hosszban, 20 mm-es ugrasokkal. A reteszcsavarok 5 es 6 mm átmerőben legyenek elérhetőek, 26-80 mm-ig 2 mm-es, 85-100 mm-ig 5 mm-es ugrasokkal. Legyen luzza elérhető 6,5 mm átmerő meretben csipőcsavar 60-130 mm-ig 5 mm-es ugrasokkal. Legyen lehetőség a dinamikus vagy statikus reteszeles valasztasara. Szükség eseten legyen szögstabilla tehető. Proximalis rezhez legyen celzo. Ajánlattevő biztositson implantátum beültető, es kivevő keszletet. Az implantatumok egyenkent csomagoltak, atlaszo csomagolasban, vonalkoddal ellatott etikettel, a csomagolason a cikkszam, gyari szam, megnevezés, meret, anyagösszetetel, CE-jelzes, es minden egyeb, fontos informacio megtalalhato.	femur szeg	1	60	129 000	198 000	11 880 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	5.1 resz LFN.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			reteszcsavar	2		7 000					GI 056032 0100		
			zarokupak	2		6 900					GI 056032 0100		
			csipőcsavar	2		20 600					GI 056032 0100		
						5. részajánlati kör összesen (felolvasolapra irandó érték):		11 880 000					
6.1	Nyílt vagy zart izületközeli tibiatörés endomedullaris stabilizaciója endomedullaris szeggel	Az implantatum legyen titanötvözetből. A szegek kanülált módszerrel legyenek bevezethetőek, legyenek alkalmasak felfúras nelkűli es felfúrasos technikaval történő bevezetesre is. Mindket vegen akar 3 iranybol legyen reteszelhető, a proximális rezhez legyen celzoberendezes. Átmerője 8-13 mm, hossza 255-465 mm között legyen 15 mm-es ugrasokkal. A reteszcsavarok 4 es 5 mm meretűek legyenek, a 4 mm-es 18-80 mm-ig 2 mm-es ugrásokkal, az 5 mm-es 26-80 mm-ig 2 mm-es, 85-100 mm-ig 5 mm-es ugrasokkal rendelkezzenek. A leggproximálisabb reszbe legyen lehetőség dupla meretemelkedésű spongiosa csavar használatara, e csavartipus legyen elérhető 30-90 mm meretben 5 mm-es ugrasokkal. Legyen lehetőség dinamikus, statikus, es akár szögstabil reteszelésre is. (ASLS csavar behelyezése.) Legyen hozza zarocsavar, 0-5-10-15 mm-es változatban, mely blokkolja a leggrotimálisabb reteszcsavart. Ajánlattevő biztositson implantátum beültető, kivevő keszletet.	tibia szeg	1	30	127 000	174 500	5 235 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	6.1 resz ETN_HU.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			reteszcsavar 4mm	3		6 000					GI 056032 0100		
			reteszcsavar 5mm	3		7 000					GI 056032 0100		
			zarókupak	1		8 500					GI 056032 0100		
						6. részajánlati kör összesen (felolvasolapra irandó érték):		5 235 000					
8.1	Reteszelhető felkar szegek . A humerus stabil es instabil. a proximális, illetve distalis harmadaban bekövetkezett szártörések, patologiai eredetű törések, pseudoarthrosis ellátasara alkalmas szeg	A humerus rögzítésere szolgaló titan ötvözetből készült szeg, mely felfúrással es felfúras nelkül is behelyezhető. Proximalisan legyen reteszelhető reteszcsavarral, disztalisan statikusan és dinamikusan. A proximális csavarok behelyezesehez legyen elérhető riintgen atereszto celzokat. Legyen hozza zarocsavar a leggproximálisabb reteszmegoldás blokkolására. 0-5-10-15 mm meretekben. A szeg átmerője 7 - 9,5 mm, 160 mm meretben es 180-315 mm meretartományban. A proximális reszben használatos reteszcsavarok átmerőte 4 mm, 20-60 mm méretartományban.2 mm-es ugrásokkal legyen elérhető. Szükség eseten a rendszer legyen szögstabilla tehető. A szárrészen a reteszcsavarok átmérője 4mm.	humerus szeg	1	30	105 500	150 600	4 518 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kod- es termeklistaban foglaltak szerint	GI 056032 0100	8.1 resz Multiloc_Long_PHN_HU.pdf	Az ajánlatunkhoz csatolt reszletes kod- es termeklistaban az adott resz/sor szamaval jelöltük.
			csavar 4,5mm	1		17 600					GI 056032 0100		
			reteszcsavar 3,5mm	1		10 000					GI 056032 0100		
			reteszcsavar 4mm	1		6 000					GI 056032 0100		
						8. részajánlati kör összesen (felolvasólapra irandó érték):		4 518 000					

11.1	Medence törések lemezes osteosynthesise	A kombifuratos, acél szögstabil ill. önkompressziós lemezek a bevágások mentén a tér minden irányában könnyen modellálható ún. rekonstrukciósak legyenek, alacsony profilúak, lekerekített végűek, hogy minimalizálják a légyész irritációt. Méretek: egyenes önkompressziós lemezek: 3-20 furat, hajlított (íves) rekonstrukciós: 6-16 furat, symphisis lemez 4-6 furatos, szögstabil egyenes lemezek: 3-20 furat, igény esetén legyen elérhető J alakú balos jobbos változatú, kompresszós és szögstabil változat is 10-16 lyukas változatban is Az acéllemezek rögzítéséhez 3,5 mm-s önvágó corticalis,ill. szögstabil, stardrive reteszcsavarok teljes méret szortimenttel álljanak rendelkezésre A műszerkészlet tartalmazzon e speciális területhez szükséges redukciós és felfáró eszközöket,3 D-s hajlító fogót, melyet az ajánlattevő biztosítson.	rekonstrukciós lemez	1	50	42 000	96 000	4 800 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	11.1 rész Pelvic.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			csavar 36mm	2		9 000				GI 056032 0100		
			csavar 16mm	2		9 000				GI 056032 0100		
			csavar 26mm	2		9 000				GI 056032 0100		
		11. részajánlati kör összesen (felolvasólapra írandó érték):					4 800 000					
13.1	Ablakos és sorozat bordatörések implantátumai	Szögstabil záródású borda fixációs rendszer, melyben mind lemezek, mind velőűrszegek találhatóak, oldalspecifikusan. A tátinból készült formázott lemezek 15-18 lyukúak, színkódoltak, az egyenes lemez 8 lyukú, a velőűrszegek, 3, 4, 5 mm szélesek legyenek. A rendszer tartalmazzon 2,9 mm-s szögstabil csavarokat 6-14 mm hosszban, 2,9 mm-s nem szögstabil csavarokat 10, 12 mm hosszban Az ajánlattevő biztosítson a beültetéshez szükséges műszer és implantátum készletet.	lemez	1	30	127 000	181 000	5 430 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	13.1 rész MATRIXRIB.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			csavar 10mm	2		9 000				GI 056032 0100		
			csavar 14mm	2		9 000				GI 056032 0100		
			csavar 6mm	2		9 000				GI 056032 0100		
		13. részajánlati kör összesen (felolvasólapra írandó érték):					5 430 000					
14.2	Radius distalis végének elmozdulásos extra- és intraarticularis törései, korektív osteotómiák kezelése 2,4 mm-s szögstabil rendszerrel, speciális lemezekkel, az ízületi véghez nagyon közeli töréselhez.	A darabos ízület közeli törések szintézisához való alakos titán, előmodellált, különböző formájú szögstabil lemezek dorzális és voláris alkalmazáshoz. A lemezek fej részében formától függően 2-5 menetes lyuk, a száron 3-5 kombilyuk. Extrém esetekre legyen elérhető ennél hosszabb szárú változat is. A lemezek legyenek oldalspecifikusak. Rögzítő csavarok 2,4 mm átmérőjűek legyenek. A csavarok között legyen corticalis és szögstabil típus. A műszerkészlet tartalmazzon 0,8 Nm mértékű nyomatékszabályozót, az esetleges fémlakvételek megkönnyítése érdekében. Az ajánlattevő biztosítson műszer és implantátumkészletet.	radius distalis lemez	1	48	47 000	101 000	4 848 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	14.2 rész LCP extraart.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			zárocsavar 12mm	1		10 800				GI 056032 0100		
			zárocsavar 14mm	1		10 800				GI 056032 0100		
			zárocsavar 16mm	1		10 800				GI 056032 0100		
			zárocsavar 24mm	1		10 800				GI 056032 0100		
			zárocsavar 18mm	1		10 800				GI 056032 0100		
		14. részajánlati kör összesen (felolvasólapra írandó érték):					4 848 000					
16.1	Felkar könyökízület közeli végénél lévő intraartikuláris és supracondylust törések összetoszintézise szögstabil lemezekkel, illetve az ulna proximális részének intraartikuláris töréseinek kezelése szögstabil lemezekkel	A darabos ízület közeli törések szintéziséhez való oldalspecifikus, külön a külső és külön a belső oldalra előmodellált, titán szögstabil lemezek, 3-5-7-9-14 lyukas változatban, a felkar könyökízületi vég anatomiájának megfelelő kialakítással. Szükség esetén a belső lemezekből legyen elérhető az úgynevezett füles változat is A lemezek disztális végén 2,4-es fejű 2,7 mm átmérőjű szögstabil csavarok behelyezésére alkalmas lyukak legyenek, a száron 3,5 mm-s szögstabil vagy corticalis csavarok behelyezésére alkalmas kombilyukak. A 2,7 mm-s titán, stardrive szögstabil csavarok, a 3,5 mm-es titán, corticalis és titán stardrive szögstabil csavarok teljes méretszortimenttel álljanak rendelkezésre. A beültető készlet tartalmazzon ezeknek megfelelő 0,8Nm és 1,5 Nm nyomatékszabályzót. Szükség esetén legyen elérhető a rendszerhez tartozó speciális célzó, mely a lemezek projicionálását, a csavarok behelyezését és a műtét biztonságosabb, gyorsabb elvégzését teszi lehetővé. A rendszer része legyen az ulna törése, vagy osteotómiája esetére a 3,5 mm-s titán olecranon lemez, mely szintén oldal specifikus, 2-4-6-8-10-12 lyukas változatban legyen elérhető, valamint a 3,5 mm-es egyenes titán szögstabil lemezek 4-12 lyukas változatban, a 3,5 mm-es titán karmos szögstabil lemez 3 lyukas változatban és a 3,5 mm-s titán szögstabil metafízis lemez 6-18 lyukas méretekben.	distalis humerus lemez distrofialemez	1	40	96 000	296 700	11 868 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	16.1 rész LCP DHP_036.000.461_HU.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			distalis humerus lemez középső	1		96 000				GI 056032 0100		
			zárocsavar 22mm	2		10 000				GI 056032 0100		
			zárocsavar 20mm	2		10 000				GI 056032 0100		
			zárocsavar 18mm	1		10 000				GI 056032 0100		
			csavar 28mm	1		2 350				GI 056032 0100		
			csavar 30mm	1		2 350				GI 056032 0100		
			zárocsavar 24mm	3		10 000				GI 056032 0100		
			zárocsavar 50mm	2		10 000				GI 056032 0100		
		16. részajánlati kör összesen (felolvasólapra írandó érték):					11 868 000					
18.1	Humerus proximális – vállízületi – végének törései	Felkar vállízületi véghez kiképzett alakos fix-szögletű lemez titánból állíjon rendelkezésre. A fej részben legyen elhelyezhető 9 szögstabil csavar , előre meghatározott szögben (konvergáló és divergáló), speciális célzó segítségével. E lyukak mellett legyenek benne lyukak a tűződrótok és az invarratok számára. A száron 3, vagy 5 kombilyuk legyen a csavarok részére. Igény esetén hosszabb szárral is legyen elérhető a lemez. A lemezhez legyenek elérhetőek a 3,5 mm-s, titán corticalis és stardrive, szögstabil csavarok teljes méretta rtományban. A megfelelő stabilitás és a későbbi fémkivétel szempontjából szükség van egy 1,5 Nm-es nyomatékszabályozóra. Az ajánlattevő biztosítson műszer és implantátum konszignációs készletet.	proximális humerus lemez	1	50	92 000	174 350	8 717 500	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	18.1 rész PHILOS and Philos Long_HU.pdf; 18.1 rész PHILOS with_AUGMENTATION_DSEM-TRM-0614-0087-3_LR_HU.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			zárocsavar 50mm	3		10 000				GI 056032 0100		
			zárocsavar 40mm	3		10 000				GI 056032 0100		
			zárocsavar 30mm	2		10 000				GI 056032 0100		
			corticalis csavar 36mm	1		2 350				GI 056032 0100		
18.2	AC ízületi sérülés, illetve a clavicula distalis harmadának töréseinek szögstabil lemezekkel	Az anatómiailag formázott titán, oldalspecifikus szögstabil LCP Clavicular Hook Plate 3.5 lemez lekerekített végei óvják az acromioclavicularis ízületet és a rotátor köpenyt a további sérülésektől. A szár rész szögstabil lyukai biztosítsanak stabil rögzítést a clavicula szárán, akár osteoporotikus csonthan is. A hook/kampó rész 3 különböző méretben 12-15-18 mm essissel legyen elérhető, a szár pedig a 12mm-esnél 4-5. a 15 és 18 mm-esnél 4-5-6-7 lyukas változatban. A clavaecula distalis harmad töréséhez szintén oldalspecifikus, a distalis részen kiszélesedő, ott 2,7 mm-es szögstabil csavarokat befogadó részzel rendelkező lemez álljon rendelkezésre, a száron 3-8 lyukkal. A clavicula középső harmad műtéteihez anterior superior módon behelyezhető, oldalspecifikus titán szögstabil lemezek, 6-7-8 lyukú változatban álljanak rendelkezésre. A rögzítéshez titán, önmetsző 2,7 mm-s szögstabil, 3,5 mm-es titán, önmetsző corticalis és titán, stardrive, önmetsző 3,5 mm-es	clavicularis lemez	1	30	93 000	130 200	3 906 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	GI 056032 0100	18.2 rész Clavicle.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			szögstabil csavar 26mm	2		9 300				GI 056032 0100		
			szögstabil csavar 22mm	2		9 300				GI 056032 0100		
18.3	2, 3, 4 rész törések kezelése endoprotézissel	A rendszer legyen modulárus, különböző átmérőjű és hosszú szárakból, és különböző méretű fejekből állíjon, melyek kombinációját a beteg anatómiája alapján az operatőr határozza meg intraoperatíve. Állíjon rendelkezésre a teljes méretskála mind a szárakból, mind a fejekből. A szár distális része legyen hosszában rovátkolt a cementes kapcsolat elősegítése céljából, proximális részén legyenek lyukak a ligyrészek, csontdarabok refixációját lehetővé téve. A proximális rész legyen skálázott a megfelelő mélység meghatározásához. A fej glenoid felőli része legyen polírozott, tökéletesen sima. A beültető készlet tartalmazzon próbaimplantátumokat mind a szár, mind a fej tekintetében, a legoptimálisabb pótlás megtalálásához. Az ajánlat tartalmazzon antibiotikumos csontcementet is	szár	1	24	250 000	490 000	11 760 000	27	Gyártó: DePuy Ireland, DePuy Orthopaedics Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	CE 00483, CE 552737	18.3 Global AP_HU.pdf, 18.3 GLOBAL UNITE Platform Shoulder System - Anatomic Fx-Reverse Fx Surgical Technique - DSEMJRC02181003_EN.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük
			fej	1		150 000				CE 00483, CE 552737		
			glenoid	1		90 000				CE 00483, CE 552737		
18.4	Invarz totál vállízületi endoprotézis	Rendelkezésre áll cementes, illetve cement nélküli változatban is. A cementes szár alapanyaga cobalt chrome, míg a cement nélküli titán, amely elérhető hidroxiapatit bevonattal is. Normál szárkomponensekben felül a rendszer rendelkezik revíziónál illetve nagy csonthiányoknál használható hosszított szár komponensekkel is. A szár distalis része bordázott, a proximális vége pedig keskenyített formájú a minél több csont megtartása végett. A mak-szár szögállás 155 fok az optimális ízületi stabilitás érdekében. Az invarz totál vállízületi endoprotézis szára monoblokk, 7 méretben. A scapularis rögzítésnél 2 ónzáródó és 2 normál csavarral rögzítő hydroxyapatit bevonatú metaglene alkalmazása lehetséges. A metaglene rögzíthető fej standard és excentrikus kivitelben 2-2 méretben áll rendelkezésre. Az ízület megfelelő feszességének beállítása érdekében a rendszer humerus vápákat 2 féle átmérőben, 3 féle vastagságban	szár	1	48	250 000	724 000	34 752 000	27	Gyártó: DePuy Ireland Cikkszám: a részletes kód- és termékjegyzékben foglaltak szerint	CE 552737	18.4 Delta_Xtend_HU.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékjegyzékben az adott részlet számával jelöltük

		bocsát a felhasználó rendelkezésére. A humerus vápát a humerus epiphysisébe (inlay) kell behelyezni a deltoid funkciójának optimalizálása érdekében.	hebel	1		34 000					CE 552737			
			metaglene	1		150 000					CE 552737			
			glenosphere	1		150 000					CE 552737			
			csavar	4		15 000					CE 552737			
					19. részajánlati kör összesen (felolvasólapra írandó érték):			59 135 500						
20.1	Combcsont térdízület-közeli végelhez szögstabil lemezek	Az anatómiailag formázott szögstabil tibia lemezek legyenek minimál invazív technikával is használhatóak. A lemezprofil kiképzésénél fogva minimalizálja a lágyrészek irritációját. A rögzített szögállás tamassza meg az izületi felszint, biztos stabilizálást nyujtva az osteoporotikus csontban is. Legyen elérhető különböző hosszúságokban (5-7-9-11-13 lyuk a szaron), jobbos es balos kivitelben. A szögstabil lemez fixációjához titan, önmetsző cortikális 4.5 mm-es csavarok; 5.0 mm-es stardrive, önmetsző, titán, szögstabil reteszcsavarok, 5.0 mm-es titán, önmetsző, perioprotetikus csavarok alljanak rendelkezesre teljes merettartományban. Kúpos menetkapcsolat legyen a szögstabil csavar feje es a lemez szögstabil lyuka között. A beültető keszlet legyen alkalmas a minimál invazivitasra, a fedett technika megvalosításara. A behelyező keszlet tartalmazzon mindegy szár-lyuk-elosztásnak megfelelő szögstabil reteszcsavarhelyekre. 4.0 Nm-es nyomatékkulcsot, valamint	lemez	1	80	110 000	166 000	13 280 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	20.1 resz LCP DF_FEMUR_HU.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 42mm	3		9 900					GI 056032 0100			
			szögstabil csavar 80mm	2		9 900					GI 056032 0100			
			corticalis csavar	1		6 500					GI 056032 0100			
20.2	Combcsont szár törések szögstabil lemezes kezelése	Az anatómiailag formázott szögstabil tibia szárlemez kialakítása a lemez görbületét úgy, hogy minimál invazív technikával is használható legyen. A lemezprofil kiképzésénél fogva minimalizálja a lágyrészek irritációját. A rögzített szögállás biztos stabilizálast nyujtson az osteoporotikus csontban is. Különböző hosszúságokban legyen elérhető (12-20 lyukas). A szögstabil keskeny egyenes lemez végei legyenek lekerekítettek, hogy alkalmas legyen a minimál invazív technikára, és minimalizálja a lágyreszek irritaciojat. 6-16 lyukas hosszakban alljon rendelkezesre, de igeny esetén legyen elérhető a 2-5, es a 17-24 lyukas változat is.A szögstabil lemez fixációjához, titan, önmetsző cortikális 4.5 mm-es csavarok; 5.0 mm-es stardrive, önmetsző, titán, szögstabil reteszcsavarok, 5.0 mm-es titán, önmetsző, perioprotetikus csavarok alljanak rendelkezesre teljes méretszortimentben. Kúpos menetkapcsolat legyen a szögstabil csavar feje es a lemez szögstabil lyuka között. A beültető keszlet legyen alkalmas a minimál invazivitasra, a fedett technika megvalosításara. A behelyező keszlet tartalmazzon mindegy szár-lyuk-elosztásnak megfelelő szögstabil reteszcsavarhelyekre. 4.0 Nm-es nyomatékkulcsot, valamint	lemez	1	30	46 000	111 900	3 357 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	20.2 resz Curved plate.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 38mm	3		9 900					GI 056032 0100			
			szögstabil csavar 42mm	3		9 900					GI 056032 0100			
			corticalis csavar 44mm	1		6 500					GI 056032 0100			
20.3	Periprotetikus combcsont törések ellátására kifejlesztett lemezek, kábelrendszerrel	Az anatómiailag formázott szögstabil acél lemez legyen elérhető a minimál invazív technikára. A lemezprofil kiképzésénél fogva minimalizálja a lágyreszek irritaciojat. A lemez proximális vege anatomiailag formazott legyen, lehetőve teve a nagy tomporra való felhelyezest horgok segitsegevel. A proximális lemezfurat engedje 7.3 mm-es kanulált szögstabil, vagy kanulált konálos csavar behelyezesét 95 fokos szögállasban. A proximális második csavar 5.0 mm-es szögstabil, stardrive fejű, kúpos menet csavar-lemez menetkapcsolatot alkosson a rendszerrel 110 fokos szöget bezárva a lemezzel, ezáltal biztositva a stabil tartast es terhelést követő fix rögzítést. A rögzített szögállás tamassza meg a nagy tomport, biztos stabilizálast nyujtva az osteoporotikus csontban is. A lemez szara 4.5mm-es kortikális, valamint 5.0mm-es szögstabil csavarok behelyezesét tegye lehetővé. A stabilitás fokozása erdekében, igeny esetén alljon rendelkezesre 4 vagy 8 lyukú acél rúdellemez, es a hozzátartozó	proximalis femorális lemez	1	20	114 000	224 400	4 488 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	20.3 resz Cable_System_Surgical_Technique_HU.pdf, 20.3 resz LCP Prox.Femur P_4.5 5.0_036.000.403_HU.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 42mm	3		9 900					GI 056032 0100			
			szögstabil csavar 60mm	3		9 900					GI 056032 0100			
			kanulált zárócsavar 30mm	1		25 500					GI 056032 0100			
			kanulált zárócsavar 45	1		25 500					GI 056032 0100			
					20. részajánlati kör összesen (felolvasólapra írandó érték):			21 125 000						
					22. részajánlati kör összesen (felolvasólapra írandó érték):			41113						
23.1	Osteotómiák utáni rögzítés	Tibia terdízületi veg medialis es lateralis megtamasztasara szolgáló formázott szögstabil lemezek, melyeket különösen osteotómiák után alkalmaznak. Legyen különösen erős, hogy a túlsúlyos betegekre is alkalmazható legyen. A beültető keszlet tartalmazzon celzobblokkot a megfelelő irányú csavarbehelyezéshez, es 4,0 Nm-es nyomatékszabályozót a megfelelő stabilitas, es a későbbi eltavolitas erdekében. Az ajánlattevő biztositson műszer és implantátum konszignációs keszletet. Szükség esetén legyen elérhető a femorális lateralis lemez is.	tibia lemez	1	30	114 000	173 400	5 202 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	23. 1 resz LCP PLT 4.5.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 70mm	3		9 900					GI 056032 0100			
			szögstabil csavar 50mm	3		9 900					GI 056032 0100			
23.2	A tibia proximalis törések minimál invazív stabilizációja anatómiailag formázott szögstabil tibia lemezzel	Az anatomiailag formazott szögstabil titan lemez legyen alkalmas a minimál invazív technikára. A lemezprofil kiképzésénél fogva minimalizálja a lágyreszek irritaciojat. A rögzített szögállas tamassza meg az izületi felszint, biztos stabilizálast nyujtva az osteoporotikus csontban is. A lemezek a szár reszen különböző hosszúságúak (5-7-9-11-13 lyukas), jobbos es balos kivitelben legyenek elérhetőek. A szögstabil lemez fixációjához 4.5 mm-es titán, önmetsző, cortikális; 5.0 mm-es stardrive, titán, önmetsző, szögstabil reteszcsavarok, valamint 5.0 mm-es titán, önmetsző, perioprotetikus csavarok teljes meret szortimentje alljon rendelkezesre. A beültető keszlet szintén legyen alkalmas a minimál invazivitasra, a fedett technika megvalosításara. A behelyező keszlet tartalmazzon	tibia lemez	1	80	92 000	167 800	13 424 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	23.2 resz LCP_ PLT.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 80mm	3		9 900					GI 056032 0100			
			szögstabil csavar 75mm	2		9 900					GI 056032 0100			
			szögstabil csavar 42mm	2		9 900					GI 056032 0100			
			corticalis csavar 60mm	1		6 500					GI 056032 0100			
23.3	A tibia proximalis törések stabilizacioja szögstabil lemezzel, anatomiailag formazott proximal tibia lemez	Az anatomiailag formazott proximal tibia lemez legyen titan alapanyagu, szögstabil furattal a fejr, kombi furattal a szár reszen. F tamasztolemez jelentsen optimális megoldást a darabos törések es a romzonák stabilizalasaban. A stabilitás fokozasa erdekeben tegye lehetővé a tibia condylus medialis es lateralis megtamasztasat. Az elvékonyodó lemezprofil minimalizalja a lagyreszek irritaciojat. A szarreszen talalhato kombilyukak szamatol függően elérhető 4-6-8-10-12-14 lyuku változat, jobbos es balos kivitelben. A lemez fixaciojahoz titan, önmetsző 4.5 mm-es cortikalis es stardrive, titan, önmetsző 5.0 mm-es szögstabil reteszcsavarok alljanak rendelkezesre teljes mértertartományban. Kúpos menetkapcsolat legyen a szögstabilcsavar feje es a lemez szögstabil lyuka között. A lemez fej reszbe a szögstabil csavar behelyezese es a lemez szaraba a szögstabil csavar behelyezése menetes vezető biro celzsel legyen megoldható. A beültető keszlet tartalmazzon 4.0 Nm-es nyomatékvaltot, mely megakadályozza a szögstabil csavarok túlhúzását, illetve megkönnyíti az esetleges fémeltavolitast.	tibia lemez	1	30	117 000	192 800	5 784 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	23. 3 resz LCP PLT 3.5.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 80mm	3		9 900					GI 056032 0100			
			szögstabil csavar 75mm	2		9 900					GI 056032 0100			
			szögstabil csavar 42mm	2		9 900					GI 056032 0100			
			corticalis csavar 60mm	1		6 500					GI 056032 0100			
					23. részajánlati kör összesen (felolvasólapra írandó érték):			24 410 000						
25.1	Tibia distalis (bokaízületi) töreseinek stabilizalasa anatómiailag formazott tibia distalis hajlított lemez	Az anatomiailag formazott, hajlított, oldalspecifikus, szögstabil lemez legyen alkalmas a medialis distal tibia stabil megtámasztására. Legyen elérhető igeny szerint mind acel, mind titan változatban is. A distalisan bevezethető rögzített szögállas tamassza meg az izületi felszint, biztos stabilizalast nyujtva az osteoporotikus csontban is. Az elvékonyított lemezprofil tegye lehetővé a minimal invazív alkalmazast, minimalizalva a lagyreszek irritaciojat. A lemez a szaran 4-6-8-10 furattal elérhető jobbos es balos kivitelben.A lenez fixaciojahoz stardrive, önmetsző 3.5 mm-es cortikalis es stardrive, önmetsző 3.5 mm-es szögstabil reteszcsavarok legyenek elérhetőek teljes méretválaszték kal, mind titan, mind acel változatban is. Kúpos menetkapcsolat legyen a szögstabil csavar feje es a lemez szögstabil lyuka között.A beültető keszlet tartalmazzon menetes fúrovezetőt, amely segíti a pontos célzást és a csavarszar-szöge meghatározását, valamint egy 1.5 Nm nyomatékvaltu csavarhúzót is, ami megakadályozza a	distalis tibia lemez	1	40	125 000	154 250	6 170 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	25.1 resz LCP Dist.Tibia 3.5.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			szögstabil csavar 50mm	3		9 000					GI 056032 0100			
			szögstabil csavar 45mm	2		9 000					GI 056032 0100			
			szögstabil csavar 30mm	2		9 000					GI 056032 0100			
			corticalis csavar 28mm	1		2 250					GI 056032 0100			
25.2	Ugróízületi elmeretvites	Az implantátum titán ötvözetből készüljön, 12 fokos lateralis hajlással a biztonsagos behelyezes erdekében. Legyen kanulált, jobbos es balos kivitelben, 10, 12 es 13 mm átmerővel, 150, 180 es 240 mm hosszban. Proximalisan legyen lehetőség statikus es disztalis reteszlesre is. Distalisan legyen lehetőség osztcoporotikus csontban a csavaros reteszlesi mellett/helyett pengevel történő reteszlesre. Szükség esetén legyen lehetőség a talusba is csavart tenni. Reteszleshez alljon rendelkezesre 5.0 mm-es és 6.0 mm-es reteszcsavar teljes méretválaszlékban (26-100mm hosszban), illetve a penge 45-100 mm hosszban. A teljes stabilitas ekreszéshez alljon rendelkezesre zaroapka a csavaros es a penges rogzitéshez is. A beültetőkeszlet tartalmazza a speciális célzót, melynek segitsegevel az összes reteszlesi lehetőség behelyezhető.Az implantátumok egyenként csomagoltak, atlatszo csomagolásban, vonalkóddal ellátott etikettel, a csomagolason a cikkszam, gyari szam, megnevezés, meret, anyagösszetétel, CE-jelzés, es minden egyéb, fontos informacio megtalalhato.	vdővászog	1	10	135 000	202 000	2 020 000	27	Gyarto: Synthes GmbH Cikkszam: a reszletes kód- es termeklistaban foglaltak szerint	GI 056032 0100	25.2 resz Expert Han_ENG.pdf	Az ajanlatunkhoz csatolt reszletes kód- es termeklistaban az adott resz/sor szamaval jelöltük.
			reteszcsavar 5mm	3		7 000					GI 056032 0100			
			ajzalpenge	1		34 000					GI 056032 0100			
			zaroknak	1		19 000					GI 056032 0100			
			reteszcsavar 6mm	1		7 000					GI 056032 0100			
					25. részajánlati kör összesen (felolvasólapra írandó érték):			8 190 000						

27.1	Kézfűcsontok, metacarpusok törzsének ellátására szolgáló lemezek	Legyen olyan műtéttálcával rendelkező modulris készletrészi rendszer, amelyből az adaptálható, hajlítható lemezekkel. A rendszer részei legyenek a 1,0 -1,3 mm, 1,5 mm, 2,0 mm és a 2,4 mm modulok, a hozzá tartozó 1,0 -1,3, 1,5, 2,0 és 2,4-es LCP lemezekkel, szögletstabil LCP retesz csavarokkal és cortikális csavarokkal. A lemezek legyenek elvékonyított profilúak, a teljesen elsüllyedő csavarok a ligrészek artikulációját a minimális mértékre csökkentsék. A csavarok 1,5 mm-től legyenek önmetszők, hogy külön menetfúrás ne legyen	lemez	1	40	35 000	76 400	3 056 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékleírásban foglaltak szerint	GI 056032 0100	27.1 rész LCP COMPACT HAND_DSEM-TRM-0815-0478-1_LH_HU.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott rész/sor számával jelöltük
			szögstabil csavar 3mm	3		6 900				GI 056032 0100		
			szögstabil csavar 9mm	3		6 900				GI 056032 0100		
27.2	Kézfűcsontok, metacarpusok törzsének ellátására szolgáló	Titánból készült fej nélküli kompresszós, kanülált csavar scaphoid, patella, capitellum, caput, metacarpal, tarsal	csavar	1	40	35 000	35 000	1 400 000	27	Gyártó: Synthes GmbH	GI 056032 0100	27. 2 rész HCS 2.4 - 3.0 HU.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott
27.3	Lábfűcsontok, metatarsusok törzsének ellátására szolgáló lemezek	Az ajánlat tartalmazzon egy moduláris lemez rendszert, anatómiailag formázott és adaptálható titán lemezekkel, mely lehetővé teszi a láb csontos vaz sertésének anatómiai szintézisét, különböző arthrodesisek és osteotomiák mozgástabilitását biztosítva külső rögzítések nélkül. A lemezek legyenek elvékonyítottak, fix vagy variábilis fix szögletűek, melyhez a csavarok teljesen elsüllyeszthetőek. Igény esetén legyen elérhető Forefoot/midfoot régióra való lemezek, Fúziós lemezek, 1. MPT fúziós lemezek, nyitó nyeztentómás lemezek, TMT fúziós lemezek különböző méretekben. A csavarok készüljenek titánból, legyenek variábilis szögstabilak, szögstabilak és cortikálisok, 2.4 mm méretben, teljes méretválasztékban, legyen köztük és a lemez között kúpos menetkapcsolat. A beültetö készlet tartalmazzon fúrövezetőt a precíz ürnyméghatározáshoz, és 0 8 Nm-es nyomatekszabályzót	fúziós lemez	1	30	67 000	102 200	3 066 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékleírásban foglaltak szerint	GI 056032 0100	27. 3 rész VA-FOOT.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott rész/sor számával jelöltük
			szögstabil csavar 12mm	2		8 800				GI 056032 0100		
			szögstabil csavar 13mm	2		8 800				GI 056032 0100		
27.4	Sarokcsont rögzítésére szolgáló szögletstabil lemezek	Sarokcsont rögzítésére szolgáló oldalspecifikus, modellálható szögstabil lemezek 4 különböző méretben. A lemez csonthoz rögzítésére szolgáló 3,5 mm-s titán, önmetsző cortikális és önmetsző, staedrive, szögstabil csavarok álljanak rendelkezésre, 10-60 mm mérettartományban.	lemez	1	10	90 000	145 800	1 458 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékleírásban foglaltak szerint	GI 056032 0100	27. 4 rész Calcaneus.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott rész/sor számával jelöltük
			szögstabil csavar 26mm	3		9 300				GI 056032 0100		
			szögstabil csavar 30mm	2		9 300				GI 056032 0100		
			szögstabil zárócsavar 14mm	1		9 300				GI 056032 0100		
					27. részajánlati kör összesen (felhívásunkra írandó érték):			**8 980 000**				
29.1	Speciális csontpótló	6-18 hónap alatt átépülő osteoconduktív szintetikus csontpótló. A rendszer igény esetén tartalmazzon csontvelő aspirátum gyűjtő készletet. A szintetikus csontpótló előre csomagolt steril perfúziós eszközzel is legyen elérhető,így lehetővé téve az osteoinduktivitást is. Különböző szemcsemeretű granulátum formájában. Az implantátumok egyenként csomagoltak, átlátszó csomagolásban, vonalkóddal ellátott etikettel, a csomagoláson a cikkszám, gyári szám, megnevezés, méret, anyagösszetétel, CE-jelzés, és minden egyéb, fontos információ megtalálható.	csontpótló	1	50	18 000	18 000	900 000	27	Gyártó: Synthes GmbH, Mathys Ltd. Cikkszám: a részletes kód- és termékleírásban foglaltak szerint	GI 056032 0100, GI2 056032 0111, GI 052905 0105	29. 1 rész chronos.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott rész/sor számával jelöltük
29.2	Átépülő hüvely és speciális reteszcsavarok	Az intramedullaris szegezés szegtahilla tételéhez szükséges szintetikus bio anyagból készült felszívódó hüvely és az ezzel együttműködő titán csavarok. A csavarok legyenek 4, 5, 6 mm átmérőjűek, 26-80, 30-100, 32-125 mm hosszúságúak, steril csomagolásuak, a hüvelyek 4, 5, 6 mm átmérőjűek. Az ajánlattevő biztosítson beültetéshez szükséges műszereket. Az implantátumok egyenként csomagoltak, átlátszó csomagolásban, vonalkóddal ellátott etikettel, a csomagoláson a cikkszám, gyári szám, megnevezés, méret, anyagösszetétel, CE-jelzés, és minden egyéb, fontos információ megtalálható legyen.	hüvely	1	20	15 500	40 500	810 000	27	Gyártó: Synthes GmbH Cikkszám: a részletes kód- és termékleírásban foglaltak szerint	GI 056032 0100	29. 2 rész ASLS.pdf	Az ajánlatunkhoz csatolt részletes kód- és termékleírásban az adott rész/sor számával jelöltük
			reteszcsavar	1		25 000				GI 056032 0100		
					29. részajánlati kör összesen (felhívásunkra írandó érték):			**1 710 000**				

Kelt: Budapest, 2022.03.30.

Elektronikus aláírással ellátta:
Hugyecz Tamás Gábor
ügyvezető

Johnson & Johnson Kft.

Rész/sor száma	Termékkód	Termék megnevezése, termékjellemzők	Nettó egységár (Ft)
1.1	04.027.000S	PFNA End Cap, extension 0 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	04.027.001S	PFNA End Cap, extension 5 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	04.027.002S	PFNA End Cap, extension 10 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	04.027.003S	PFNA End Cap, extension 15 mm, Stardrive®, T40, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	04.027.030S	PFNA Blade, perforated, length 75 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.031S	PFNA Blade, perforated, length 80 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.032S	PFNA Blade, perforated, length 85 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.033S	PFNA Blade, perforated, length 90 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.034S	PFNA Blade, perforated, length 95 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.035S	PFNA Blade, perforated, length 100 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.036S	PFNA Blade, perforated, length 105 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.037S	PFNA Blade, perforated, length 110 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.038S	PFNA Blade, perforated, length 115 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.039S	PFNA Blade, perforated, length 120 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.040S	PFNA Blade, perforated, length 125 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	04.027.041S	PFNA Blade, perforated, length 130 mm, Titanium Alloy (TAN), sterile	55 000,00 Ft
1.1	472.436S	PFNA - Proximal Femoral Nail Ø 9.0 mm, extra-small, 125°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.385S	PFNA - Proximal Femoral Nail Ø 10 mm, extra-small, 125°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.386S	PFNA - Proximal Femoral Nail Ø 11 mm, extra-small, 125°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.387S	PFNA - Proximal Femoral Nail Ø 12 mm, extra-small, 125°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.437S	PFNA - Proximal Femoral Nail Ø 9.0 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.390S	PFNA - Proximal Femoral Nail Ø 10 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.391S	PFNA - Proximal Femoral Nail Ø 11 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.392S	PFNA - Proximal Femoral Nail Ø 12 mm, extra-small, 130°, length 170 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.430S	PFNA - Proximal Femoral Nail Ø 9.0 mm, small, 125°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.370S	PFNA - Proximal Femoral Nail Ø 10 mm, small, 125°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.371S	PFNA - Proximal Femoral Nail Ø 11 mm, small, 125°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.372S	PFNA - Proximal Femoral Nail Ø 12 mm, small, 125°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.431S	PFNA - Proximal Femoral Nail Ø 9.0 mm, small, 130°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.375S	PFNA - Proximal Femoral Nail Ø 10 mm, small, 130°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.376S	PFNA - Proximal Femoral Nail Ø 11 mm, small, 130°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.377S	PFNA - Proximal Femoral Nail Ø 12 mm, small, 130°, length 200 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.400S	PFNA - Proximal Femoral Nail Ø 9.0 mm, 125°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.260S	PFNA - Proximal Femoral Nail Ø 10 mm, 125°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.261S	PFNA - Proximal Femoral Nail Ø 11 mm, 125°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.262S	PFNA - Proximal Femoral Nail Ø 12 mm, 125°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.401S	PFNA - Proximal Femoral Nail Ø 9.0 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.265S	PFNA - Proximal Femoral Nail Ø 10 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.266S	PFNA - Proximal Femoral Nail Ø 11 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.267S	PFNA - Proximal Femoral Nail Ø 12 mm, 130°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.270S	PFNA - Proximal Femoral Nail Ø 10 mm, 135°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.271S	PFNA - Proximal Femoral Nail Ø 11 mm, 135°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	472.272S	PFNA - Proximal Femoral Nail Ø 12 mm, 135°, length 240 mm, Titanium Alloy (TAN), sterile	88 300,00 Ft
1.1	04.023.100S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.162S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.410S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.166S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.168S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft

1.1	04.027.170S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.172S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.104S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.182S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.412S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.186S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.188S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.190S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.192S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.101S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.163S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.411S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.167S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.169S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.171S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.173S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.105S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.183S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.413S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.187S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.189S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.191S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.193S	PFNA - Proximal Femoral Nail Ø 9.0 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.102S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.202S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft

1.1	472.275S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.206S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.290S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.210S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.305S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.106S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.222S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.280S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.226S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.295S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.230S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.310S	PFNA - Proximal Femoral Nail Ø 10 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.103S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.203S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.320S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.207S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.335S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.211S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.350S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.023.107S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.223S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.325S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.227S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	472.340S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.231S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft

1.1	472.355S	PFNA - Proximal Femoral Nail Ø 10 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.240S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.242S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.244S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.246S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.248S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.250S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.252S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.260S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.262S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.264S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.266S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.268S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.270S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.272S	PFNA - Proximal Femoral Nail Ø 12 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.241S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.243S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.245S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.247S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.249S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.251S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.253S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.261S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.263S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.265S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft

1.1	04.027.267S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.269S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.271S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.273S	PFNA - Proximal Femoral Nail Ø 12 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.280S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.282S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.284S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.286S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.288S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.290S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.292S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.300S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.302S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.304S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.306S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.308S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.310S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.312S	PFNA - Proximal Femoral Nail Ø 14 mm, long, right, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.281S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.283S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.285S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.287S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.289S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.291S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.293S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 125°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft

1.1	04.027.301S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 300 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.303S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 320 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.305S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 340 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.307S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 360 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.309S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 380 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.311S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 400 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.027.313S	PFNA - Proximal Femoral Nail Ø 14 mm, long, left, 130°, length 420 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
1.1	04.005.516	Locking Screw Stardrive® Ø 5.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.518	Locking Screw Stardrive® Ø 5.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.520	Locking Screw Stardrive® Ø 5.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.522	Locking Screw Stardrive® Ø 5.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.524	Locking Screw Stardrive® Ø 5.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.526	Locking Screw Stardrive® Ø 5.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.528	Locking Screw Stardrive® Ø 5.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.530	Locking Screw Stardrive® Ø 5.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.532	Locking Screw Stardrive® Ø 5.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.534	Locking Screw Stardrive® Ø 5.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.536	Locking Screw Stardrive® Ø 5.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.538	Locking Screw Stardrive® Ø 5.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.540	Locking Screw Stardrive® Ø 5.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.542	Locking Screw Stardrive® Ø 5.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.544	Locking Screw Stardrive® Ø 5.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.546	Locking Screw Stardrive® Ø 5.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.548	Locking Screw Stardrive® Ø 5.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.550	Locking Screw Stardrive® Ø 5.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.552	Locking Screw Stardrive® Ø 5.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.554	Locking Screw Stardrive® Ø 5.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.556	Locking Screw Stardrive® Ø 5.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.558	Locking Screw Stardrive® Ø 5.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.560	Locking Screw Stardrive® Ø 5.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.562	Locking Screw Stardrive® Ø 5.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.564	Locking Screw Stardrive® Ø 5.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.566	Locking Screw Stardrive® Ø 5.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.568	Locking Screw Stardrive® Ø 5.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.570	Locking Screw Stardrive® Ø 5.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.575	Locking Screw Stardrive® Ø 5.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.580	Locking Screw Stardrive® Ø 5.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.585	Locking Screw Stardrive® Ø 5.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	04.005.590	Locking Screw Stardrive® Ø 5.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
1.1	473.155S	PFNA End Cap, extension 0 mm, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	473.156S	PFNA End Cap, extension 5 mm, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	473.157S	PFNA End Cap, extension 10 mm, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	473.158S	PFNA End Cap, extension 15 mm, Titanium Alloy (TAN), sterile	13 000,00 Ft
1.1	07.702.040S	TRAUMACEM™ V+ Bone Cement, injectable, sterile	46 000,00 Ft
1.1	03.702.120S	TRAUMACEM™ V+ Injection Cannula, for PFNA System	36 000,00 Ft
1.1	03.702.150S	TRAUMACEM™ V+ Syringe Kit, 4 x 1 mL, 2 x 2 mL, sterile	34 000,00 Ft
5.1	04.003.022	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 60 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.023	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 65 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.024	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 70 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.025	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 75 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.026	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 80 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft

5.1	04.003.027	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 85 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.028	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 90 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.029	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 95 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.030	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 100 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.031	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 105 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.032	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 110 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.033	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 115 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.034	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 120 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.035	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 125 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.036	Hip Screw Stardrive® Ø 6.5 mm, self- tapping, length 130 mm, for Expert™ LFN, Titanium Alloy (TAN)	20 600,00 Ft
5.1	04.003.240	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.340	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.440	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.540	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.640	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.244	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.344	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.444	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.544	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.644	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.248	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.348	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.448	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.548	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.648	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft

5.1	04.003.252	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.352	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.452	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.552	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.652	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.256	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.356	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.456	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.556	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.656	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.260	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.360	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.460	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.560	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.660	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.264	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.364	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.464	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.564	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.664	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.268	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.368	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.468	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.568	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.668	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft

5.1	04.003.272	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.372	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.472	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.572	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.672	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.276	Expert™ Lateral Femoral Nail Ø 9.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.376	Expert™ Lateral Femoral Nail Ø 10.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.476	Expert™ Lateral Femoral Nail Ø 11.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.576	Expert™ Lateral Femoral Nail Ø 12.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.676	Expert™ Lateral Femoral Nail Ø 13.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.740	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.840	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.940	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.744	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.844	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.944	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.748	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.848	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.948	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.752	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.852	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.952	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.756	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.856	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.956	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft

5.1	04.003.760	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.860	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.960	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.764	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.864	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.964	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.768	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.868	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.968	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.772	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.872	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.972	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.776	Expert™ Lateral Femoral Nail Ø 14.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.876	Expert™ Lateral Femoral Nail Ø 15.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.976	Expert™ Lateral Femoral Nail Ø 16.0 mm, right, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.241	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.341	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.441	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.541	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.641	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.245	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.345	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.445	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.545	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.645	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	129 000,00 Ft

5.1	04.003.249	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.349	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.449	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.549	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.649	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.253	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.353	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.453	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.553	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.653	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.257	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.357	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.457	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.557	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.657	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.261	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.361	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.461	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.561	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.661	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.265	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.365	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.465	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.565	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.665	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	129 000,00 Ft

5.1	04.003.269	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.369	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.469	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.569	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.669	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.273	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.373	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.473	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.573	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.673	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.277	Expert™ Lateral Femoral Nail Ø 9.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.377	Expert™ Lateral Femoral Nail Ø 10.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.477	Expert™ Lateral Femoral Nail Ø 11.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.577	Expert™ Lateral Femoral Nail Ø 12.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.677	Expert™ Lateral Femoral Nail Ø 13.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	129 000,00 Ft
5.1	04.003.741	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.841	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.941	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.745	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.845	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.945	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 320 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.749	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.849	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.949	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 340 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.753	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	138 000,00 Ft

5.1	04.003.853	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.953	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 360 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.757	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.857	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.957	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 380 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.761	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.861	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.961	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 400 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.765	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.865	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.965	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 420 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.769	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.869	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.969	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 440 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.773	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.873	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.973	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 460 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.777	Expert™ Lateral Femoral Nail Ø 14.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.877	Expert™ Lateral Femoral Nail Ø 15.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.977	Expert™ Lateral Femoral Nail Ø 16.0 mm, left, cannulated, length 480 mm, Titanium Alloy (TAN)	138 000,00 Ft
5.1	04.003.000	Expert™ End Cap Ø 12.0 mm, cannulated, extension 0 mm, for LFN and R/AFN, grey	6 900,00 Ft
5.1	04.003.001	Expert™ End Cap Ø 12.0 mm, cannulated, extension 5 mm, for LFN and R/AFN, Titanium Alloy (TAN), grey	6 900,00 Ft
5.1	04.003.002	Expert™ End Cap Ø 12.0 mm, cannulated, extension 10 mm, for LFN and R/AFN, Titanium Alloy (TAN), grey	6 900,00 Ft
5.1	04.003.003	Expert™ End Cap Ø 12.0 mm, cannulated, extension 15 mm, for LFN and R/AFN, Titanium Alloy (TAN), grey	6 900,00 Ft
5.1	04.003.004	Expert™ End Cap Ø 12.0 mm, cannulated, extension 20 mm, for LFN and R/AFN, Titanium Alloy (TAN), grey	6 900,00 Ft

5.1	04.003.006	Expert™ End Cap Ø 16.0 mm, cannulated, extension 5 mm, for LFN, grey	6 900,00 Ft
5.1	04.003.007	Expert™ End Cap Ø 16.0 mm, cannulated, extension 10 mm, for LFN, grey	6 900,00 Ft
5.1	04.003.008	Expert™ End Cap Ø 16.0 mm, cannulated, extension 15 mm, for LFN, grey	6 900,00 Ft
5.1	04.003.009	Expert™ End Cap Ø 16.0 mm, cannulated, extension 20 mm, for LFN, grey	6 900,00 Ft
5.1	04.005.516	Locking Screw Stardrive® Ø 5.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.518	Locking Screw Stardrive® Ø 5.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.520	Locking Screw Stardrive® Ø 5.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.522	Locking Screw Stardrive® Ø 5.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.524	Locking Screw Stardrive® Ø 5.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.526	Locking Screw Stardrive® Ø 5.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.528	Locking Screw Stardrive® Ø 5.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.530	Locking Screw Stardrive® Ø 5.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.532	Locking Screw Stardrive® Ø 5.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.534	Locking Screw Stardrive® Ø 5.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.536	Locking Screw Stardrive® Ø 5.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.538	Locking Screw Stardrive® Ø 5.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.540	Locking Screw Stardrive® Ø 5.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.542	Locking Screw Stardrive® Ø 5.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.544	Locking Screw Stardrive® Ø 5.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.546	Locking Screw Stardrive® Ø 5.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.548	Locking Screw Stardrive® Ø 5.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.550	Locking Screw Stardrive® Ø 5.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.552	Locking Screw Stardrive® Ø 5.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.554	Locking Screw Stardrive® Ø 5.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.556	Locking Screw Stardrive® Ø 5.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft

5.1	04.005.558	Locking Screw Stardrive® Ø 5.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.560	Locking Screw Stardrive® Ø 5.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.562	Locking Screw Stardrive® Ø 5.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.564	Locking Screw Stardrive® Ø 5.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.566	Locking Screw Stardrive® Ø 5.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.568	Locking Screw Stardrive® Ø 5.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.570	Locking Screw Stardrive® Ø 5.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.575	Locking Screw Stardrive® Ø 5.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.580	Locking Screw Stardrive® Ø 5.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.585	Locking Screw Stardrive® Ø 5.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.590	Locking Screw Stardrive® Ø 5.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
5.1	04.005.616	Locking Screw Stardrive® Ø 6.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.618	Locking Screw Stardrive® Ø 6.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.620	Locking Screw Stardrive® Ø 6.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.622	Locking Screw Stardrive® Ø 6.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.624	Locking Screw Stardrive® Ø 6.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.626	Locking Screw Stardrive® Ø 6.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.628	Locking Screw Stardrive® Ø 6.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.630	Locking Screw Stardrive® Ø 6.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.632	Locking Screw Stardrive® Ø 6.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.634	Locking Screw Stardrive® Ø 6.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.636	Locking Screw Stardrive® Ø 6.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.638	Locking Screw Stardrive® Ø 6.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.640	Locking Screw Stardrive® Ø 6.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.642	Locking Screw Stardrive® Ø 6.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.644	Locking Screw Stardrive® Ø 6.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.646	Locking Screw Stardrive® Ø 6.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.648	Locking Screw Stardrive® Ø 6.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.650	Locking Screw Stardrive® Ø 6.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.652	Locking Screw Stardrive® Ø 6.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.654	Locking Screw Stardrive® Ø 6.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.656	Locking Screw Stardrive® Ø 6.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.658	Locking Screw Stardrive® Ø 6.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.660	Locking Screw Stardrive® Ø 6.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.662	Locking Screw Stardrive® Ø 6.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.664	Locking Screw Stardrive® Ø 6.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.666	Locking Screw Stardrive® Ø 6.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.668	Locking Screw Stardrive® Ø 6.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.670	Locking Screw Stardrive® Ø 6.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.675	Locking Screw Stardrive® Ø 6.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.680	Locking Screw Stardrive® Ø 6.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.685	Locking Screw Stardrive® Ø 6.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
5.1	04.005.690	Locking Screw Stardrive® Ø 6.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
6.1	04.004.231	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.331	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.431	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.531	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.631	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.731	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 255 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.234	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft

6.1	04.004.334	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.434	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.534	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.634	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.734	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 270 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.237	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.337	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.437	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.537	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.637	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.737	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 285 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.240	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.340	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.440	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.540	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.640	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.740	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 300 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.243	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.343	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.443	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.543	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.643	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.743	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 315 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.246	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.346	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft

6.1	04.004.446	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.546	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.646	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.746	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 330 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.249	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.349	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.449	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.549	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.649	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.749	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 345 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.252	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.352	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.452	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.552	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.652	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.752	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 360 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.255	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.355	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.455	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.555	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.655	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.755	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 375 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.258	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.358	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.458	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), light green	127 000,00 Ft

6.1	04.004.558	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.658	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.758	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 390 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.261	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.361	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.461	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.561	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.661	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.761	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 405 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.264	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.364	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.464	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.564	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.664	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.764	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 420 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.267	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.367	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.467	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.567	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.667	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.767	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 435 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.270	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.370	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.470	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.570	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.670	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.770	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 450 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.273	Expert™ Tibial Nail Ø 8.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.373	Expert™ Tibial Nail Ø 9.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), dark blue	127 000,00 Ft
6.1	04.004.473	Expert™ Tibial Nail Ø 10.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.573	Expert™ Tibial Nail Ø 11.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.673	Expert™ Tibial Nail Ø 12.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.004.773	Expert™ Tibial Nail Ø 13.0 mm, cannulated, length 465 mm, Titanium Alloy (TAN), light green	127 000,00 Ft
6.1	04.005.408	Locking Screw Stardrive® Ø 4.0 mm, length 18 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.410	Locking Screw Stardrive® Ø 4.0 mm, length 20 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.412	Locking Screw Stardrive® Ø 4.0 mm, length 22 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.414	Locking Screw Stardrive® Ø 4.0 mm, length 24 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.416	Locking Screw Stardrive® Ø 4.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.516	Locking Screw Stardrive® Ø 5.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.418	Locking Screw Stardrive® Ø 4.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.518	Locking Screw Stardrive® Ø 5.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.420	Locking Screw Stardrive® Ø 4.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.520	Locking Screw Stardrive® Ø 5.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.422	Locking Screw Stardrive® Ø 4.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.522	Locking Screw Stardrive® Ø 5.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.424	Locking Screw Stardrive® Ø 4.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.524	Locking Screw Stardrive® Ø 5.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.426	Locking Screw Stardrive® Ø 4.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.526	Locking Screw Stardrive® Ø 5.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.428	Locking Screw Stardrive® Ø 4.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft

6.1	04.005.528	Locking Screw Stardrive® Ø 5.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.430	Locking Screw Stardrive® Ø 4.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.530	Locking Screw Stardrive® Ø 5.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.432	Locking Screw Stardrive® Ø 4.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.532	Locking Screw Stardrive® Ø 5.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.434	Locking Screw Stardrive® Ø 4.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.534	Locking Screw Stardrive® Ø 5.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.436	Locking Screw Stardrive® Ø 4.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.536	Locking Screw Stardrive® Ø 5.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.438	Locking Screw Stardrive® Ø 4.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.538	Locking Screw Stardrive® Ø 5.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.440	Locking Screw Stardrive® Ø 4.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.540	Locking Screw Stardrive® Ø 5.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.442	Locking Screw Stardrive® Ø 4.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.542	Locking Screw Stardrive® Ø 5.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.444	Locking Screw Stardrive® Ø 4.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.544	Locking Screw Stardrive® Ø 5.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.446	Locking Screw Stardrive® Ø 4.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.546	Locking Screw Stardrive® Ø 5.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.448	Locking Screw Stardrive® Ø 4.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.548	Locking Screw Stardrive® Ø 5.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.450	Locking Screw Stardrive® Ø 4.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.550	Locking Screw Stardrive® Ø 5.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.452	Locking Screw Stardrive® Ø 4.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.552	Locking Screw Stardrive® Ø 5.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.454	Locking Screw Stardrive® Ø 4.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.554	Locking Screw Stardrive® Ø 5.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.456	Locking Screw Stardrive® Ø 4.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.556	Locking Screw Stardrive® Ø 5.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.458	Locking Screw Stardrive® Ø 4.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.558	Locking Screw Stardrive® Ø 5.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.460	Locking Screw Stardrive® Ø 4.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.560	Locking Screw Stardrive® Ø 5.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.462	Locking Screw Stardrive® Ø 4.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.562	Locking Screw Stardrive® Ø 5.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.464	Locking Screw Stardrive® Ø 4.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.564	Locking Screw Stardrive® Ø 5.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.466	Locking Screw Stardrive® Ø 4.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.566	Locking Screw Stardrive® Ø 5.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.468	Locking Screw Stardrive® Ø 4.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.568	Locking Screw Stardrive® Ø 5.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.470	Locking Screw Stardrive® Ø 4.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
6.1	04.005.570	Locking Screw Stardrive® Ø 5.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.575	Locking Screw Stardrive® Ø 5.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.580	Locking Screw Stardrive® Ø 5.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.585	Locking Screw Stardrive® Ø 5.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.005.590	Locking Screw Stardrive® Ø 5.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
6.1	04.015.520	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 30 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.525	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 35 mm, Titanium Alloy (TAN), gold	7 600,00 Ft

6.1	04.015.530	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 40 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.535	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 45 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.540	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 50 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.545	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 55 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.550	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 60 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.555	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 65 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.560	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 70 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.565	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 75 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.570	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 80 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.575	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 85 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.015.580	Cancellous Bone Locking Screw Stardrive® Ø 5.0 mm with dual core, self-tapping, length 90 mm, Titanium Alloy (TAN), gold	7 600,00 Ft
6.1	04.004.000	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 0 mm, Titanium Alloy (TAN), gold	8 500,00 Ft
6.1	04.004.001	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 5 mm, Titanium Alloy (TAN), gold	8 500,00 Ft
6.1	04.004.002	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 10 mm, Titanium Alloy (TAN), gold	8 500,00 Ft
6.1	04.004.003	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, extension 15 mm, Titanium Alloy (TAN), gold	8 500,00 Ft
6.1	04.004.004	Expert™ End Cap for Tibial Nails Ø 8.0 to 13.0 mm, long, extension 0 mm, Titanium Alloy (TAN), gold	8 500,00 Ft
6.1	8.025.032.01	Sleeve ASLS4, resorbable, sterile	15 500,00 Ft
6.1	8.025.044.01	Sleeve ASLS5, resorbable, sterile	15 500,00 Ft
6.1	04.025.416S	Screw ASLS4, length 26 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.418S	Screw ASLS4, length 28 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.420S	Screw ASLS4, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.520S	Screw ASLS5, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.422S	Screw ASLS4, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.522S	Screw ASLS5, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.424S	Screw ASLS4, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.524S	Screw ASLS5, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.426S	Screw ASLS4, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.526S	Screw ASLS5, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.428S	Screw ASLS4, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.528S	Screw ASLS5, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.430S	Screw ASLS4, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.530S	Screw ASLS5, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.432S	Screw ASLS4, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.532S	Screw ASLS5, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.434S	Screw ASLS4, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.534S	Screw ASLS5, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.436S	Screw ASLS4, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.536S	Screw ASLS5, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.438S	Screw ASLS4, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.538S	Screw ASLS5, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.440S	Screw ASLS4, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.540S	Screw ASLS5, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.442S	Screw ASLS4, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.542S	Screw ASLS5, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.444S	Screw ASLS4, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft

6.1	04.025.544S	Screw ASLS5, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.446S	Screw ASLS4, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.546S	Screw ASLS5, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.448S	Screw ASLS4, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.548S	Screw ASLS5, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.450S	Screw ASLS4, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.550S	Screw ASLS5, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.452S	Screw ASLS4, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.552S	Screw ASLS5, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.454S	Screw ASLS4, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.554S	Screw ASLS5, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.456S	Screw ASLS4, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.556S	Screw ASLS5, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.458S	Screw ASLS4, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.558S	Screw ASLS5, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.460S	Screw ASLS4, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.560S	Screw ASLS5, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.462S	Screw ASLS4, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.562S	Screw ASLS5, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.464S	Screw ASLS4, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.564S	Screw ASLS5, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.466S	Screw ASLS4, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.566S	Screw ASLS5, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.468S	Screw ASLS4, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.568S	Screw ASLS5, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft

6.1	04.025.470S	Screw ASLS4, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
6.1	04.025.570S	Screw ASLS5, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.575S	Screw ASLS5, length 85 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.580S	Screw ASLS5, length 90 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.585S	Screw ASLS5, length 95 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
6.1	04.025.590S	Screw ASLS5, length 100 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
8.1	04.016.034S	MultiLoc™ Proximal Humeral Nail Ø 8.0 mm, right, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	95 500,00 Ft
8.1	04.016.035S	MultiLoc™ Proximal Humeral Nail Ø 8.0 mm, left, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	95 500,00 Ft
8.1	04.016.038S	MultiLoc™ Proximal Humeral Nail Ø 9.5 mm, right, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	95 500,00 Ft
8.1	04.016.039S	MultiLoc™ Proximal Humeral Nail Ø 9.5 mm, left, cannulated, length 160 mm, Titanium Alloy (TAN), sterile	95 500,00 Ft
8.1	04.016.180S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.195S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.210S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.225S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.240S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.255S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.270S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.285S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.300S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.016.315S	MultiLoc™ Humeral Nail Ø 7.0 mm, right, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.180S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.195S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.210S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.225S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.240S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft

8.1	04.017.255S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.270S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.285S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.300S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.017.315S	MultiLoc™ Humeral Nail Ø 7.0 mm, left, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.180S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.195S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.210S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.225S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.240S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.255S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.270S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.285S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.300S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.018.315S	MultiLoc™ Humeral Nail Ø 8.5 mm, right, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.180S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.195S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 195 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.210S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 210 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.225S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 225 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.240S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.255S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 255 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.270S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 270 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.285S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 285 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.300S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 300 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft
8.1	04.019.315S	MultiLoc™ Humeral Nail Ø 8.5 mm, left, cannulated, length 315 mm, Titanium Alloy (TAN), sterile	105 500,00 Ft

8.1	04.019.000S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 0 mm, Titanium Alloy (TAN), sterile	11 500,00 Ft
8.1	04.019.002S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 2 mm, Titanium Alloy (TAN), sterile	11 500,00 Ft
8.1	04.019.005S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 5 mm, Titanium Alloy (TAN), sterile	11 500,00 Ft
8.1	04.019.010S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 10 mm, Titanium Alloy (TAN), sterile	11 500,00 Ft
8.1	04.019.015S	MultiLoc™ End Cap for MultiLoc™ HN/PHN, extension 15 mm, Titanium Alloy (TAN), sterile	11 500,00 Ft
8.1	04.005.408	Locking Screw Stardrive® Ø 4.0 mm, length 18 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.410	Locking Screw Stardrive® Ø 4.0 mm, length 20 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.412	Locking Screw Stardrive® Ø 4.0 mm, length 22 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.414	Locking Screw Stardrive® Ø 4.0 mm, length 24 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.416	Locking Screw Stardrive® Ø 4.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.418	Locking Screw Stardrive® Ø 4.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.420	Locking Screw Stardrive® Ø 4.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.422	Locking Screw Stardrive® Ø 4.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.424	Locking Screw Stardrive® Ø 4.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.426	Locking Screw Stardrive® Ø 4.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.428	Locking Screw Stardrive® Ø 4.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.430	Locking Screw Stardrive® Ø 4.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.432	Locking Screw Stardrive® Ø 4.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.434	Locking Screw Stardrive® Ø 4.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.436	Locking Screw Stardrive® Ø 4.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.438	Locking Screw Stardrive® Ø 4.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.440	Locking Screw Stardrive® Ø 4.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.442	Locking Screw Stardrive® Ø 4.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.444	Locking Screw Stardrive® Ø 4.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.446	Locking Screw Stardrive® Ø 4.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft

8.1	04.005.448	Locking Screw Stardrive® Ø 4.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.450	Locking Screw Stardrive® Ø 4.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.452	Locking Screw Stardrive® Ø 4.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.454	Locking Screw Stardrive® Ø 4.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.456	Locking Screw Stardrive® Ø 4.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.458	Locking Screw Stardrive® Ø 4.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.005.460	Locking Screw Stardrive® Ø 4.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), dark blue	6 000,00 Ft
8.1	04.019.020	MultiLoc™ Screw Ø 4.5 mm, length 20 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.022	MultiLoc™ Screw Ø 4.5 mm, length 22 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.024	MultiLoc™ Screw Ø 4.5 mm, length 24 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.026	MultiLoc™ Screw Ø 4.5 mm, length 26 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.028	MultiLoc™ Screw Ø 4.5 mm, length 28 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.030	MultiLoc™ Screw Ø 4.5 mm, length 30 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.032	MultiLoc™ Screw Ø 4.5 mm, length 32 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.034	MultiLoc™ Screw Ø 4.5 mm, length 34 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.036	MultiLoc™ Screw Ø 4.5 mm, length 36 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.038	MultiLoc™ Screw Ø 4.5 mm, length 38 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.040	MultiLoc™ Screw Ø 4.5 mm, length 40 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.042	MultiLoc™ Screw Ø 4.5 mm, length 42 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.044	MultiLoc™ Screw Ø 4.5 mm, length 44 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.046	MultiLoc™ Screw Ø 4.5 mm, length 46 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.048	MultiLoc™ Screw Ø 4.5 mm, length 48 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.050	MultiLoc™ Screw Ø 4.5 mm, length 50 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.052	MultiLoc™ Screw Ø 4.5 mm, length 52 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.054	MultiLoc™ Screw Ø 4.5 mm, length 54 mm, Titanium Alloy (TAN)	17 600,00 Ft

8.1	04.019.056	MultiLoc™ Screw Ø 4.5 mm, length 56 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.058	MultiLoc™ Screw Ø 4.5 mm, length 58 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	04.019.060	MultiLoc™ Screw Ø 4.5 mm, length 60 mm, Titanium Alloy (TAN)	17 600,00 Ft
8.1	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
8.1	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
8.1	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
8.1	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
8.1	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
8.1	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
11.1	245.023	Reconstruction Plate 3.5 with low profile, straight, 3 holes, length 39 mm, Stainless Steel	20 000,00 Ft
11.1	245.024	Reconstruction Plate 3.5 with low profile, straight, 4 holes, length 52 mm, Stainless Steel	25 000,00 Ft
11.1	245.025	Reconstruction Plate 3.5 with low profile, straight, 5 holes, length 65 mm, Stainless Steel	42 000,00 Ft
11.1	245.026	Reconstruction Plate 3.5 with low profile, straight, 6 holes, length 78 mm, Stainless Steel	27 000,00 Ft

11.1	245.027	Reconstruction Plate 3.5 with low profile, straight, 7 holes, length 91 mm, Stainless Steel	42 000,00 Ft
11.1	245.028	Reconstruction Plate 3.5 with low profile, straight, 8 holes, length 104 mm, Stainless Steel	30 000,00 Ft
11.1	245.029	Reconstruction Plate 3.5 with low profile, straight, 9 holes, length 117 mm, Stainless Steel	42 000,00 Ft
11.1	245.030	Reconstruction Plate 3.5 with low profile, straight, 10 holes, length 130 mm, Stainless Steel	32 000,00 Ft
11.1	245.031	Reconstruction Plate 3.5 with low profile, straight, 11 holes, length 143 mm, Stainless Steel	42 000,00 Ft
11.1	245.032	Reconstruction Plate 3.5 with low profile, straight, 12 holes, length 156 mm, Stainless Steel	36 000,00 Ft
11.1	245.033	Reconstruction Plate 3.5 with low profile, straight, 13 holes, length 169 mm, Stainless Steel	42 000,00 Ft
11.1	245.034	Reconstruction Plate 3.5 with low profile, straight, 14 holes, length 182 mm, Stainless Steel	40 000,00 Ft
11.1	245.035	Reconstruction Plate 3.5 with low profile, straight, 15 holes, length 195 mm, Stainless Steel	42 000,00 Ft
11.1	245.036	Reconstruction Plate 3.5 with low profile, straight, 16 holes, length 208 mm, Stainless Steel	42 000,00 Ft
11.1	245.038	Reconstruction Plate 3.5 with low profile, straight, 18 holes, length 234 mm, Stainless Steel	42 000,00 Ft
11.1	245.039	Reconstruction Plate 3.5 with low profile, straight, 20 holes, length 260 mm, Stainless Steel	47 000,00 Ft
11.1	245.876	Reconstruction Plate 3.5 with low profile, curved (R108), 6 holes, length 78 mm, Stainless Steel	47 500,00 Ft
11.1	245.878	Reconstruction Plate 3.5 with low profile, curved (R108), 8 holes, length 104 mm, Stainless Steel	47 500,00 Ft
11.1	245.880	Reconstruction Plate 3.5 with low profile, curved (R108), 10 holes, length 130 mm, Stainless Steel	61 500,00 Ft
11.1	245.882	Reconstruction Plate 3.5 with low profile, curved (R108), 12 holes, length 156 mm, Stainless Steel	61 500,00 Ft
11.1	245.884	Reconstruction Plate 3.5 with low profile, curved (R108), 14 holes, length 182 mm, Stainless Steel	61 500,00 Ft
11.1	245.886	Reconstruction Plate 3.5 with low profile, curved (R108), 16 holes, length 208 mm, Stainless Steel	61 500,00 Ft
11.1	245.906	Reconstruction Plate 3.5 with low profile, curved (R88), 6 holes, length 78 mm, Stainless Steel	47 500,00 Ft
11.1	245.908	Reconstruction Plate 3.5 with low profile, curved (R88), 8 holes, length 104 mm, Stainless Steel	47 500,00 Ft
11.1	245.910	Reconstruction Plate 3.5 with low profile, curved (R88), 10 holes, length 130 mm, Stainless Steel	47 500,00 Ft
11.1	245.912	Reconstruction Plate 3.5 with low profile, curved (R88), 12 holes, length 156 mm, Stainless Steel	61 500,00 Ft
11.1	245.914	Reconstruction Plate 3.5 with low profile, curved (R88), 14 holes, length 182 mm, Stainless Steel	61 500,00 Ft
11.1	245.916	Reconstruction Plate 3.5 with low profile, curved (R88), 16 holes, length 208 mm, Stainless Steel	61 500,00 Ft
11.1	245.920	Reconstruction J-Plate 3.5 with low profile, right, 10 holes, length 130 mm, Stainless Steel	75 000,00 Ft
11.1	245.922	Reconstruction J-Plate 3.5 with low profile, right, 12 holes, length 156 mm, Stainless Steel	75 000,00 Ft
11.1	245.924	Reconstruction J-Plate 3.5 with low profile, right, 14 holes, length 182 mm, Stainless Steel	75 000,00 Ft
11.1	245.926	Reconstruction J-Plate 3.5 with low profile, right, 16 holes, length 208 mm, Stainless Steel	75 000,00 Ft
11.1	245.930	Reconstruction J-Plate 3.5 with low profile, left, 10 holes, length 130 mm, Stainless Steel	75 000,00 Ft
11.1	245.932	Reconstruction J-Plate 3.5 with low profile, left, 12 holes, length 156 mm, Stainless Steel	75 000,00 Ft
11.1	245.934	Reconstruction J-Plate 3.5 with low profile, left, 14 holes, length 182 mm, Stainless Steel	75 000,00 Ft
11.1	245.936	Reconstruction J-Plate 3.5 with low profile, left, 16 holes, length 208 mm, Stainless Steel	75 000,00 Ft
11.1	02.100.004	Symphyseal Plate 3.5 with coaxial Combi Holes, 4 holes, length 57 mm, Stainless Steel	67 000,00 Ft
11.1	02.100.006	Symphyseal Plate 3.5 with coaxial Combi Holes, 6 holes, length 78 mm, Stainless Steel	67 000,00 Ft
11.1	02.100.360	Reconstruction J-Plate 3.5 with coaxial Combi Holes, right (R88), 10 holes, length 130 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.362	Reconstruction J-Plate 3.5 with coaxial Combi Holes, right (R88), 12 holes, length 156 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.364	Reconstruction J-Plate 3.5 with coaxial Combi Holes, right (R88), 14 holes, length 182 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.366	Reconstruction J-Plate 3.5 with coaxial Combi Holes, right (R88), 16 holes, length 208 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.361	Reconstruction J-Plate 3.5 with coaxial Combi Holes, left (R88), 10 holes, length 130 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.363	Reconstruction J-Plate 3.5 with coaxial Combi Holes, left (R88), 12 holes, length 156 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.365	Reconstruction J-Plate 3.5 with coaxial Combi Holes, left (R88), 14 holes, length 182 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.367	Reconstruction J-Plate 3.5 with coaxial Combi Holes, left (R88), 16 holes, length 208 mm, Stainless Steel	39 000,00 Ft
11.1	02.100.014	Symphyseal Plate 3.5 with coaxial Combi Holes and 2 DCP, 4 holes, length 57 mm, Stainless Steel	67 000,00 Ft
11.1	02.100.016	Symphyseal Plate 3.5 with coaxial Combi Holes and 2 DCP, 6 holes, length 78 mm, Stainless Steel	67 000,00 Ft
11.1	02.100.103	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 3 holes, length 39 mm, Stainless Steel	27 000,00 Ft
11.1	02.100.104	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 4 holes, length 52 mm, Stainless Steel	27 000,00 Ft
11.1	02.100.105	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 5 holes, length 65 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.106	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 6 holes, length 78 mm, Stainless Steel	25 000,00 Ft
11.1	02.100.107	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 7 holes, length 91 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.108	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 8 holes, length 104 mm, Stainless Steel	25 000,00 Ft

11.1	02.100.109	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 9 holes, length 117 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.110	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 10 holes, length 130 mm, Stainless Steel	29 000,00 Ft
11.1	02.100.111	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 11 holes, length 143 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.112	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 12 holes, length 156 mm, Stainless Steel	33 000,00 Ft
11.1	02.100.113	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 13 holes, length 169 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.114	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 14 holes, length 182 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.115	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 15 holes, length 195 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.116	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 16 holes, length 208 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.118	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 18 holes, length 234 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.120	Reconstruction Plate 3.5 with coaxial Combi Holes, straight, 20 holes, length 260 mm, Stainless Steel	42 000,00 Ft
11.1	02.100.203	Reconstruction Plate 3.5 with wide Angle, straight, 3 holes, length 39 mm, Stainless Steel	30 000,00 Ft
11.1	02.100.204	Reconstruction Plate 3.5 with wide Angle, straight, 4 holes, length 52 mm, Stainless Steel	30 000,00 Ft
11.1	02.100.205	Reconstruction Plate 3.5 with wide Angle, straight, 5 holes, length 65 mm, Stainless Steel	30 000,00 Ft
11.1	02.100.206	Reconstruction Plate 3.5 with wide Angle, straight, 6 holes, length 78 mm, Stainless Steel	30 000,00 Ft
11.1	02.100.207	Reconstruction Plate 3.5 with wide Angle, straight, 7 holes, length 91 mm, Stainless Steel	30 000,00 Ft
11.1	02.100.208	Reconstruction Plate 3.5 with wide Angle, straight, 8 holes, length 104 mm, Stainless Steel	40 000,00 Ft
11.1	02.100.209	Reconstruction Plate 3.5 with wide Angle, straight, 9 holes, length 117 mm, Stainless Steel	40 000,00 Ft
11.1	02.100.210	Reconstruction Plate 3.5 with wide Angle, straight, 10 holes, length 130 mm, Stainless Steel	40 000,00 Ft
11.1	02.100.211	Reconstruction Plate 3.5 with wide Angle, straight, 11 holes, length 143 mm, Stainless Steel	40 000,00 Ft
11.1	02.100.212	Reconstruction Plate 3.5 with wide Angle, straight, 12 holes, length 156 mm, Stainless Steel	40 000,00 Ft
11.1	02.100.213	Reconstruction Plate 3.5 with wide Angle, straight, 13 holes, length 169 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.214	Reconstruction Plate 3.5 with wide Angle, straight, 14 holes, length 182 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.215	Reconstruction Plate 3.5 with wide Angle, straight, 15 holes, length 195 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.216	Reconstruction Plate 3.5 with wide Angle, straight, 16 holes, length 208 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.218	Reconstruction Plate 3.5 with wide Angle, straight, 18 holes, length 234 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.220	Reconstruction Plate 3.5 with wide Angle, straight, 20 holes, length 260 mm, Stainless Steel	46 000,00 Ft
11.1	02.100.301	Spring Plate 3.5, 1 hole, length 19.5 mm, Stainless Steel	59 000,00 Ft
11.1	02.100.302	Spring Plate 3.5, 2 holes, length 31.5 mm, Stainless Steel	59 000,00 Ft
11.1	02.100.303	Spring Plate 3.5, 3 holes, length 43.5 mm, Stainless Steel	59 000,00 Ft
11.1	02.100.325S	Quadrilateral Surface Plate, standard, sterile	66 500,00 Ft
11.1	02.100.326S	Quadrilateral Surface Plate, long, sterile	66 500,00 Ft
11.1	02.100.327S	Quadrilateral Surface Plate, short, sterile	66 500,00 Ft
11.1	204.640	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 40 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.645	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 45 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.650	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 50 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.655	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 55 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.660	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 60 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.665	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 65 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.670	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 70 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.675	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 75 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.680	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 80 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.685	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 85 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.690	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 90 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.695	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 95 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.700	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 100 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.705	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 105 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.710	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 110 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.715	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 115 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.720	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 120 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.725	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 125 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.730	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 130 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.735	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 135 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.740	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 140 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft

11.1	204.745	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 145 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.750	Pelvic Cortex Screw Ø 3.5 mm, self- tapping, length 150 mm, head height 2.75 mm, Stainless Steel	11 500,00 Ft
11.1	204.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Stainless Steel	2 250,00 Ft
11.1	204.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Stainless Steel	2 250,00 Ft
11.1	204.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Stainless Steel	2 250,00 Ft
11.1	204.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Stainless Steel	2 250,00 Ft
11.1	204.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Stainless Steel	2 250,00 Ft
11.1	204.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Stainless Steel	2 250,00 Ft
11.1	204.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Stainless Steel	2 250,00 Ft
11.1	204.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Stainless Steel	2 250,00 Ft
11.1	204.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Stainless Steel	2 250,00 Ft
11.1	204.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Stainless Steel	2 250,00 Ft
11.1	204.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Stainless Steel	2 250,00 Ft
11.1	204.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Stainless Steel	2 250,00 Ft
11.1	204.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Stainless Steel	2 250,00 Ft
11.1	204.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Stainless Steel	2 250,00 Ft
11.1	204.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Stainless Steel	2 250,00 Ft
11.1	212.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Stainless Steel	9 000,00 Ft
11.1	212.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Stainless Steel	9 000,00 Ft
11.1	212.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Stainless Steel	9 000,00 Ft
11.1	212.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Stainless Steel	9 000,00 Ft
11.1	212.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Stainless Steel	9 000,00 Ft
11.1	212.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Stainless Steel	9 000,00 Ft
11.1	212.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Stainless Steel	9 000,00 Ft
11.1	212.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Stainless Steel	9 000,00 Ft
11.1	212.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Stainless Steel	9 000,00 Ft
11.1	212.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Stainless Steel	9 000,00 Ft
11.1	212.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Stainless Steel	9 000,00 Ft
11.1	212.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Stainless Steel	9 000,00 Ft
11.1	212.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Stainless Steel	9 000,00 Ft
11.1	212.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Stainless Steel	9 000,00 Ft
11.1	212.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Stainless Steel	9 000,00 Ft
11.1	212.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Stainless Steel	9 000,00 Ft
11.1	212.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Stainless Steel	9 000,00 Ft
11.1	212.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Stainless Steel	9 000,00 Ft
11.1	212.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Stainless Steel	9 000,00 Ft
11.1	212.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Stainless Steel	9 000,00 Ft
11.1	212.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Stainless Steel	9 000,00 Ft
11.1	212.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Stainless Steel	9 000,00 Ft
11.1	212.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Stainless Steel	9 000,00 Ft
11.1	212.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Stainless Steel	9 000,00 Ft
11.1	212.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Stainless Steel	9 000,00 Ft
11.1	212.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Stainless Steel	9 000,00 Ft
11.1	212.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Stainless Steel	9 000,00 Ft
11.1	212.101S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.102S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.103S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.104S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.105S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.106S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Stainless Steel, sterile	14 000,00 Ft

11.1	212.107S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.108S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.109S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Stainless Steel, sterile	14 000,00 Ft
11.1	212.110S	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Stainless Steel, sterile	14 000,00 Ft
13.1	04.501.001	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.002	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.003	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.004	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.005	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.006	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.007	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.008	MatrixRIB előkontúrozott lemez	127 000,00 Ft
13.1	04.501.009	MatrixRIB univ lemez 8L TAN	91 100,00 Ft
13.1	04.501.010	MatrixRIB intramedullaris sín	72 000,00 Ft
13.1	04.501.011	MatrixRIB intramedullaris sín	72 000,00 Ft
13.1	04.501.012	MatrixRIB intramedullaris sín	72 000,00 Ft
13.1	04.501.016.0	LOCK csavar ø2.9 önmetsző H6	9 000,00 Ft
13.1	04.501.018.0	LOCK csavar ø2.9 önmetsző H8	9 000,00 Ft
13.1	04.501.020.0	LOCK csavar ø2.9 önmetsző H10	9 000,00 Ft
13.1	04.501.022.0	LOCK csavar ø2.9 önmetsző H12	9 000,00 Ft
13.1	04.501.024.0	LOCK csavar ø2.9 önmetsző H14	9 000,00 Ft
14.2	442.458	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 3 holes, head 5 holes, length 48 mm, Pure Titanium	94 000,00 Ft
14.2	442.459	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 5 holes, head 5 holes, length 66 mm, Pure Titanium	94 000,00 Ft
14.2	442.464	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 3 holes, head 4 holes, length 47 mm, Pure Titanium	94 000,00 Ft
14.2	442.465	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 5 holes, head 4 holes, length 65 mm, Pure Titanium	94 000,00 Ft
14.2	442.461	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 3 holes, head 5 holes, length 48 mm, Pure Titanium	94 000,00 Ft
14.2	442.462	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 5 holes, head 5 holes, length 66 mm, Pure Titanium	94 000,00 Ft
14.2	442.467	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 3 holes, head 4 holes, length 47 mm, Pure Titanium	94 000,00 Ft
14.2	442.468	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 5 holes, head 4 holes, length 65 mm, Pure Titanium	94 000,00 Ft
14.2	442.458S	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 3 holes, head 5 holes, length 48 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.459S	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 5 holes, head 5 holes, length 66 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.464S	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 3 holes, head 4 holes, length 47 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.465S	LCP Volar Distal Radius Plate 2.4, extraarticular, right, shaft 5 holes, head 4 holes, length 65 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.461S	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 3 holes, head 5 holes, length 48 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.462S	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 5 holes, head 5 holes, length 66 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.467S	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 3 holes, head 4 holes, length 47 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.468S	LCP Volar Distal Radius Plate 2.4, extraarticular, left, shaft 5 holes, head 4 holes, length 65 mm, Pure Titanium, sterile	47 000,00 Ft
14.2	442.477	LCP Dorsal Distal Radius T-Plate 2.4, shaft 3 holes, head 3 holes, length 40 mm, Pure Titanium	42 000,00 Ft
14.2	442.478	LCP Dorsal Distal Radius T-Plate 2.4, shaft 4 holes, head 3 holes, length 49 mm, Pure Titanium	42 000,00 Ft
14.2	442.477S	LCP Dorsal Distal Radius T-Plate 2.4, shaft 3 holes, head 3 holes, length 40 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	442.478S	LCP Dorsal Distal Radius T-Plate 2.4, shaft 4 holes, head 3 holes, length 49 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	442.493	LCP Volar Distal Radius Plate 2.4, juxta-articular, right, shaft 3 holes, head 5 holes, length 43 mm, Pure Titanium	65 000,00 Ft
14.2	442.494	LCP Volar Distal Radius Plate 2.4, juxta-articular, right, shaft 5 holes, head 5 holes, length 61 mm, Pure Titanium	65 000,00 Ft
14.2	442.491	LCP Volar Distal Radius Plate 2.4, juxta-articular, left, shaft 3 holes, head 5 holes, length 43 mm, Pure Titanium	65 000,00 Ft
14.2	442.492	LCP Volar Distal Radius Plate 2.4, juxta-articular, left, shaft 5 holes, head 5 holes, length 61 mm, Pure Titanium	65 000,00 Ft
14.2	442.493S	LCP Volar Distal Radius Plate 2.4, juxta-articular, right, shaft 3 holes, head 5 holes, length 43 mm, Pure Titanium, sterile	150 000,00 Ft
14.2	442.494S	LCP Volar Distal Radius Plate 2.4, juxta-articular, right, shaft 5 holes, head 5 holes, length 61 mm, Pure Titanium, sterile	150 000,00 Ft
14.2	442.491S	LCP Volar Distal Radius Plate 2.4, juxta-articular, left, shaft 3 holes, head 5 holes, length 43 mm, Pure Titanium, sterile	150 000,00 Ft
14.2	442.492S	LCP Volar Distal Radius Plate 2.4, juxta-articular, left, shaft 5 holes, head 5 holes, length 61 mm, Pure Titanium, sterile	150 000,00 Ft
14.2	442.495	LCP Volar Distal Radius Buttress Plate 2.4, juxta-articular, right, 3+5 holes, length 52 mm, Pure Titanium	65 000,00 Ft
14.2	442.497	LCP Volar Distal Radius Buttress Plate 2.4, juxta-articular, left, 3+5 holes, length 52 mm, Pure Titanium	65 000,00 Ft
14.2	442.495S	LCP Volar Distal Radius Buttress Plate 2.4, juxta-articular, right, 3+5 holes, length 52 mm, Pure Titanium, sterile	73 000,00 Ft

14.2	442.497S	LCP Volar Distal Radius Buttress Plate 2.4, juxta-articular, left, 3+5 holes, length 52 mm, Pure Titanium, sterile	73 000,00 Ft
14.2	442.502	LCP Dorsal Distal Radius L-Plate 2.4, right angled, shaft 3 holes, head 2 holes, length 40 mm, Pure Titanium	42 000,00 Ft
14.2	442.503	LCP Dorsal Distal Radius L-Plate 2.4, right angled, shaft 4 holes, head 2 holes, length 49 mm, Pure Titanium	42 000,00 Ft
14.2	442.500	LCP Dorsal Distal Radius L-Plate 2.4, left angled, shaft 3 holes, head 2 holes, length 40 mm, Pure Titanium	42 000,00 Ft
14.2	442.501	LCP Dorsal Distal Radius L-Plate 2.4, left angled, shaft 4 holes, head 2 holes, length 49 mm, Pure Titanium	42 000,00 Ft
14.2	442.502S	LCP Dorsal Distal Radius L-Plate 2.4, right angled, shaft 3 holes, head 2 holes, length 40 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	442.503S	LCP Dorsal Distal Radius L-Plate 2.4, right angled, shaft 4 holes, head 2 holes, length 49 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	442.500S	LCP Dorsal Distal Radius L-Plate 2.4, left angled, shaft 3 holes, head 2 holes, length 40 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	442.501S	LCP Dorsal Distal Radius L-Plate 2.4, left angled, shaft 4 holes, head 2 holes, length 49 mm, Pure Titanium, sterile	50 000,00 Ft
14.2	401.758	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.760	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.762	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.764	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.766	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.768	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.770	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.772	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.774	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.776	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.778	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	401.780	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	402.870	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
14.2	402.872	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.874	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.876	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.878	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.880	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.882	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.884	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.886	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.888	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.890	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 000,00 Ft
14.2	402.206	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 6 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.207	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 7 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.208	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 8 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.209	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 9 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.210	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 10 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.211	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 11 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.212	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 12 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.213	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 13 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.214	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 14 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.216	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 16 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.218	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 18 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.220	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 20 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.222	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 22 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.224	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 24 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.226	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 26 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.228	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 28 mm, Titanium Alloy (TAN)	10 800,00 Ft

14.2	402.230	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 30 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.232	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 32 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.234	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 34 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.236	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 36 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.238	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 38 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.240	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 40 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.242	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 42 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.244	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 44 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.246	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 46 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.248	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 48 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.250	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 50 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.255	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 55 mm, Titanium Alloy (TAN)	10 800,00 Ft
14.2	402.260	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 60 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	441.262	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, right, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.264	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, right, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.266	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, right, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.268	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, right, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.300	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, right, 14 holes, Pure Titanium	96 000,00 Ft
16.1	441.263	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, left, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.265	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, left, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.267	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, left, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.269	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, left, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.301	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, left, 14 holes, Pure Titanium	96 000,00 Ft
16.1	441.272	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.274	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.276	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.278	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.302	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, 14 holes, Pure Titanium	96 000,00 Ft
16.1	441.273	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.275	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.277	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.279	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.303	DHP - Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, 14 holes, Pure Titanium	96 000,00 Ft
16.1	441.282	DHP - Distal Humeral Plate 2.7/3.5, medial, right, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.284	DHP - Distal Humeral Plate 2.7/3.5, medial, right, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.286	DHP - Distal Humeral Plate 2.7/3.5, medial, right, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.288	DHP - Distal Humeral Plate 2.7/3.5, medial, right, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.304	DHP - Distal Humeral Plate 2.7/3.5, medial, right, 14 holes, Pure Titanium	96 000,00 Ft
16.1	441.283	DHP - Distal Humeral Plate 2.7/3.5, medial, left, 3 holes, Pure Titanium	96 000,00 Ft
16.1	441.285	DHP - Distal Humeral Plate 2.7/3.5, medial, left, 5 holes, Pure Titanium	96 000,00 Ft
16.1	441.287	DHP - Distal Humeral Plate 2.7/3.5, medial, left, 7 holes, Pure Titanium	96 000,00 Ft
16.1	441.289	DHP - Distal Humeral Plate 2.7/3.5, medial, left, 9 holes, Pure Titanium	96 000,00 Ft
16.1	441.305	DHP - Distal Humeral Plate 2.7/3.5, medial, left, 14 holes, Pure Titanium	96 000,00 Ft
16.1	04.104.004	LCP Distal Humeral Plate, extraarticular, right, 4 holes, length 122 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.006	LCP Distal Humeral Plate, extraarticular, right, 6 holes, length 158 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.008	LCP Distal Humeral Plate, extraarticular, right, 8 holes, length 194 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.010	LCP Distal Humeral Plate, extraarticular, right, 10 holes, length 230 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.012	LCP Distal Humeral Plate, extraarticular, right, 12 holes, length 266 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.014	LCP Distal Humeral Plate, extraarticular, right, 14 holes, length 302 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.024	LCP Distal Humeral Plate, extraarticular, left, 4 holes, length 122 mm, Pure Titanium	120 000,00 Ft

16.1	04.104.026	LCP Distal Humeral Plate, extraarticular, left, 6 holes, length 158 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.028	LCP Distal Humeral Plate, extraarticular, left, 8 holes, length 194 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.030	LCP Distal Humeral Plate, extraarticular, left, 10 holes, length 230 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.032	LCP Distal Humeral Plate, extraarticular, left, 12 holes, length 266 mm, Pure Titanium	120 000,00 Ft
16.1	04.104.034	LCP Distal Humeral Plate, extraarticular, left, 14 holes, length 302 mm, Pure Titanium	120 000,00 Ft
16.1	04.113.103	LCP Hook Plate 3.5, 3 holes, length 62 mm, Pure Titanium	60 000,00 Ft
16.1	436.502	LCP Olecranon Plate 3.5, right, 2 holes, length 86 mm, Pure Titanium	107 000,00 Ft
16.1	436.504	LCP Olecranon Plate 3.5, right, 4 holes, length 111 mm, Pure Titanium	107 000,00 Ft
16.1	436.506	LCP Olecranon Plate 3.5, right, 6 holes, length 138 mm, Pure Titanium	107 000,00 Ft
16.1	436.508	LCP Olecranon Plate 3.5, right, 8 holes, length 163 mm, Pure Titanium	107 000,00 Ft
16.1	436.510	LCP Olecranon Plate 3.5, right, 10 holes, length 190 mm, Pure Titanium	107 000,00 Ft
16.1	436.512	LCP Olecranon Plate 3.5, right, 12 holes, length 216 mm, Pure Titanium	107 000,00 Ft
16.1	436.503	LCP Olecranon Plate 3.5, left, 2 holes, length 86 mm, Pure Titanium	107 000,00 Ft
16.1	436.505	LCP Olecranon Plate 3.5, left, 4 holes, length 111 mm, Pure Titanium	107 000,00 Ft
16.1	436.507	LCP Olecranon Plate 3.5, left, 6 holes, length 138 mm, Pure Titanium	107 000,00 Ft
16.1	436.509	LCP Olecranon Plate 3.5, left, 8 holes, length 163 mm, Pure Titanium	107 000,00 Ft
16.1	436.511	LCP Olecranon Plate 3.5, left, 10 holes, length 190 mm, Pure Titanium	107 000,00 Ft
16.1	436.513	LCP Olecranon Plate 3.5, left, 12 holes, length 216 mm, Pure Titanium	107 000,00 Ft
16.1	441.680	LCP Proximal Radius Plate 2.4, right, for Radial Head Rim, shaft 2 holes, head 5 holes, length 37.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.682	LCP Proximal Radius Plate 2.4, right, for Radial Head Rim, shaft 3 holes, head 5 holes, length 46.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.684	LCP Proximal Radius Plate 2.4, right, for Radial Head Rim, shaft 4 holes, head 5 holes, length 55.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.681	LCP Proximal Radius Plate 2.4, left, for Radial Head Rim, shaft 2 holes, head 5 holes, length 37.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.683	LCP Proximal Radius Plate 2.4, left, for Radial Head Rim, shaft 3 holes, head 5 holes, length 46.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.685	LCP Proximal Radius Plate 2.4, left, for Radial Head Rim, shaft 4 holes, head 5 holes, length 55.5 mm, Pure Titanium	110 000,00 Ft
16.1	441.690	LCP Proximal Radius Plate 2.4, for Radial Neck, shaft 2 holes, head 5 holes, length 32 mm, Pure Titanium	110 000,00 Ft
16.1	441.691	LCP Proximal Radius Plate 2.4, for Radial Neck, shaft 3 holes, head 5 holes, length 41 mm, Pure Titanium	110 000,00 Ft
16.1	441.692	LCP Proximal Radius Plate 2.4, for Radial Neck, shaft 4 holes, head 5 holes, length 50 mm, Pure Titanium	110 000,00 Ft
16.1	04.107.002	VA-LCP Proximal Olecranon Plate 2.7/3.5, right, 2 holes, length 73 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.102	VA-LCP Proximal Olecranon Plate 2.7/3.5, left, 2 holes, length 73 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.202	VA-LCP Olecranon Plate 2.7/3.5, right, 2 holes, length 90 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.204	VA-LCP Olecranon Plate 2.7/3.5, right, 4 holes, length 116 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.206	VA-LCP Olecranon Plate 2.7/3.5, right, 6 holes, length 142 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.302	VA-LCP Olecranon Plate 2.7/3.5, left, 2 holes, length 90 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.304	VA-LCP Olecranon Plate 2.7/3.5, left, 4 holes, length 116 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.306	VA-LCP Olecranon Plate 2.7/3.5, left, 6 holes, length 142 mm, Titanium Alloy (TAN)	102 500,00 Ft
16.1	04.107.406	VA-LCP Proximal Ulna Plate 2.7/3.5, right, extraarticular, 6 holes, length 131 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.408	VA-LCP Proximal Ulna Plate 2.7/3.5, right, extraarticular, 8 holes, length 157 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.410	VA-LCP Proximal Ulna Plate 2.7/3.5, right, extraarticular, 10 holes, length 184 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.412	VA-LCP Proximal Ulna Plate 2.7/3.5, right, extraarticular, 12 holes, length 211 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.506	VA-LCP Proximal Ulna Plate 2.7/3.5, left, extraarticular, 6 holes, length 131 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.508	VA-LCP Proximal Ulna Plate 2.7/3.5, left, extraarticular, 8 holes, length 157 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.510	VA-LCP Proximal Ulna Plate 2.7/3.5, left, extraarticular, 10 holes, length 184 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.107.512	VA-LCP Proximal Ulna Plate 2.7/3.5, left, extraarticular, 12 holes, length 211 mm, Titanium Alloy (TAN)	142 500,00 Ft
16.1	04.117.003	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, short, 3 holes, length 75 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.004	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, medium, 4 holes, length 88 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.007	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, long, 7 holes, length 127 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.009	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, right, extra-long, 9 holes, length 153 mm, Titanium Alloy (TAN)	150 000,00 Ft

16.1	04.117.103	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, short, 3 holes, length 75 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.104	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, medium, 4 holes, length 88 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.107	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, long, 7 holes, length 127 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.109	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, with lateral support, left, extra-long, 9 holes, length 153 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.203	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, right, short, 3 holes, length 75 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.204	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, right, medium, 4 holes, length 88 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.207	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, right, long, 7 holes, length 127 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.209	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, right, extra-long, 9 holes, length 153 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.303	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, left, short, 3 holes, length 75 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.304	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, left, medium, 4 holes, length 88 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.307	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, left, long, 7 holes, length 127 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.309	VA-LCP Distal Humeral Plate 2.7/3.5, dorsolateral, left, extra-long, 9 holes, length 153 mm, Titanium Alloy (TAN)	150 000,00 Ft
16.1	04.117.401	VA-LCP Distal Humeral Plate 2.7/3.5, medial, right, short, 1 hole, length 69 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.402	VA-LCP Distal Humeral Plate 2.7/3.5, medial, right, medium, 2 holes, length 82 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.404	VA-LCP Distal Humeral Plate 2.7/3.5, medial, right, long, 4 holes, length 108 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.406	VA-LCP Distal Humeral Plate 2.7/3.5, medial, right, extra-long, 6 holes, length 134 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.501	VA-LCP Distal Humeral Plate 2.7/3.5, medial, left, short, 1 hole, length 69 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.502	VA-LCP Distal Humeral Plate 2.7/3.5, medial, left, medium, 2 holes, length 82 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.504	VA-LCP Distal Humeral Plate 2.7/3.5, medial, left, long, 4 holes, length 108 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.506	VA-LCP Distal Humeral Plate 2.7/3.5, medial, left, extra-long, 6 holes, length 134 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.601	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, right, short, 1 hole, length 72 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.602	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, right, medium, 2 holes, length 85 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.604	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, right, long, 4 holes, length 111 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.606	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, right, extra- long, 6 holes, length 137 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.701	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, left, short, 1 hole, length 72 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.702	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, left, medium, 2 holes, length 85 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.704	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, left, long, 4 holes, length 111 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.706	VA-LCP Distal Humeral Plate 2.7/3.5, medial, with Extension, left, extra- long, 6 holes, length 137 mm, Titanium Alloy (TAN)	140 000,00 Ft
16.1	04.117.801	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, right, short, 1 hole, length 69 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.802	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, right, medium, 2 holes, length 82 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.805	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, right, long, 5 holes, length 121 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.807	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, right, extra-long, 7 holes, length 147 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.901	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, left, short, 1 hole, length 69 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.902	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, left, medium, 2 holes, length 82 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.905	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, left, long, 5 holes, length 121 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.117.907	VA-LCP Distal Humeral Plate 2.7/3.5, lateral, left, extra-long, 7 holes, length 147 mm, Titanium Alloy (TAN)	125 000,00 Ft
16.1	04.211.014	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 14 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.016	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 16 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.018	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 18 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.020	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 20 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.022	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 22 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.024	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 24 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.026	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 26 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.028	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 28 mm, Titanium Alloy (TAN)	15 200,00 Ft

16.1	04.211.030	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 30 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.032	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 32 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.034	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 34 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.036	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 36 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.038	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 38 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.040	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 40 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.042	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 42 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.044	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 44 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.046	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 46 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.048	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 48 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.050	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 50 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.052	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 52 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.054	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 54 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.056	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 56 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.058	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 58 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	04.211.060	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 60 mm, Titanium Alloy (TAN)	15 200,00 Ft
16.1	401.756	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.757	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.758	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.759	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.760	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.761	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.762	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.763	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.764	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.766	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.768	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.770	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.772	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.774	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.776	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.778	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.780	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.782	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.784	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.786	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.788	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.790	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	5 500,00 Ft
16.1	401.756S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.757S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.758S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.759S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.760S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.761S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.762S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.763S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.764S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.766S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	401.768S	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN), sterile	19 000,00 Ft
16.1	404.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Pure Titanium	2 350,00 Ft

16.1	404.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Pure Titanium	2 350,00 Ft
16.1	404.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Pure Titanium	2 350,00 Ft
16.1	404.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Pure Titanium	2 350,00 Ft
16.1	404.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Pure Titanium	2 350,00 Ft
16.1	404.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Pure Titanium	2 350,00 Ft
16.1	404.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Pure Titanium	2 350,00 Ft
16.1	404.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Pure Titanium	2 350,00 Ft
16.1	404.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Pure Titanium	2 350,00 Ft
16.1	404.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Pure Titanium	2 350,00 Ft
16.1	404.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Pure Titanium	2 350,00 Ft
16.1	404.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Pure Titanium	2 350,00 Ft
16.1	404.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Pure Titanium	2 350,00 Ft
16.1	404.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Pure Titanium	2 350,00 Ft
16.1	404.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Pure Titanium	2 350,00 Ft
16.1	404.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Pure Titanium	2 350,00 Ft
16.1	404.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Pure Titanium	2 350,00 Ft
16.1	404.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Pure Titanium	2 350,00 Ft
16.1	404.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Pure Titanium	2 350,00 Ft
16.1	404.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Pure Titanium	2 350,00 Ft
16.1	404.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Pure Titanium	2 350,00 Ft
16.1	404.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Pure Titanium	2 350,00 Ft
16.1	404.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Pure Titanium	2 350,00 Ft
16.1	404.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Pure Titanium	2 350,00 Ft
16.1	404.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Pure Titanium	13 500,00 Ft
16.1	404.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Pure Titanium	13 500,00 Ft
16.1	404.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Pure Titanium	13 500,00 Ft
16.1	404.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Pure Titanium	13 500,00 Ft
16.1	404.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Pure Titanium	13 500,00 Ft
16.1	404.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Pure Titanium	13 500,00 Ft
16.1	404.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Pure Titanium	13 500,00 Ft
16.1	404.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Pure Titanium	13 500,00 Ft
16.1	404.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Pure Titanium	13 500,00 Ft
16.1	404.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Pure Titanium	13 500,00 Ft
16.1	404.915	Cortex Screw Ø 3.5 mm, self-tapping, length 115 mm, Pure Titanium	13 500,00 Ft
16.1	404.920	Cortex Screw Ø 3.5 mm, self-tapping, length 120 mm, Pure Titanium	13 500,00 Ft
16.1	404.925	Cortex Screw Ø 3.5 mm, self-tapping, length 125 mm, Pure Titanium	13 500,00 Ft
16.1	404.930	Cortex Screw Ø 3.5 mm, self-tapping, length 130 mm, Pure Titanium	13 500,00 Ft
16.1	402.206	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 6 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.207	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 7 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.208	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 8 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.209	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 9 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.210	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 10 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.211	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 11 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.212	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 12 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.213	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 13 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.214	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 14 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.216	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 16 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.218	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 18 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.220	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 20 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.222	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 22 mm, Titanium Alloy (TAN)	10 800,00 Ft

16.1	402.224	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 24 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.226	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 26 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.228	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 28 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.230	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 30 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.232	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 32 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.234	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 34 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.236	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 36 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.238	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 38 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.240	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 40 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.242	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 42 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.244	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 44 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.246	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 46 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.248	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 48 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.250	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 50 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.255	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 55 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	402.260	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 60 mm, Titanium Alloy (TAN)	10 800,00 Ft
16.1	412.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
16.1	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	10 000,00 Ft

16.1	412.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	412.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Titanium Alloy (TAN)	10 000,00 Ft
16.1	02.127.110	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 10 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.112	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 12 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.114	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 14 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.116	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 16 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.118	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 18 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.120	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 20 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.122	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 22 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.124	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 24 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.126	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 26 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.128	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 28 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.130	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 30 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.132	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 32 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.134	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 34 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.136	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 36 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.138	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 38 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.140	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 40 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.142	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 42 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.144	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 44 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.146	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 46 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.148	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 48 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.150	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 50 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.152	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 52 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.154	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 54 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.156	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 56 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.158	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 58 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.160	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 60 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.165	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 65 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.170	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 70 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.175	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 75 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.180	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 80 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.185	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 85 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.190	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 90 mm, Stainless Steel	9 900,00 Ft
16.1	02.127.195	VA Locking Screw Stardrive® Ø 3.5 mm, self-tapping, length 95 mm, Stainless Steel	9 900,00 Ft
18.1	441.901	PHILOS - Proximal Humeral Plate 3.5, 3 holes, Pure Titanium	92 000,00 Ft
18.1	441.903	PHILOS - Proximal Humeral Plate 3.5, 5 holes, Pure Titanium	92 000,00 Ft
18.1	441.916	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 3 holes, length 106 mm, Pure Titanium	114 000,00 Ft
18.1	441.917	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 4 holes, length 124 mm, Pure Titanium	114 000,00 Ft
18.1	441.918	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 5 holes, length 142 mm, Pure Titanium	114 000,00 Ft
18.1	441.919	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 6 holes, length 160 mm, Pure Titanium	114 000,00 Ft
18.1	441.920	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 7 holes, length 178 mm, Pure Titanium	114 000,00 Ft
18.1	441.921	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 8 holes, length 196 mm, Pure Titanium	114 000,00 Ft
18.1	441.922	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 9 holes, length 214 mm, Pure Titanium	114 000,00 Ft
18.1	441.923	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 10 holes, length 232 mm, Pure Titanium	114 000,00 Ft
18.1	441.924	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 11 holes, length 250 mm, Pure Titanium	114 000,00 Ft
18.1	441.925	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 12 holes, length 268 mm, Pure Titanium	114 000,00 Ft
18.1	441.926	PHILOS, long - Proximal Diaphyseal Humeral Plate 3.5, 13 holes, length 286 mm, Pure Titanium	114 000,00 Ft
18.1	412.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft

18.1	412.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.1	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	412.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.1	404.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Pure Titanium	2 350,00 Ft
18.1	404.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Pure Titanium	2 350,00 Ft
18.1	404.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Pure Titanium	2 350,00 Ft
18.1	404.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Pure Titanium	2 350,00 Ft
18.1	404.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Pure Titanium	2 350,00 Ft
18.1	404.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Pure Titanium	2 350,00 Ft
18.1	404.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Pure Titanium	2 350,00 Ft
18.1	404.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Pure Titanium	2 350,00 Ft
18.1	404.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Pure Titanium	2 350,00 Ft
18.1	404.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Pure Titanium	2 350,00 Ft
18.1	404.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Pure Titanium	2 350,00 Ft
18.1	404.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Pure Titanium	2 350,00 Ft
18.1	404.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Pure Titanium	2 350,00 Ft
18.1	404.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Pure Titanium	2 350,00 Ft
18.1	404.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Pure Titanium	2 350,00 Ft
18.1	404.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Pure Titanium	2 350,00 Ft
18.1	404.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Pure Titanium	2 350,00 Ft

18.1	404.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Pure Titanium	2 350,00 Ft
18.1	404.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Pure Titanium	2 350,00 Ft
18.1	404.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Pure Titanium	2 350,00 Ft
18.1	404.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Pure Titanium	2 350,00 Ft
18.1	404.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Pure Titanium	2 350,00 Ft
18.1	404.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Pure Titanium	2 350,00 Ft
18.1	404.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Pure Titanium	2 350,00 Ft
18.1	404.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Pure Titanium	13 500,00 Ft
18.1	404.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Pure Titanium	13 500,00 Ft
18.1	404.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Pure Titanium	13 500,00 Ft
18.1	404.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Pure Titanium	13 500,00 Ft
18.1	404.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Pure Titanium	13 500,00 Ft
18.1	404.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Pure Titanium	13 500,00 Ft
18.1	404.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Pure Titanium	13 500,00 Ft
18.1	404.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Pure Titanium	13 500,00 Ft
18.1	404.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Pure Titanium	13 500,00 Ft
18.1	404.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Pure Titanium	13 500,00 Ft
18.1	404.915	Cortex Screw Ø 3.5 mm, self-tapping, length 115 mm, Pure Titanium	13 500,00 Ft
18.1	404.920	Cortex Screw Ø 3.5 mm, self-tapping, length 120 mm, Pure Titanium	13 500,00 Ft
18.1	404.925	Cortex Screw Ø 3.5 mm, self-tapping, length 125 mm, Pure Titanium	13 500,00 Ft
18.1	404.930	Cortex Screw Ø 3.5 mm, self-tapping, length 130 mm, Pure Titanium	13 500,00 Ft
18.2	04.112.006	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 3 holes, right, length 69 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.010	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 4 holes, right, length 81 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.012	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 5 holes, right, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.008	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 6 holes, right, length 108 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.018	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 7 holes, right, length 123 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.020	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 8 holes, right, length 135 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.007	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 3 holes, left, length 69 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.011	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 4 holes, left, length 81 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.013	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 5 holes, left, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.009	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 6 holes, left, length 108 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.019	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 7 holes, left, length 123 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.021	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 8 holes, left, length 135 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.026	LCP Superior Anterior Clavicle Plate 3.5, 6 holes, right, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.028	LCP Superior Anterior Clavicle Plate 3.5, 7 holes, right, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.030	LCP Superior Anterior Clavicle Plate 3.5, 8 holes, right, length 120 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.027	LCP Superior Anterior Clavicle Plate 3.5, 6 holes, left, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.029	LCP Superior Anterior Clavicle Plate 3.5, 7 holes, left, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.031	LCP Superior Anterior Clavicle Plate 3.5, 8 holes, left, length 120 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.040	LCP Anterior Clavicle Plate 3.5, medial, 6 holes, length 79 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.041	LCP Anterior Clavicle Plate 3.5, medial, 7 holes, length 90 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.042	LCP Anterior Clavicle Plate 3.5, medial, 8 holes, length 102 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.045	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 7 holes, length 77 mm, Titanium Alloy (TAN)	115 500,00 Ft

18.2	04.112.046	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 9 holes, length 89 mm, Titanium Alloy (TAN)	115 500,00 Ft
18.2	04.112.047	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 10 holes, length 101 mm, Titanium Alloy (TAN)	115 500,00 Ft
18.2	04.112.048	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 11 holes, length 113 mm, Titanium Alloy (TAN)	115 500,00 Ft
18.2	04.112.049	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 12 holes, length 124 mm, Titanium Alloy (TAN)	115 500,00 Ft
18.2	04.112.080	LCP Superior Clavicle Plate 3.5, 6 holes, right, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.082	LCP Superior Clavicle Plate 3.5, 7 holes, right, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.084	LCP Superior Clavicle Plate 3.5, 8 holes, right, length 123 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.081	LCP Superior Clavicle Plate 3.5, 6 holes, left, length 94 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.083	LCP Superior Clavicle Plate 3.5, 7 holes, left, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.085	LCP Superior Clavicle Plate 3.5, 8 holes, left, length 123 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.090	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 6 holes, right, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.092	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 7 holes, right, length 124 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.094	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 8 holes, right, length 136 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.091	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 6 holes, left, length 110 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.093	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 7 holes, left, length 124 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	04.112.095	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 8 holes, left, length 136 mm, Titanium Alloy (TAN)	93 000,00 Ft
18.2	441.072	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 12 mm, Pure Titanium	102 000,00 Ft
18.2	441.082	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 12 mm, Pure Titanium	102 000,00 Ft
18.2	441.074	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.084	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.094	LCP Clavicular Hook Plate 3.5, right, 6 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.104	LCP Clavicular Hook Plate 3.5, right, 7 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.076	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.086	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.096	LCP Clavicular Hook Plate 3.5, right, 6 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.106	LCP Clavicular Hook Plate 3.5, right, 7 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.073	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 12 mm, Pure Titanium	102 000,00 Ft
18.2	441.083	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 12 mm, Pure Titanium	102 000,00 Ft
18.2	441.075	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.085	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.095	LCP Clavicular Hook Plate 3.5, left, 6 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.105	LCP Clavicular Hook Plate 3.5, left, 7 holes, hook depth 15 mm, Pure Titanium	102 000,00 Ft
18.2	441.077	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.087	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.097	LCP Clavicular Hook Plate 3.5, left, 6 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	441.107	LCP Clavicular Hook Plate 3.5, left, 7 holes, hook depth 18 mm, Pure Titanium	102 000,00 Ft
18.2	402.206	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 6 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.207	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 7 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.208	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 8 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.209	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 9 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.210	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 10 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.211	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 11 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.212	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 12 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.213	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 13 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.214	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 14 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.216	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 16 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.218	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 18 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.220	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 20 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.222	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 22 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.224	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 24 mm, Titanium Alloy (TAN)	10 800,00 Ft

18.2	402.226	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 26 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.228	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 28 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.230	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 30 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.232	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 32 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.234	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 34 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.236	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 36 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.238	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 38 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.240	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 40 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.242	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 42 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.244	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 44 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.246	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 46 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.248	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 48 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.250	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 50 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.255	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 55 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	402.260	Locking Screw Stardrive® Ø 2.7 mm (head LCP 2.4), self-tapping, length 60 mm, Titanium Alloy (TAN)	10 800,00 Ft
18.2	412.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
18.2	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	412.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	10 000,00 Ft

18.2	412.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Titanium Alloy (TAN)	10 000,00 Ft
18.2	401.756	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.757	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.758	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.759	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.760	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.761	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.762	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.763	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.764	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.766	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.768	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.770	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.772	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.774	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.776	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.778	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.780	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.782	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.784	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.786	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.788	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	401.790	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	5 500,00 Ft
18.2	404.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Pure Titanium	2 350,00 Ft
18.2	404.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Pure Titanium	2 350,00 Ft
18.2	404.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Pure Titanium	2 350,00 Ft
18.2	404.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Pure Titanium	2 350,00 Ft
18.2	404.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Pure Titanium	2 350,00 Ft
18.2	404.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Pure Titanium	2 350,00 Ft
18.2	404.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Pure Titanium	2 350,00 Ft
18.2	404.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Pure Titanium	2 350,00 Ft
18.2	404.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Pure Titanium	2 350,00 Ft
18.2	404.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Pure Titanium	2 350,00 Ft
18.2	404.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Pure Titanium	2 350,00 Ft
18.2	404.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Pure Titanium	2 350,00 Ft
18.2	404.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Pure Titanium	2 350,00 Ft
18.2	404.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Pure Titanium	2 350,00 Ft
18.2	404.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Pure Titanium	2 350,00 Ft
18.2	404.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Pure Titanium	2 350,00 Ft
18.2	404.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Pure Titanium	2 350,00 Ft
18.2	404.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Pure Titanium	2 350,00 Ft
18.2	404.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Pure Titanium	2 350,00 Ft
18.2	404.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Pure Titanium	2 350,00 Ft
18.2	404.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Pure Titanium	2 350,00 Ft
18.2	404.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Pure Titanium	2 350,00 Ft
18.2	404.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Pure Titanium	2 350,00 Ft
18.2	404.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Pure Titanium	2 350,00 Ft
18.2	404.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Pure Titanium	13 500,00 Ft
18.2	404.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Pure Titanium	13 500,00 Ft
18.2	404.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Pure Titanium	13 500,00 Ft

18.2	404.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Pure Titanium	13 500,00 Ft
18.2	404.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Pure Titanium	13 500,00 Ft
18.2	404.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Pure Titanium	13 500,00 Ft
18.2	404.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Pure Titanium	13 500,00 Ft
18.2	404.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Pure Titanium	13 500,00 Ft
18.2	404.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Pure Titanium	13 500,00 Ft
18.2	404.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Pure Titanium	13 500,00 Ft
18.2	404.915	Cortex Screw Ø 3.5 mm, self-tapping, length 115 mm, Pure Titanium	13 500,00 Ft
18.2	404.920	Cortex Screw Ø 3.5 mm, self-tapping, length 120 mm, Pure Titanium	13 500,00 Ft
18.2	404.925	Cortex Screw Ø 3.5 mm, self-tapping, length 125 mm, Pure Titanium	13 500,00 Ft
18.2	404.930	Cortex Screw Ø 3.5 mm, self-tapping, length 130 mm, Pure Titanium	13 500,00 Ft
18.2	04.112.006S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 3 holes, right, length 69 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.010S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 4 holes, right, length 81 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.012S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 5 holes, right, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.008S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 6 holes, right, length 108 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.018S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 7 holes, right, length 123 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.020S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 8 holes, right, length 135 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.007S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 3 holes, left, length 69 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.011S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 4 holes, left, length 81 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.013S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 5 holes, left, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft

18.2	04.112.009S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 6 holes, left, length 108 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.019S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 7 holes, left, length 123 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.021S	LCP Superior Anterior Clavicle Plate 2.7/3.5 with lateral extension, 8 holes, left, length 135 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.026S	LCP Superior Anterior Clavicle Plate 3.5, 6 holes, right, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.028S	LCP Superior Anterior Clavicle Plate 3.5, 7 holes, right, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.030S	LCP Superior Anterior Clavicle Plate 3.5, 8 holes, right, length 120 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.027S	LCP Superior Anterior Clavicle Plate 3.5, 6 holes, left, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.029S	LCP Superior Anterior Clavicle Plate 3.5, 7 holes, left, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.031S	LCP Superior Anterior Clavicle Plate 3.5, 8 holes, left, length 120 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.040S	LCP Anterior Clavicle Plate 3.5, medial, 6 holes, length 79 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
18.2	04.112.041S	LCP Anterior Clavicle Plate 3.5, medial, 7 holes, length 90 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
18.2	04.112.042S	LCP Anterior Clavicle Plate 3.5, medial, 8 holes, length 102 mm, Titanium Alloy (TAN), sterile	125 000,00 Ft
18.2	04.112.045S	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 7 holes, length 77 mm, Titanium Alloy (TAN), sterile	123 000,00 Ft
18.2	04.112.046S	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 9 holes, length 89 mm, Titanium Alloy (TAN), sterile	123 000,00 Ft
18.2	04.112.047S	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 10 holes, length 101 mm, Titanium Alloy (TAN), sterile	123 000,00 Ft
18.2	04.112.048S	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 11 holes, length 113 mm, Titanium Alloy (TAN), sterile	123 000,00 Ft
18.2	04.112.049S	VA-LCP Anterior Clavicle Plate 2.7/3.5, lateral, 12 holes, length 124 mm, Titanium Alloy (TAN), sterile	123 000,00 Ft
18.2	04.112.080S	LCP Superior Clavicle Plate 3.5, 6 holes, right, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.082S	LCP Superior Clavicle Plate 3.5, 7 holes, right, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.084S	LCP Superior Clavicle Plate 3.5, 8 holes, right, length 123 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.081S	LCP Superior Clavicle Plate 3.5, 6 holes, left, length 94 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.083S	LCP Superior Clavicle Plate 3.5, 7 holes, left, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.085S	LCP Superior Clavicle Plate 3.5, 8 holes, left, length 123 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft

18.2	04.112.090S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 6 holes, right, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.092S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 7 holes, right, length 124 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.094S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 8 holes, right, length 136 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.091S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 6 holes, left, length 110 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.093S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 7 holes, left, length 124 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	04.112.095S	LCP Superior Clavicle Plate 2.7/3.5, with lateral extension, 8 holes, left, length 136 mm, Titanium Alloy (TAN), sterile	98 000,00 Ft
18.2	441.072S	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 12 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.082S	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 12 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.074S	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.084S	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.094S	LCP Clavicular Hook Plate 3.5, right, 6 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.104S	LCP Clavicular Hook Plate 3.5, right, 7 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.076S	LCP Clavicular Hook Plate 3.5, right, 4 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.086S	LCP Clavicular Hook Plate 3.5, right, 5 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.096S	LCP Clavicular Hook Plate 3.5, right, 6 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.106S	LCP Clavicular Hook Plate 3.5, right, 7 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.073S	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 12 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.083S	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 12 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.075S	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.085S	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.095S	LCP Clavicular Hook Plate 3.5, left, 6 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.105S	LCP Clavicular Hook Plate 3.5, left, 7 holes, hook depth 15 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.077S	LCP Clavicular Hook Plate 3.5, left, 4 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.087S	LCP Clavicular Hook Plate 3.5, left, 5 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.2	441.097S	LCP Clavicular Hook Plate 3.5, left, 6 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft

18.2	441.107S	LCP Clavicular Hook Plate 3.5, left, 7 holes, hook depth 18 mm, Pure Titanium, sterile	126 000,00 Ft
18.3	110006100	PLTFM SHD FX STEM D6 PC	250 000,00 Ft
18.3	110006600	PLTFM SHD FX STEM D6 LONG PC	250 000,00 Ft
18.3	110008100	PLTFM SHD FX STEM D8 PC	250 000,00 Ft
18.3	110008600	PLTFM SHD FX STEM D8 LONG PC	250 000,00 Ft
18.3	110010100	PLTFM SHD FX STEM D10 PC	250 000,00 Ft
18.3	110010600	PLTFM SHD FX STEM D10 LONG PC	250 000,00 Ft
18.3	110012100	PLTFM SHD FX STEM D12 PC	250 000,00 Ft
18.3	110012600	PLTFM SHD FX STEM D12 LONG PC	250 000,00 Ft
18.3	110014100	PLTFM SHD FX STEM D14 PC	250 000,00 Ft
18.3	110016100	PLTFM SHD FX STEM D16 PC	250 000,00 Ft
18.3	110030100	PLTFM SHD FX EPI SZ 10 -5 PC	220 000,00 Ft
18.3	110030110	PLTFM SHD FX EPI SZ 10 +0 PC	220 000,00 Ft
18.3	110030120	PLTFM SHD FX EPI SZ 10 +5 PC	220 000,00 Ft
18.3	110040100	PLTFM SHD FX EPI SZ 12 -5 PC	220 000,00 Ft
18.3	110040110	PLTFM SHD FX EPI SZ 12 +0 PC	220 000,00 Ft
18.3	110040120	PLTFM SHD FX EPI SZ 12 +5 PC	220 000,00 Ft
18.3	110050100	PLTFM SHD FX EPI SZ 14 -5 PC	220 000,00 Ft
18.3	110050110	PLTFM SHD FX EPI SZ 14 +0 PC	220 000,00 Ft
18.3	110050120	PLTFM SHD FX EPI SZ 14 +5 PC	220 000,00 Ft
18.3	110060100	PLTFM SHD FX EPI SZ 16 -5 PC	220 000,00 Ft
18.3	110060110	PLTFM SHD FX EPI SZ 16 +0 PC	220 000,00 Ft
18.3	110060120	PLTFM SHD FX EPI SZ 16 +5 PC	220 000,00 Ft
18.3	110020100	PLTFM SHD COLLAR SZ 40	75 000,00 Ft
18.3	110020110	PLTFM SHD COLLAR SZ 40 ECC	75 000,00 Ft
18.3	110020200	PLTFM SHD COLLAR SZ 44	75 000,00 Ft
18.3	110020210	PLTFM SHD COLLAR SZ 44 ECC	75 000,00 Ft
18.3	110020300	PLTFM SHD COLLAR SZ 48	75 000,00 Ft
18.3	110020310	PLTFM SHD COLLAR SZ 48 ECC	75 000,00 Ft
18.3	110020400	PLTFM SHD COLLAR SZ 52	75 000,00 Ft
18.3	110020410	PLTFM SHD COLLAR SZ 52 ECC	75 000,00 Ft
18.3	110020500	PLTFM SHD COLLAR SZ 56	75 000,00 Ft
18.3	110020510	PLTFM SHD COLLAR SZ 56 ECC	75 000,00 Ft
18.3	110040500	PLTFM AP HUMERAL HEAD 40X15	150 000,00 Ft
18.3	110040510	PLTFM AP HUMERAL HEAD 40X18	150 000,00 Ft
18.3	110040600	PLTFM AP HUM HEAD 40X15 ECC	150 000,00 Ft
18.3	110040610	PLTFM AP HUM HEAD 40X18 ECC	150 000,00 Ft
18.3	110044500	PLTFM AP HUMERAL HEAD 44X15	150 000,00 Ft
18.3	110044510	PLTFM AP HUMERAL HEAD 44X18	150 000,00 Ft
18.3	110044520	PLTFM AP HUMERAL HEAD 44X21	150 000,00 Ft
18.3	110044600	PLTFM AP HUM HEAD 44X15 ECC	150 000,00 Ft
18.3	110044610	PLTFM AP HUM HEAD 44X18 ECC	150 000,00 Ft
18.3	110044620	PLTFM AP HUM HEAD 44X21 ECC	150 000,00 Ft
18.3	110048500	PLTFM AP HUMERAL HEAD 48X15	150 000,00 Ft
18.3	110048510	PLTFM AP HUMERAL HEAD 48X18	150 000,00 Ft
18.3	110048520	PLTFM AP HUMERAL HEAD 48X21	150 000,00 Ft
18.3	110048600	PLTFM AP HUM HEAD 48X15 ECC	150 000,00 Ft
18.3	110048610	PLTFM AP HUM HEAD 48X18 ECC	150 000,00 Ft
18.3	110048620	PLTFM AP HUM HEAD 48X21 ECC	150 000,00 Ft

18.3	110052500	PLTFM AP HUMERAL HEAD 52X15	150 000,00 Ft
18.3	110052510	PLTFM AP HUMERAL HEAD 52X18	150 000,00 Ft
18.3	110052520	PLTFM AP HUMERAL HEAD 52X21	150 000,00 Ft
18.3	110052600	PLTFM AP HUM HEAD 52X15 ECC	150 000,00 Ft
18.3	110052610	PLTFM AP HUM HEAD 52X18 ECC	150 000,00 Ft
18.3	110052620	PLTFM AP HUM HEAD 52X21 ECC	150 000,00 Ft
18.3	110056510	PLTFM AP HUMERAL HEAD 56X18	150 000,00 Ft
18.3	110056520	PLTFM AP HUMERAL HEAD 56X21	150 000,00 Ft
18.3	110056610	PLTFM AP HUM HEAD 56X18 ECC	150 000,00 Ft
18.3	110056620	PLTFM AP HUM HEAD 56X21 ECC	150 000,00 Ft
18.3	110040500	PLTFM AP HUMERAL HEAD 40X15	150 000,00 Ft
18.3	110040510	PLTFM AP HUMERAL HEAD 40X18	150 000,00 Ft
18.3	110040600	PLTFM AP HUM HEAD 40X15 ECC	150 000,00 Ft
18.3	110040610	PLTFM AP HUM HEAD 40X18 ECC	150 000,00 Ft
18.3	110044500	PLTFM AP HUMERAL HEAD 44X15	150 000,00 Ft
18.3	110044510	PLTFM AP HUMERAL HEAD 44X18	150 000,00 Ft
18.3	110044520	PLTFM AP HUMERAL HEAD 44X21	150 000,00 Ft
18.3	110044600	PLTFM AP HUM HEAD 44X15 ECC	150 000,00 Ft
18.3	110044610	PLTFM AP HUM HEAD 44X18 ECC	150 000,00 Ft
18.3	110044620	PLTFM AP HUM HEAD 44X21 ECC	150 000,00 Ft
18.3	110048500	PLTFM AP HUMERAL HEAD 48X15	150 000,00 Ft
18.3	110048510	PLTFM AP HUMERAL HEAD 48X18	150 000,00 Ft
18.3	110048520	PLTFM AP HUMERAL HEAD 48X21	150 000,00 Ft
18.3	110048600	PLTFM AP HUM HEAD 48X15 ECC	150 000,00 Ft
18.3	110048610	PLTFM AP HUM HEAD 48X18 ECC	150 000,00 Ft
18.3	110048620	PLTFM AP HUM HEAD 48X21 ECC	150 000,00 Ft
18.3	110052500	PLTFM AP HUMERAL HEAD 52X15	150 000,00 Ft
18.3	110052510	PLTFM AP HUMERAL HEAD 52X18	150 000,00 Ft
18.3	110052520	PLTFM AP HUMERAL HEAD 52X21	150 000,00 Ft
18.3	110052600	PLTFM AP HUM HEAD 52X15 ECC	150 000,00 Ft
18.3	110052610	PLTFM AP HUM HEAD 52X18 ECC	150 000,00 Ft
18.3	110052620	PLTFM AP HUM HEAD 52X21 ECC	150 000,00 Ft
18.3	110056510	PLTFM AP HUMERAL HEAD 56X18	150 000,00 Ft
18.3	110056520	PLTFM AP HUMERAL HEAD 56X21	150 000,00 Ft
18.3	110056610	PLTFM AP HUM HEAD 56X18 ECC	150 000,00 Ft
18.3	110056620	PLTFM AP HUM HEAD 56X21 ECC	150 000,00 Ft
18.3	110020000	GL UNITE ANT BODY 135 SZ 6/8	250 000,00 Ft
18.3	110030000	GL UNITE ANT BODY 135 SZ 10	250 000,00 Ft
18.3	110040000	GL UNITE ANT BODY 135 SZ 12	250 000,00 Ft
18.3	110050000	GL UNITE ANT BODY 135 SZ 14	250 000,00 Ft
18.3	110060000	GL UNITE ANT BODY 135 SZ 16	250 000,00 Ft
18.3	113640026	X LINK ANCHOR PEG GLENOID 40	90 000,00 Ft
18.3	113641026	X LINK ANCHOR PEG GLENOID 44	90 000,00 Ft
18.3	113642026	X LINK ANCHOR PEG GLENOID 48	90 000,00 Ft
18.3	113643026	X LINK ANCHOR PEG GLENOID 52	90 000,00 Ft
18.3	113644026	X LINK ANCHOR PEG GLENOID 56	90 000,00 Ft
18.3	112840000	GLOBAL ADVANTAGE HUM HD 40 X15	150 000,00 Ft
18.3	112840010	GLOBAL ADVANTAGE HUM HD 40 X18	150 000,00 Ft
18.3	112840020	GLOBAL ADVANTAGE HUM HD 40X21	150 000,00 Ft
18.3	112844000	GLOBAL ADVANTAGE HUM HD 44X15	150 000,00 Ft

18.3	112844010	GLOBAL ADVANTAGE HUM HD 44X18	150 000,00 Ft
18.3	112844020	GLOBAL ADVANTAGE HUM HD 44X21	150 000,00 Ft
18.3	112844110	GLOBAL ADVANTAGE ECC HD 44X18	150 000,00 Ft
18.3	112844120	GLOBAL ADVANTAGE ECC HD 44X21	150 000,00 Ft
18.3	112848000	GLOBAL ADVANTAGE HUM HD 48X15	150 000,00 Ft
18.3	112848010	GLOBAL ADVANTAGE HUM HD 48X18	150 000,00 Ft
18.3	112848020	GLOBAL ADVANTAGE HUM HD 48X21	150 000,00 Ft
18.3	112848110	GLOBAL ADVANTAGE ECC HD 48X18	150 000,00 Ft
18.3	112848120	GLOBAL ADVANTAGE ECC HD 48X21	150 000,00 Ft
18.3	112852000	GLOBAL ADVANTAGE HUM HD 52X15	150 000,00 Ft
18.3	112852010	GLOBAL ADVANTAGE HUM HD 52X18	150 000,00 Ft
18.3	112852020	GLOBAL ADVANTAGE HUM HD 52X21	150 000,00 Ft
18.3	112852110	GLOBAL ADVANTAGE ECC HD 52 X18	150 000,00 Ft
18.3	112852120	GLOBAL ADVANTAGE ECC HD 52 X21	150 000,00 Ft
18.3	112856000	GLOBAL ADVANTAGE HUM HD 56 X15	150 000,00 Ft
18.3	112856010	GLOBAL ADVANTAGE HUM HD 56 X18	150 000,00 Ft
18.3	112856020	GLOBAL ADVANTAGE HUM HD 56 X21	150 000,00 Ft
18.3	112856110	GLOBAL ADVANTAGE ECC HD 56 X18	150 000,00 Ft
18.3	112856120	GLOBAL ADVANTAGE ECC HD 56 X21	150 000,00 Ft
18.3	112865010	GLOBAL ADVANTAGE CTA HD 44X18	150 000,00 Ft
18.3	112865020	GLOBAL ADVANTAGE CTA HD 44 X23	150 000,00 Ft
18.3	112865030	GLOBAL ADVANTAGE CTA HD 48 X18	150 000,00 Ft
18.3	112865040	GLOBAL ADVANTAGE CTA HD 48 X23	150 000,00 Ft
18.3	112865050	GLOBAL ADVANTAGE CTA HD 52 X18	150 000,00 Ft
18.3	112865060	GLOBAL ADVANTAGE CTA HD 52 X23	150 000,00 Ft
18.3	112865070	GLOBAL ADVANTAGE CTA HD 56 X18	150 000,00 Ft
18.3	112865080	GLOBAL ADVANTAGE CTA HD 56 X23	150 000,00 Ft
18.3	113706000	TIGE 6X108 GLOBAL ADV	250 000,00 Ft
18.3	113708000	PC GLOBAL ADV STEM 8 MM	250 000,00 Ft
18.3	113708010	PC GLOBAL ADV LONG STEM 8 MM	250 000,00 Ft
18.3	113710000	PC GLOBAL ADV STEM 10 MM	250 000,00 Ft
18.3	113710010	PC GLOBAL ADV LONG STEM 10 MM	250 000,00 Ft
18.3	113712000	PC GLOBAL ADV STEM 12 MM	250 000,00 Ft
18.3	113712010	PC GLOBAL ADV LONG STEM 12 MM	250 000,00 Ft
18.3	113714000	PC GLOBAL ADV STEM 14 MM	250 000,00 Ft
18.3	113714010	PC GLOBAL ADV LONG STEM 14 MM	250 000,00 Ft
18.3	113716000	PC GLOBAL ADV STEM 16 MM	250 000,00 Ft
18.3	112806010	PC GLOBAL FX LONG STEM 6 MM	250 000,00 Ft
18.3	112808000	PC GLOBAL FX STEM 8 MM	250 000,00 Ft
18.3	112808010	PC GLOBAL FX LONG STEM 8 MM	250 000,00 Ft
18.3	112810000	PC GLOBAL FX STEM 10 MM	250 000,00 Ft
18.3	112810010	PC GLOBAL FX LONG STEM 10 MM	250 000,00 Ft
18.3	112812000	PC GLOBAL FX STEM 12 MM	250 000,00 Ft
18.3	112812010	PC GLOBAL FX LONG STEM 12 MM	250 000,00 Ft
18.4	130708100	DXTEND MBLOC HUM EPI1 D8 STD	250 000,00 Ft
18.4	130710100	DXTEND MBLOC HUM EPI1 D10 STD	250 000,00 Ft
18.4	130712100	DXTEND MBLOC HUM EPI1 D12 STD	250 000,00 Ft
18.4	130714100	DXTEND MBLOC HUM EPI1 D14 STD	250 000,00 Ft
18.4	130710200	DXTEND MBLOC HUM EPI2 D10 STD	250 000,00 Ft
18.4	130712200	DXTEND MBLOC HUM EPI2 D12 STD	250 000,00 Ft

18.4	130714200	DXTEND MBLOC HUM EPI2 D14 STD	250 000,00 Ft
18.4	130710000	DXTEND MODULAR HUM STEM D10	150 000,00 Ft
18.4	130712000	DXTEND MODULAR HUM STEM D12	150 000,00 Ft
18.4	130714000	DXTEND MODULAR HUM STEM D14	150 000,00 Ft
18.4	130716000	DXTEND MODULAR HUM STEM D16	150 000,00 Ft
18.4	130720101	DXTEND MOD EPI1 HA	175 000,00 Ft
18.4	130720102	DXTEND MOD EPI1 ECC LEFT HA	175 000,00 Ft
18.4	130720103	DXTEND MOD EPI1 ECC RIGHT HA	175 000,00 Ft
18.4	130720201	DXTEND MOD EPI2 HA	175 000,00 Ft
18.4	130720202	DXTEND MOD EPI2 ECC LEFT HA	175 000,00 Ft
18.4	130720203	DXTEND MOD EPI2 ECC RIGHT HA	175 000,00 Ft
18.4	130738003	DXTEND HIGHMO PE CUP D38 3MM	34 000,00 Ft
18.4	130738006	DXTEND HIGHMO PE CUP D38 6MM	34 000,00 Ft
18.4	130738009	DXTEND HIGHMO PE CUP D38 9MM	34 000,00 Ft
18.4	130742003	DXTEND HIGHMO PE CUP D42 3MM	34 000,00 Ft
18.4	130742006	DXTEND HIGHMO PE CUP D42 6MM	34 000,00 Ft
18.4	130742009	DXTEND HIGHMO PE CUP D42 9MM	34 000,00 Ft
18.4	130738203	DXTEND STAND PE CUP D38 3MM	34 000,00 Ft
18.4	130738206	DXTEND STAND PE CUP D38 6MM	34 000,00 Ft
18.4	130738209	DXTEND STAND PE CUP D38 9MM	34 000,00 Ft
18.4	130742203	DXTEND STAND PE CUP D42 3MM	34 000,00 Ft
18.4	130742206	DXTEND STAND PE CUP D42 6MM	34 000,00 Ft
18.4	130742209	DXTEND STAND PE CUP D42 9MM	34 000,00 Ft
18.4	130738106	DXTEND RETENT PE CUP D38 6MM	34 000,00 Ft
18.4	130742106	DXTEND RETENT PE CUP D42 6MM	34 000,00 Ft
18.4	130730009	DXTEND HUMERAL SPACER 9MM	34 000,00 Ft
18.4	130760038	DXTEND GLENOSPHERE ECC D38M	150 000,00 Ft
18.4	130760042	DXTEND GLENOSPHERE ECC D42M	150 000,00 Ft
18.4	130760138	DXTEND GLENOSPHERE STD D38M	150 000,00 Ft
18.4	130760142	DXTEND GLENOSPHERE STD D42M	150 000,00 Ft
18.4	130760000	DXTEND METAGLENE	150 000,00 Ft
18.4	130770018	DXTEND SCREW NO LOCK D4.5X18M	35 000,00 Ft
18.4	130770024	DXTEND SCREW NO LOCK D4.5X24M	35 000,00 Ft
18.4	130770030	DXTEND SCREW NO LOCK D4.5X30M	35 000,00 Ft
18.4	130770036	DXTEND SCREW NO LOCK D4.5X36M	35 000,00 Ft
18.4	130770042	DXTEND SCREW NO LOCK D4.5X42M	35 000,00 Ft
18.4	130790024	DXTEND SCREW LOCK D4.5X24M	35 000,00 Ft
18.4	130790030	DXTEND SCREW LOCK D4.5X30M	35 000,00 Ft
18.4	130790036	DXTEND SCREW LOCK D4.5X36M	35 000,00 Ft
18.4	130790042	DXTEND SCREW LOCK D4.5X42M	35 000,00 Ft
18.4	130790048	DXTEND SCREW LOCK D4.5X48M	35 000,00 Ft
18.4	130708110	DXTEND MBLOC HUM EPI1 D8 LG	250 000,00 Ft
18.4	130710110	DXTEND MBLOC HUM EPI1 D10 LG	250 000,00 Ft
18.4	130712110	DXTEND MBLOC HUM EPI1 D12 LG	250 000,00 Ft
18.4	130714110	DXTEND MBLOC HUM EPI1 D14 LG	250 000,00 Ft
18.4	130710210	DXTEND MBLOC HUM EPI2 D10 LG	250 000,00 Ft
18.4	130712210	DXTEND MBLOC HUM EPI2 D12 LG	250 000,00 Ft
18.4	130714210	DXTEND MBLOC HUM EPI2 D14 LG	250 000,00 Ft
18.4	130748021	DXTEND CTA HEAD D48X21MM	185 000,00 Ft
18.4	130748026	DXTEND CTA HEAD D48X26MM	185 000,00 Ft

18.4	130752021	DXTEND CTA HEAD D52X21MM	185 000,00 Ft
18.4	130752026	DXTEND CTA HEAD D52X26MM	185 000,00 Ft
20.1	422.250	LCP-DF 4.5/5.0, right, 5 holes, length 156 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.252	LCP-DF 4.5/5.0, right, 7 holes, length 196 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.254	LCP-DF 4.5/5.0, right, 9 holes, length 236 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.256	LCP-DF 4.5/5.0, right, 11 holes, length 276 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.258	LCP-DF 4.5/5.0, right, 13 holes, length 316 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.251	LCP-DF 4.5/5.0, left, 5 holes, length 156 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.253	LCP-DF 4.5/5.0, left, 7 holes, length 196 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.255	LCP-DF 4.5/5.0, left, 9 holes, length 236 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.257	LCP-DF 4.5/5.0, left, 11 holes, length 276 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	422.259	LCP-DF 4.5/5.0, left, 13 holes, length 316 mm, Titanium Alloy (TAN)	110 000,00 Ft
20.1	412.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	9 900,00 Ft

20.1	412.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	412.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.1	414.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Pure Titanium	6 500,00 Ft
20.1	414.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Pure Titanium	6 500,00 Ft
20.1	414.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Pure Titanium	6 500,00 Ft
20.1	414.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Pure Titanium	6 500,00 Ft
20.1	414.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Pure Titanium	6 500,00 Ft
20.1	414.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Pure Titanium	6 500,00 Ft
20.1	414.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Pure Titanium	6 500,00 Ft
20.1	414.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Pure Titanium	6 500,00 Ft
20.1	414.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Pure Titanium	6 500,00 Ft
20.1	414.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Pure Titanium	6 500,00 Ft
20.1	414.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Pure Titanium	6 500,00 Ft
20.1	414.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Pure Titanium	6 500,00 Ft
20.1	414.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Pure Titanium	6 500,00 Ft
20.1	414.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Pure Titanium	6 500,00 Ft
20.1	414.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Pure Titanium	6 500,00 Ft
20.1	414.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Pure Titanium	6 500,00 Ft
20.1	414.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Pure Titanium	6 500,00 Ft
20.1	414.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Pure Titanium	6 500,00 Ft
20.1	414.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Pure Titanium	6 500,00 Ft
20.1	414.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Pure Titanium	6 500,00 Ft
20.1	414.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Pure Titanium	6 500,00 Ft
20.1	414.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Pure Titanium	6 500,00 Ft
20.1	414.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Pure Titanium	6 500,00 Ft
20.1	414.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Pure Titanium	6 500,00 Ft
20.1	414.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Pure Titanium	6 500,00 Ft
20.1	414.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Pure Titanium	6 500,00 Ft
20.1	414.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Pure Titanium	6 500,00 Ft
20.1	414.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Pure Titanium	6 500,00 Ft
20.1	414.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Pure Titanium	6 500,00 Ft
20.1	414.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Pure Titanium	6 500,00 Ft
20.1	414.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Pure Titanium	15 000,00 Ft
20.1	414.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Pure Titanium	15 000,00 Ft
20.1	414.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Pure Titanium	15 000,00 Ft
20.1	414.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Pure Titanium	15 000,00 Ft
20.1	416.030	Cancellous Bone Screw Ø 6.5 mm, length 30/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.035	Cancellous Bone Screw Ø 6.5 mm, length 35/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.040	Cancellous Bone Screw Ø 6.5 mm, length 40/16 mm, Pure Titanium	6 500,00 Ft

20.1	416.045	Cancellous Bone Screw Ø 6.5 mm, length 45/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.050	Cancellous Bone Screw Ø 6.5 mm, length 50/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.055	Cancellous Bone Screw Ø 6.5 mm, length 55/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.060	Cancellous Bone Screw Ø 6.5 mm, length 60/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.065	Cancellous Bone Screw Ø 6.5 mm, length 65/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.070	Cancellous Bone Screw Ø 6.5 mm, length 70/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.075	Cancellous Bone Screw Ø 6.5 mm, length 75/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.080	Cancellous Bone Screw Ø 6.5 mm, length 80/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.085	Cancellous Bone Screw Ø 6.5 mm, length 85/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.090	Cancellous Bone Screw Ø 6.5 mm, length 90/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.095	Cancellous Bone Screw Ø 6.5 mm, length 95/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.100	Cancellous Bone Screw Ø 6.5 mm, length 100/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.105	Cancellous Bone Screw Ø 6.5 mm, length 105/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.110	Cancellous Bone Screw Ø 6.5 mm, length 110/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.115	Cancellous Bone Screw Ø 6.5 mm, length 115/16 mm, Pure Titanium	6 500,00 Ft
20.1	416.120	Cancellous Bone Screw Ø 6.5 mm, length 120/16 mm, Pure Titanium	6 500,00 Ft
20.1	04.120.601	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 4 holes, Pure Titanium	70 000,00 Ft
20.1	04.120.602	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 8 holes, Pure Titanium	70 000,00 Ft
20.1	04.120.605	Connection Screw for Locking Attachment Plate, Titanium Alloy (TAN)	70 000,00 Ft
20.1	04.120.606	Connection Screw Stardrive® for Locking Attachment Plate, Titanium Alloy (TAN)	15 000,00 Ft
20.1	04.124.030S	LCP Distal Femoral Plate 4.5/5.0, right, shaft 15 holes, length 356 mm, Titanium Alloy (TAN), sterile	130 000,00 Ft
20.1	04.124.034S	LCP Distal Femoral Plate 4.5/5.0, right, shaft 17 holes, length 396 mm, Titanium Alloy (TAN), sterile	130 000,00 Ft
20.1	04.124.038S	LCP Distal Femoral Plate 4.5/5.0, right, shaft 19 holes, length 436 mm, Titanium Alloy (TAN), sterile	236 000,00 Ft
20.1	04.124.031S	LCP Distal Femoral Plate 4.5/5.0, left, shaft 15 holes, length 356 mm, Titanium Alloy (TAN), sterile	130 000,00 Ft
20.1	04.124.035S	LCP Distal Femoral Plate 4.5/5.0, left, shaft 17 holes, length 396 mm, Titanium Alloy (TAN), sterile	130 000,00 Ft
20.1	04.124.039S	LCP Distal Femoral Plate 4.5/5.0, left, shaft 19 holes, length 436 mm, Titanium Alloy (TAN), sterile	236 000,00 Ft
20.2	426.622	LCP 4.5/5.0, broad, curved, 12 holes, length 229 mm, Pure Titanium	46 000,00 Ft
20.2	426.632	LCP 4.5/5.0, broad, curved, 13 holes, length 247 mm, Pure Titanium	46 000,00 Ft
20.2	426.642	LCP 4.5/5.0, broad, curved, 14 holes, length 265 mm, Pure Titanium	46 000,00 Ft
20.2	426.652	LCP 4.5/5.0, broad, curved, 15 holes, length 282 mm, Pure Titanium	46 000,00 Ft
20.2	426.662	LCP 4.5/5.0, broad, curved, 16 holes, length 300 mm, Pure Titanium	46 000,00 Ft
20.2	426.672	LCP 4.5/5.0, broad, curved, 17 holes, length 318 mm, Pure Titanium	46 000,00 Ft
20.2	426.682	LCP 4.5/5.0, broad, curved, 18 holes, length 336 mm, Pure Titanium	46 000,00 Ft
20.2	426.692	LCP 4.5/5.0, broad, curved, 19 holes, length 354 mm, Pure Titanium	120 000,00 Ft
20.2	426.702	LCP 4.5/5.0, broad, curved, 20 holes, length 372 mm, Pure Titanium	120 000,00 Ft
20.2	426.712	LCP 4.5/5.0, broad, curved, 21 holes, length 390 mm, Pure Titanium	120 000,00 Ft
20.2	426.722	LCP 4.5/5.0, broad, curved, 22 holes, length 408 mm, Pure Titanium	120 000,00 Ft
20.2	424.521	LCP 4.5/5.0, narrow, 2 holes, length 44 mm, Pure Titanium	46 000,00 Ft
20.2	424.531	LCP 4.5/5.0, narrow, 3 holes, length 62 mm, Pure Titanium	46 000,00 Ft
20.2	424.541	LCP 4.5/5.0, narrow, 4 holes, length 80 mm, Pure Titanium	46 000,00 Ft
20.2	424.551	LCP 4.5/5.0, narrow, 5 holes, length 98 mm, Pure Titanium	46 000,00 Ft
20.2	424.561	LCP 4.5/5.0, narrow, 6 holes, length 116 mm, Pure Titanium	46 000,00 Ft
20.2	424.571	LCP 4.5/5.0, narrow, 7 holes, length 134 mm, Pure Titanium	46 000,00 Ft
20.2	424.581	LCP 4.5/5.0, narrow, 8 holes, length 152 mm, Pure Titanium	46 000,00 Ft
20.2	424.591	LCP 4.5/5.0, narrow, 9 holes, length 170 mm, Pure Titanium	46 000,00 Ft
20.2	424.601	LCP 4.5/5.0, narrow, 10 holes, length 188 mm, Pure Titanium	46 000,00 Ft
20.2	424.611	LCP 4.5/5.0, narrow, 11 holes, length 206 mm, Pure Titanium	46 000,00 Ft
20.2	424.621	LCP 4.5/5.0, narrow, 12 holes, length 224 mm, Pure Titanium	46 000,00 Ft
20.2	424.631	LCP 4.5/5.0, narrow, 13 holes, length 242 mm, Pure Titanium	46 000,00 Ft
20.2	424.641	LCP 4.5/5.0, narrow, 14 holes, length 260 mm, Pure Titanium	46 000,00 Ft
20.2	424.651	LCP 4.5/5.0, narrow, 15 holes, length 278 mm, Pure Titanium	46 000,00 Ft
20.2	424.661	LCP 4.5/5.0, narrow, 16 holes, length 296 mm, Pure Titanium	46 000,00 Ft
20.2	424.681	LCP 4.5/5.0, narrow, 18 holes, length 332 mm, Pure Titanium	46 000,00 Ft
20.2	424.701	LCP 4.5/5.0, narrow, 20 holes, length 368 mm, Pure Titanium	50 000,00 Ft

20.2	424.721	LCP 4.5/5.0, narrow, 22 holes, length 404 mm, Pure Titanium	55 000,00 Ft
20.2	424.741	LCP 4.5/5.0, narrow, 24 holes, length 440 mm, Pure Titanium	63 000,00 Ft
20.2	412.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	412.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	9 900,00 Ft
20.2	414.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Pure Titanium	6 500,00 Ft
20.2	414.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Pure Titanium	6 500,00 Ft
20.2	414.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Pure Titanium	6 500,00 Ft
20.2	414.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Pure Titanium	6 500,00 Ft
20.2	414.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Pure Titanium	6 500,00 Ft
20.2	414.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Pure Titanium	6 500,00 Ft
20.2	414.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Pure Titanium	6 500,00 Ft
20.2	414.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Pure Titanium	6 500,00 Ft
20.2	414.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Pure Titanium	6 500,00 Ft
20.2	414.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Pure Titanium	6 500,00 Ft
20.2	414.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Pure Titanium	6 500,00 Ft
20.2	414.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Pure Titanium	6 500,00 Ft
20.2	414.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Pure Titanium	6 500,00 Ft
20.2	414.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Pure Titanium	6 500,00 Ft
20.2	414.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Pure Titanium	6 500,00 Ft
20.2	414.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Pure Titanium	6 500,00 Ft
20.2	414.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Pure Titanium	6 500,00 Ft
20.2	414.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Pure Titanium	6 500,00 Ft
20.2	414.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Pure Titanium	6 500,00 Ft
20.2	414.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Pure Titanium	6 500,00 Ft
20.2	414.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Pure Titanium	6 500,00 Ft

20.2	414.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Pure Titanium	6 500,00 Ft
20.2	414.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Pure Titanium	6 500,00 Ft
20.2	414.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Pure Titanium	6 500,00 Ft
20.2	414.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Pure Titanium	6 500,00 Ft
20.2	414.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Pure Titanium	6 500,00 Ft
20.2	414.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Pure Titanium	6 500,00 Ft
20.2	414.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Pure Titanium	6 500,00 Ft
20.2	414.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Pure Titanium	6 500,00 Ft
20.2	414.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Pure Titanium	6 500,00 Ft
20.2	414.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Pure Titanium	15 000,00 Ft
20.2	414.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Pure Titanium	15 000,00 Ft
20.2	414.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Pure Titanium	15 000,00 Ft
20.2	414.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Pure Titanium	15 000,00 Ft
20.2	04.221.508	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 8 mm, T25, for periprosthetic fractures, Titanium Alloy (TAN)	25 000,00 Ft
20.2	04.221.510	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 10 mm, T25, for periprosthetic fractures, Titanium Alloy (TAN)	25 000,00 Ft
20.2	04.221.512	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 12 mm, T25, for periprosthetic fractures, Titanium Alloy (TAN)	25 000,00 Ft
20.2	04.221.514	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, T25, for periprosthetic fractures, Titanium Alloy (TAN)	25 000,00 Ft
20.2	04.221.518	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, T25, for periprosthetic fractures, Titanium Alloy (TAN)	25 000,00 Ft
20.2	04.120.601	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 4 holes, Pure Titanium	70 000,00 Ft
20.2	04.120.602	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 8 holes, Pure Titanium	70 000,00 Ft
20.2	04.120.605	Connection Screw for Locking Attachment Plate, Titanium Alloy (TAN)	70 000,00 Ft
20.2	04.120.606	Connection Screw Stardrive® for Locking Attachment Plate, Titanium Alloy (TAN)	15 000,00 Ft
20.2	481.002	CerclageFix for LCP 4.5/5.0	16 000,00 Ft

20.2	498.800.01	Cerclage Cable with Crimp Ø 1.0 mm, Titanium Alloy (TAN)	40 500,00 Ft
20.2	498.800.01S	Cable with Crimp Ø 1.0 mm, Titanium Alloy (TAN), sterile	65 500,00 Ft
20.2	498.837	Cerclage Positioning Pin for LCP 3.5 and LC-DCP® 3.5, Pure Titanium	25 000,00 Ft
20.2	498.839	Cerclage Positioning Pin for LCP 4.5 and LC-DCP® 4.5, Pure Titanium	25 000,00 Ft
20.2	498.838.01	Positioning Pin 3.5 with thread, for LCP, Pure Titanium	25 000,00 Ft
20.2	498.803.01	Positioning Pin 4.5 with thread, for LCP, Pure Titanium	25 000,00 Ft
20.2	611.105.01S	Cerclage Cable with Crimp Ø 1.7 mm, Cobalt-Chrome Alloy, sterile	74 500,00 Ft
20.2	611.105.01	Cerclage Cable with Crimp Ø 1.7 mm, Cobalt-Chrome Alloy	83 500,00 Ft
20.2	04.221.002S	Cerclage Eye for Screws Ø 3.5 mm, Stardrive® and hexagonal socket, Pure Titanium, sterile	59 500,00 Ft
20.2	04.221.003S	Cerclage Eye for Screws Ø 4.5 mm, Stardrive® and hexagonal socket, Pure Titanium, sterile	59 500,00 Ft
20.3	242.102	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 2 holes, length 139 mm, Stainless Steel	114 000,00 Ft
20.3	242.104	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 4 holes, length 175 mm, Stainless Steel	114 000,00 Ft
20.3	242.106	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 6 holes, length 211 mm, Stainless Steel	114 000,00 Ft
20.3	242.108	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 8 holes, length 247 mm, Stainless Steel	114 000,00 Ft
20.3	242.110	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 10 holes, length 283 mm, Stainless Steel	114 000,00 Ft
20.3	242.112	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 12 holes, length 319 mm, Stainless Steel	114 000,00 Ft
20.3	242.114	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 14 holes, length 355 mm, Stainless Steel	114 000,00 Ft
20.3	242.116	LCP Proximal Femoral Plate 4.5/5.0, left, shaft 16 holes, length 391 mm, Stainless Steel	114 000,00 Ft
20.3	242.802	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 2 holes, length 139 mm, Stainless Steel	114 000,00 Ft
20.3	242.804	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 4 holes, length 175 mm, Stainless Steel	114 000,00 Ft
20.3	242.806	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 6 holes, length 211 mm, Stainless Steel	114 000,00 Ft
20.3	242.808	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 8 holes, length 247 mm, Stainless Steel	114 000,00 Ft
20.3	242.810	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 10 holes, length 283 mm, Stainless Steel	114 000,00 Ft
20.3	242.812	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 12 holes, length 319 mm, Stainless Steel	114 000,00 Ft
20.3	242.814	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 14 holes, length 355 mm, Stainless Steel	114 000,00 Ft
20.3	242.816	LCP Proximal Femoral Plate 4.5/5.0, right, shaft 16 holes, length 391 mm, Stainless Steel	114 000,00 Ft
20.3	242.120	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 2 holes, length 133 mm, Stainless Steel	114 000,00 Ft

20.3	242.121	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 4 holes, length 169 mm, Stainless Steel	114 000,00 Ft
20.3	242.122	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 6 holes, length 205 mm, Stainless Steel	114 000,00 Ft
20.3	242.123	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 8 holes, length 241 mm, Stainless Steel	114 000,00 Ft
20.3	242.124	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 10 holes, length 277 mm, Stainless Steel	114 000,00 Ft
20.3	242.125	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 12 holes, length 313 mm, Stainless Steel	114 000,00 Ft
20.3	242.126	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 14 holes, length 349 mm, Stainless Steel	114 000,00 Ft
20.3	242.127	LCP Proximal Femoral Hook Plate 4.5/5.0, shaft 16 holes, length 385 mm, Stainless Steel	114 000,00 Ft
20.3	212.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Stainless Steel	9 900,00 Ft
20.3	212.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Stainless Steel	9 900,00 Ft
20.3	212.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Stainless Steel	9 900,00 Ft
20.3	212.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Stainless Steel	9 900,00 Ft
20.3	212.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Stainless Steel	9 900,00 Ft
20.3	212.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Stainless Steel	9 900,00 Ft
20.3	212.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Stainless Steel	9 900,00 Ft
20.3	212.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Stainless Steel	9 900,00 Ft
20.3	212.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Stainless Steel	9 900,00 Ft
20.3	212.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Stainless Steel	9 900,00 Ft
20.3	212.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Stainless Steel	9 900,00 Ft
20.3	212.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Stainless Steel	9 900,00 Ft
20.3	212.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Stainless Steel	9 900,00 Ft
20.3	212.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Stainless Steel	9 900,00 Ft
20.3	212.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Stainless Steel	9 900,00 Ft
20.3	212.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Stainless Steel	9 900,00 Ft
20.3	212.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Stainless Steel	9 900,00 Ft
20.3	212.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Stainless Steel	9 900,00 Ft
20.3	212.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Stainless Steel	9 900,00 Ft
20.3	212.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Stainless Steel	9 900,00 Ft
20.3	212.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Stainless Steel	9 900,00 Ft
20.3	212.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Stainless Steel	9 900,00 Ft
20.3	212.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Stainless Steel	9 900,00 Ft
20.3	212.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Stainless Steel	9 900,00 Ft
20.3	212.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Stainless Steel	9 900,00 Ft
20.3	212.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Stainless Steel	9 900,00 Ft
20.3	212.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Stainless Steel	9 900,00 Ft
20.3	02.205.025	Cannulated Locking Screw Ø 5.0 mm, length 25 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.030	Cannulated Locking Screw Ø 5.0 mm, length 30 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.035	Cannulated Locking Screw Ø 5.0 mm, length 35 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.040	Cannulated Locking Screw Ø 5.0 mm, length 40 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.045	Cannulated Locking Screw Ø 5.0 mm, length 45 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.050	Cannulated Locking Screw Ø 5.0 mm, length 50 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.055	Cannulated Locking Screw Ø 5.0 mm, length 55 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.060	Cannulated Locking Screw Ø 5.0 mm, length 60 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.065	Cannulated Locking Screw Ø 5.0 mm, length 65 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.070	Cannulated Locking Screw Ø 5.0 mm, length 70 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.075	Cannulated Locking Screw Ø 5.0 mm, length 75 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.080	Cannulated Locking Screw Ø 5.0 mm, length 80 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.085	Cannulated Locking Screw Ø 5.0 mm, length 85 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.090	Cannulated Locking Screw Ø 5.0 mm, length 90 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.095	Cannulated Locking Screw Ø 5.0 mm, length 95 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.100	Cannulated Locking Screw Ø 5.0 mm, length 100 mm, Stainless Steel	25 000,00 Ft

20.3	02.205.105	Cannulated Locking Screw Ø 5.0 mm, length 105 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.110	Cannulated Locking Screw Ø 5.0 mm, length 110 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.115	Cannulated Locking Screw Ø 5.0 mm, length 115 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.120	Cannulated Locking Screw Ø 5.0 mm, length 120 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.125	Cannulated Locking Screw Ø 5.0 mm, length 125 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.130	Cannulated Locking Screw Ø 5.0 mm, length 130 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.135	Cannulated Locking Screw Ø 5.0 mm, length 135 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.140	Cannulated Locking Screw Ø 5.0 mm, length 140 mm, Stainless Steel	25 000,00 Ft
20.3	02.205.145	Cannulated Locking Screw Ø 5.0 mm, length 145 mm, Stainless Steel	25 000,00 Ft
20.3	02.207.020	Cannulated Locking Screw Ø 7.3 mm, length 20 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.025	Cannulated Locking Screw Ø 7.3 mm, length 25 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.030	Cannulated Locking Screw Ø 7.3 mm, length 30 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.035	Cannulated Locking Screw Ø 7.3 mm, length 35 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.040	Cannulated Locking Screw Ø 7.3 mm, length 40 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.045	Cannulated Locking Screw Ø 7.3 mm, length 45 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.050	Cannulated Locking Screw Ø 7.3 mm, length 50 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.055	Cannulated Locking Screw Ø 7.3 mm, length 55 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.060	Cannulated Locking Screw Ø 7.3 mm, length 60 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.065	Cannulated Locking Screw Ø 7.3 mm, length 65 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.070	Cannulated Locking Screw Ø 7.3 mm, length 70 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.075	Cannulated Locking Screw Ø 7.3 mm, length 75 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.080	Cannulated Locking Screw Ø 7.3 mm, length 80 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.085	Cannulated Locking Screw Ø 7.3 mm, length 85 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.090	Cannulated Locking Screw Ø 7.3 mm, length 90 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.095	Cannulated Locking Screw Ø 7.3 mm, length 95 mm, Stainless Steel	25 500,00 Ft

20.3	02.207.100	Cannulated Locking Screw Ø 7.3 mm, length 100 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.105	Cannulated Locking Screw Ø 7.3 mm, length 105 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.110	Cannulated Locking Screw Ø 7.3 mm, length 110 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.115	Cannulated Locking Screw Ø 7.3 mm, length 115 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.120	Cannulated Locking Screw Ø 7.3 mm, length 120 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.125	Cannulated Locking Screw Ø 7.3 mm, length 125 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.130	Cannulated Locking Screw Ø 7.3 mm, length 130 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.135	Cannulated Locking Screw Ø 7.3 mm, length 135 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.140	Cannulated Locking Screw Ø 7.3 mm, length 140 mm, Stainless Steel	25 500,00 Ft
20.3	02.207.145	Cannulated Locking Screw Ø 7.3 mm, length 145 mm, Stainless Steel	25 500,00 Ft
20.3	214.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Stainless Steel	6 500,00 Ft
20.3	214.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Stainless Steel	6 500,00 Ft
20.3	214.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Stainless Steel	6 500,00 Ft
20.3	214.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Stainless Steel	6 500,00 Ft
20.3	214.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Stainless Steel	6 500,00 Ft
20.3	214.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Stainless Steel	6 500,00 Ft
20.3	214.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Stainless Steel	6 500,00 Ft
20.3	214.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Stainless Steel	6 500,00 Ft
20.3	214.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Stainless Steel	6 500,00 Ft
20.3	214.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Stainless Steel	6 500,00 Ft
20.3	214.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Stainless Steel	6 500,00 Ft
20.3	214.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Stainless Steel	6 500,00 Ft
20.3	214.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Stainless Steel	6 500,00 Ft
20.3	214.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Stainless Steel	6 500,00 Ft
20.3	214.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Stainless Steel	6 500,00 Ft

20.3	214.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Stainless Steel	6 500,00 Ft
20.3	214.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Stainless Steel	6 500,00 Ft
20.3	214.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Stainless Steel	6 500,00 Ft
20.3	214.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Stainless Steel	6 500,00 Ft
20.3	214.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Stainless Steel	6 500,00 Ft
20.3	214.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Stainless Steel	6 500,00 Ft
20.3	214.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Stainless Steel	6 500,00 Ft
20.3	214.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Stainless Steel	6 500,00 Ft
20.3	214.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Stainless Steel	6 500,00 Ft
20.3	214.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Stainless Steel	6 500,00 Ft
20.3	214.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Stainless Steel	6 500,00 Ft
20.3	214.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Stainless Steel	6 500,00 Ft
20.3	214.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Stainless Steel	6 500,00 Ft
20.3	214.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Stainless Steel	12 500,00 Ft
20.3	214.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Stainless Steel	12 500,00 Ft
20.3	214.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Stainless Steel	12 500,00 Ft
20.3	214.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Stainless Steel	12 500,00 Ft
20.3	214.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Stainless Steel	12 500,00 Ft
20.3	214.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Stainless Steel	12 500,00 Ft
20.3	02.120.601	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 4 holes, Stainless Steel	70 000,00 Ft
20.3	02.120.602	Locking Attachment Plate 3.5, for LCP 4.5/5.0, 8 holes, Stainless Steel	70 000,00 Ft
20.3	02.120.603	Locking Attachment Plate 3.5, for LCP Proximal Femoral Plates, 4 holes, Stainless Steel	70 000,00 Ft
20.3	02.120.604	Locking Attachment Plate 3.5, for LCP Proximal Femoral Plates, 8 holes, Stainless Steel	70 000,00 Ft
20.3	02.120.606	Connection Screw Stardrive® for Locking Attachment Plate, Stainless Steel	15 000,00 Ft
20.3	281.002	CerclageFix for LCP 4.5/5.0, Stainless Steel	14 500,00 Ft
20.3	298.800.01	Cerclage Cable with Crimp Ø 1.0 mm, Stainless Steel	38 000,00 Ft
20.3	298.801.01	Cerclage Cable with Crimp Ø 1.7 mm, Stainless Steel	38 000,00 Ft
20.3	298.800.01S	Cerclage Cable with Crimp Ø 1.0 mm, Stainless Steel, sterile	50 000,00 Ft
20.3	298.801.01S	Cerclage Cable with Crimp Ø 1.7 mm, Stainless Steel, sterile	50 000,00 Ft
20.3	298.837	Cerclage Positioning Pin for LCP 3.5 and LC-DCP® 3.5, Stainless Steel	24 500,00 Ft
20.3	298.839	Cerclage Positioning Pin for LCP 4.5 and LC-DCP® 4.5, Stainless Steel	24 500,00 Ft
20.3	298.838.01	Positioning Pin 3.5 with thread, for LCP, Stainless Steel	24 500,00 Ft
20.3	298.803.01	Positioning Pin 4.5 with thread, for LCP, Stainless Steel	24 500,00 Ft
20.3	02.221.002S	Cerclage Eye for Screws Ø 3.5 mm, Stardrive® and hexagonal socket, Stainless Steel, sterile	42 000,00 Ft
20.3	02.221.003S	Cerclage Eye for Screws Ø 4.5 mm, Stardrive® and hexagonal socket, Stainless Steel, sterile	42 000,00 Ft
20.3	02.221.508	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 8 mm, T25, for periprosthetic fractures, Stainless Steel	11 500,00 Ft
20.3	02.221.510	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 10 mm, T25, for periprosthetic fractures, Stainless Steel	11 500,00 Ft
20.3	02.221.512	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 12 mm, T25, for periprosthetic fractures, Stainless Steel	11 500,00 Ft
20.3	02.221.514	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, T25, for periprosthetic fractures, Stainless Steel	11 500,00 Ft
20.3	02.221.518	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, T25, for periprosthetic fractures, Stainless Steel	11 500,00 Ft
23.1	440.036	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 4 holes, length 82 mm, Pure Titanium	114 000,00 Ft
23.1	440.037	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 4 holes, length 82 mm, Pure Titanium	114 000,00 Ft
23.1	440.038	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 6 holes, length 118 mm, Pure Titanium	114 000,00 Ft
23.1	440.039	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 6 holes, length 118 mm, Pure Titanium	114 000,00 Ft
23.1	440.040	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 8 holes, length 154 mm, Pure Titanium	114 000,00 Ft
23.1	440.041	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 8 holes, length 154 mm, Pure Titanium	114 000,00 Ft
23.1	440.042	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 10 holes, length 190 mm, Pure Titanium	114 000,00 Ft
23.1	440.043	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 10 holes, length 190 mm, Pure Titanium	114 000,00 Ft
23.1	440.044	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 12 holes, length 226 mm, Pure Titanium	114 000,00 Ft
23.1	440.045	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 12 holes, length 226 mm, Pure Titanium	114 000,00 Ft
23.1	440.046	LCP Proximal Tibial Plate 4.5/5.0, lateral, right, shaft 14 holes, length 262 mm, Pure Titanium	114 000,00 Ft

23.1	440.047	LCP Proximal Tibial Plate 4.5/5.0, lateral, left, shaft 14 holes, length 262 mm, Pure Titanium	114 000,00 Ft
23.1	412.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	412.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.1	414.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Pure Titanium	6 500,00 Ft
23.1	414.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Pure Titanium	6 500,00 Ft
23.1	414.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Pure Titanium	6 500,00 Ft
23.1	414.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Pure Titanium	6 500,00 Ft
23.1	414.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Pure Titanium	6 500,00 Ft
23.1	414.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Pure Titanium	6 500,00 Ft
23.1	414.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Pure Titanium	6 500,00 Ft
23.1	414.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Pure Titanium	6 500,00 Ft
23.1	414.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Pure Titanium	6 500,00 Ft
23.1	414.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Pure Titanium	6 500,00 Ft
23.1	414.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Pure Titanium	6 500,00 Ft
23.1	414.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Pure Titanium	6 500,00 Ft
23.1	414.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Pure Titanium	6 500,00 Ft
23.1	414.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Pure Titanium	6 500,00 Ft
23.1	414.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Pure Titanium	6 500,00 Ft
23.1	414.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Pure Titanium	6 500,00 Ft
23.1	414.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Pure Titanium	6 500,00 Ft
23.1	414.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Pure Titanium	6 500,00 Ft
23.1	414.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Pure Titanium	6 500,00 Ft
23.1	414.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Pure Titanium	6 500,00 Ft
23.1	414.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Pure Titanium	6 500,00 Ft
23.1	414.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Pure Titanium	6 500,00 Ft

23.1	414.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Pure Titanium	6 500,00 Ft
23.1	414.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Pure Titanium	6 500,00 Ft
23.1	414.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Pure Titanium	6 500,00 Ft
23.1	414.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Pure Titanium	6 500,00 Ft
23.1	414.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Pure Titanium	6 500,00 Ft
23.1	414.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Pure Titanium	6 500,00 Ft
23.1	414.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Pure Titanium	6 500,00 Ft
23.1	414.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Pure Titanium	6 500,00 Ft
23.1	414.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Pure Titanium	15 000,00 Ft
23.1	414.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Pure Titanium	15 000,00 Ft
23.1	414.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Pure Titanium	15 000,00 Ft
23.1	414.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Pure Titanium	15 000,00 Ft
23.2	422.220	LCP-PLT Plate 4.5/5.0, right, 5 holes, length 140 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.221	LCP-PLT Plate 4.5/5.0, left, 5 holes, length 140 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.222	LCP-PLT Plate 4.5/5.0, right, 7 holes, length 180 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.223	LCP-PLT Plate 4.5/5.0, left, 7 holes, length 180 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.224	LCP-PLT Plate 4.5/5.0, right, 9 holes, length 220 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.225	LCP-PLT Plate 4.5/5.0, left, 9 holes, length 220 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.226	LCP-PLT Plate 4.5/5.0, right, 11 holes, length 260 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.227	LCP-PLT Plate 4.5/5.0, left, 11 holes, length 260 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.228	LCP-PLT Plate 4.5/5.0, right, 13 holes, length 300 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	422.229	LCP-PLT Plate 4.5/5.0, left, 13 holes, length 300 mm, Titanium Alloy (TAN)	92 000,00 Ft
23.2	412.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	412.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.2	414.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Pure Titanium	6 500,00 Ft

23.2	414.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Pure Titanium	6 500,00 Ft
23.2	414.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Pure Titanium	6 500,00 Ft
23.2	414.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Pure Titanium	6 500,00 Ft
23.2	414.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Pure Titanium	6 500,00 Ft
23.2	414.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Pure Titanium	6 500,00 Ft
23.2	414.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Pure Titanium	6 500,00 Ft
23.2	414.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Pure Titanium	6 500,00 Ft
23.2	414.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Pure Titanium	6 500,00 Ft
23.2	414.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Pure Titanium	6 500,00 Ft
23.2	414.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Pure Titanium	6 500,00 Ft
23.2	414.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Pure Titanium	6 500,00 Ft
23.2	414.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Pure Titanium	6 500,00 Ft
23.2	414.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Pure Titanium	6 500,00 Ft
23.2	414.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Pure Titanium	6 500,00 Ft
23.2	414.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Pure Titanium	6 500,00 Ft
23.2	414.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Pure Titanium	6 500,00 Ft
23.2	414.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Pure Titanium	6 500,00 Ft
23.2	414.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Pure Titanium	6 500,00 Ft
23.2	414.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Pure Titanium	6 500,00 Ft
23.2	414.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Pure Titanium	6 500,00 Ft
23.2	414.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Pure Titanium	6 500,00 Ft
23.2	414.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Pure Titanium	6 500,00 Ft
23.2	414.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Pure Titanium	6 500,00 Ft
23.2	414.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Pure Titanium	6 500,00 Ft
23.2	414.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Pure Titanium	6 500,00 Ft
23.2	414.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Pure Titanium	6 500,00 Ft
23.2	414.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Pure Titanium	6 500,00 Ft
23.2	414.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Pure Titanium	6 500,00 Ft
23.2	414.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Pure Titanium	6 500,00 Ft
23.2	414.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Pure Titanium	15 000,00 Ft
23.2	414.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Pure Titanium	15 000,00 Ft
23.2	414.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Pure Titanium	15 000,00 Ft
23.2	414.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Pure Titanium	15 000,00 Ft
23.3	439.954	LCP Medial Proximal Tibial Plate 3.5, right, shaft 4 holes, length 93 mm, Pure Titanium	120 000,00 Ft
23.3	439.955	LCP Medial Proximal Tibial Plate 3.5, left, shaft 4 holes, length 93 mm, Pure Titanium	120 000,00 Ft
23.3	439.956	LCP Medial Proximal Tibial Plate 3.5, right, shaft 6 holes, length 119 mm, Pure Titanium	120 000,00 Ft
23.3	439.957	LCP Medial Proximal Tibial Plate 3.5, left, shaft 6 holes, length 119 mm, Pure Titanium	120 000,00 Ft
23.3	439.958	LCP Medial Proximal Tibial Plate 3.5, right, shaft 8 holes, length 145 mm, Pure Titanium	120 000,00 Ft
23.3	439.959	LCP Medial Proximal Tibial Plate 3.5, left, shaft 8 holes, length 145 mm, Pure Titanium	120 000,00 Ft
23.3	439.960	LCP Medial Proximal Tibial Plate 3.5, right, shaft 10 holes, length 171 mm, Pure Titanium	120 000,00 Ft
23.3	439.961	LCP Medial Proximal Tibial Plate 3.5, left, shaft 10 holes, length 171 mm, Pure Titanium	120 000,00 Ft
23.3	439.962	LCP Medial Proximal Tibial Plate 3.5, right, shaft 12 holes, length 197 mm, Pure Titanium	125 000,00 Ft
23.3	439.963	LCP Medial Proximal Tibial Plate 3.5, left, shaft 12 holes, length 197 mm, Pure Titanium	125 000,00 Ft
23.3	439.964	LCP Medial Proximal Tibial Plate 3.5, right, shaft 14 holes, length 223 mm, Pure Titanium	125 000,00 Ft
23.3	439.965	LCP Medial Proximal Tibial Plate 3.5, left, shaft 14 holes, length 223 mm, Pure Titanium	125 000,00 Ft
23.3	439.966	LCP Medial Proximal Tibial Plate 3.5, right, shaft 16 holes, length 249 mm, Pure Titanium	125 000,00 Ft
23.3	439.967	LCP Medial Proximal Tibial Plate 3.5, left, shaft 16 holes, length 249 mm, Pure Titanium	125 000,00 Ft
23.3	439.968	LCP Medial Proximal Tibial Plate 3.5, right, shaft 18 holes, length 275 mm, Pure Titanium	125 000,00 Ft
23.3	439.969	LCP Medial Proximal Tibial Plate 3.5, left, shaft 18 holes, length 275 mm, Pure Titanium	125 000,00 Ft
23.3	439.970	LCP Medial Proximal Tibial Plate 3.5, right, shaft 20 holes, length 301 mm, Pure Titanium	125 000,00 Ft

23.3	439.971	LCP Medial Proximal Tibial Plate 3.5, left, shaft 20 holes, length 301 mm, Pure Titanium	125 000,00 Ft
23.3	439.984	LCP Medial Proximal Tibial Plate 4.5, right, shaft 4 holes, length 106 mm, Pure Titanium	117 000,00 Ft
23.3	439.985	LCP Medial Proximal Tibial Plate 4.5, left, shaft 4 holes, length 106 mm, Pure Titanium	117 000,00 Ft
23.3	439.986	LCP Medial Proximal Tibial Plate 4.5, right, shaft 6 holes, length 142 mm, Pure Titanium	117 000,00 Ft
23.3	439.987	LCP Medial Proximal Tibial Plate 4.5, left, shaft 6 holes, length 142 mm, Pure Titanium	117 000,00 Ft
23.3	439.988	LCP Medial Proximal Tibial Plate 4.5, right, shaft 8 holes, length 178 mm, Pure Titanium	117 000,00 Ft
23.3	439.989	LCP Medial Proximal Tibial Plate 4.5, left, shaft 8 holes, length 178 mm, Pure Titanium	117 000,00 Ft
23.3	439.990	LCP Medial Proximal Tibial Plate 4.5, right, shaft 10 holes, length 214 mm, Pure Titanium	117 000,00 Ft
23.3	439.991	LCP Medial Proximal Tibial Plate 4.5, left, shaft 10 holes, length 214 mm, Pure Titanium	117 000,00 Ft
23.3	439.992	LCP Medial Proximal Tibial Plate 4.5, right, shaft 12 holes, length 250 mm, Pure Titanium	117 000,00 Ft
23.3	439.993	LCP Medial Proximal Tibial Plate 4.5, left, shaft 12 holes, length 250 mm, Pure Titanium	117 000,00 Ft
23.3	439.994	LCP Medial Proximal Tibial Plate 4.5, right, shaft 14 holes, length 286 mm, Pure Titanium	117 000,00 Ft
23.3	439.995	LCP Medial Proximal Tibial Plate 4.5, left, shaft 14 holes, length 286 mm, Pure Titanium	117 000,00 Ft
23.3	439.996	LCP Medial Proximal Tibial Plate 4.5, right, shaft 16 holes, length 322 mm, Pure Titanium	117 000,00 Ft
23.3	439.997	LCP Medial Proximal Tibial Plate 4.5, left, shaft 16 holes, length 322 mm, Pure Titanium	117 000,00 Ft
23.3	412.201	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.202	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.203	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.204	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.205	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.206	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.207	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.208	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.209	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.210	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.211	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.212	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.213	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.214	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.215	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.216	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.217	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.218	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.219	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.220	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.221	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.222	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.223	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.224	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.225	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.226	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	412.227	Locking Screw Stardrive® Ø 5.0 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	9 900,00 Ft
23.3	414.814	Cortex Screw Ø 4.5 mm, self-tapping, length 14 mm, Pure Titanium	6 500,00 Ft
23.3	414.816	Cortex Screw Ø 4.5 mm, self-tapping, length 16 mm, Pure Titanium	6 500,00 Ft
23.3	414.818	Cortex Screw Ø 4.5 mm, self-tapping, length 18 mm, Pure Titanium	6 500,00 Ft
23.3	414.820	Cortex Screw Ø 4.5 mm, self-tapping, length 20 mm, Pure Titanium	6 500,00 Ft
23.3	414.822	Cortex Screw Ø 4.5 mm, self-tapping, length 22 mm, Pure Titanium	6 500,00 Ft
23.3	414.824	Cortex Screw Ø 4.5 mm, self-tapping, length 24 mm, Pure Titanium	6 500,00 Ft
23.3	414.826	Cortex Screw Ø 4.5 mm, self-tapping, length 26 mm, Pure Titanium	6 500,00 Ft
23.3	414.828	Cortex Screw Ø 4.5 mm, self-tapping, length 28 mm, Pure Titanium	6 500,00 Ft

23.3	414.830	Cortex Screw Ø 4.5 mm, self-tapping, length 30 mm, Pure Titanium	6 500,00 Ft
23.3	414.832	Cortex Screw Ø 4.5 mm, self-tapping, length 32 mm, Pure Titanium	6 500,00 Ft
23.3	414.834	Cortex Screw Ø 4.5 mm, self-tapping, length 34 mm, Pure Titanium	6 500,00 Ft
23.3	414.836	Cortex Screw Ø 4.5 mm, self-tapping, length 36 mm, Pure Titanium	6 500,00 Ft
23.3	414.838	Cortex Screw Ø 4.5 mm, self-tapping, length 38 mm, Pure Titanium	6 500,00 Ft
23.3	414.840	Cortex Screw Ø 4.5 mm, self-tapping, length 40 mm, Pure Titanium	6 500,00 Ft
23.3	414.842	Cortex Screw Ø 4.5 mm, self-tapping, length 42 mm, Pure Titanium	6 500,00 Ft
23.3	414.844	Cortex Screw Ø 4.5 mm, self-tapping, length 44 mm, Pure Titanium	6 500,00 Ft
23.3	414.846	Cortex Screw Ø 4.5 mm, self-tapping, length 46 mm, Pure Titanium	6 500,00 Ft
23.3	414.848	Cortex Screw Ø 4.5 mm, self-tapping, length 48 mm, Pure Titanium	6 500,00 Ft
23.3	414.850	Cortex Screw Ø 4.5 mm, self-tapping, length 50 mm, Pure Titanium	6 500,00 Ft
23.3	414.852	Cortex Screw Ø 4.5 mm, self-tapping, length 52 mm, Pure Titanium	6 500,00 Ft
23.3	414.854	Cortex Screw Ø 4.5 mm, self-tapping, length 54 mm, Pure Titanium	6 500,00 Ft
23.3	414.856	Cortex Screw Ø 4.5 mm, self-tapping, length 56 mm, Pure Titanium	6 500,00 Ft
23.3	414.858	Cortex Screw Ø 4.5 mm, self-tapping, length 58 mm, Pure Titanium	6 500,00 Ft
23.3	414.860	Cortex Screw Ø 4.5 mm, self-tapping, length 60 mm, Pure Titanium	6 500,00 Ft
23.3	414.862	Cortex Screw Ø 4.5 mm, self-tapping, length 62 mm, Pure Titanium	6 500,00 Ft
23.3	414.864	Cortex Screw Ø 4.5 mm, self-tapping, length 64 mm, Pure Titanium	6 500,00 Ft
23.3	414.866	Cortex Screw Ø 4.5 mm, self-tapping, length 66 mm, Pure Titanium	6 500,00 Ft
23.3	414.868	Cortex Screw Ø 4.5 mm, self-tapping, length 68 mm, Pure Titanium	6 500,00 Ft
23.3	414.870	Cortex Screw Ø 4.5 mm, self-tapping, length 70 mm, Pure Titanium	6 500,00 Ft
23.3	414.872	Cortex Screw Ø 4.5 mm, self-tapping, length 72 mm, Pure Titanium	6 500,00 Ft
23.3	414.876	Cortex Screw Ø 4.5 mm, self-tapping, length 76 mm, Pure Titanium	15 000,00 Ft
23.3	414.880	Cortex Screw Ø 4.5 mm, self-tapping, length 80 mm, Pure Titanium	15 000,00 Ft
23.3	414.885	Cortex Screw Ø 4.5 mm, self-tapping, length 85 mm, Pure Titanium	15 000,00 Ft

23.3	414.890	Cortex Screw Ø 4.5 mm, self-tapping, length 90 mm, Pure Titanium	15 000,00 Ft
25.1	04.112.510	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 4 holes, length 109 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.514	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 6 holes, length 135 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.518	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 8 holes, length 161 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.522	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 10 holes, length 187 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.526	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 12 holes, length 213 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.530	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 14 holes, length 239 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.511	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 4 holes, length 109 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.515	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 6 holes, length 135 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.519	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 8 holes, length 161 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.523	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 10 holes, length 187 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.527	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 12 holes, length 213 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	04.112.531	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 14 holes, length 239 mm, Titanium Alloy (TAN)	125 000,00 Ft
25.1	441.440	LCP Distal Tibial Plate 3.5, anterolateral, right, 5 holes, length 80 mm, Pure Titanium	125 000,00 Ft
25.1	441.442	LCP Distal Tibial Plate 3.5, anterolateral, right, 7 holes, length 106 mm, Pure Titanium	125 000,00 Ft
25.1	441.444	LCP Distal Tibial Plate 3.5, anterolateral, right, 9 holes, length 132 mm, Pure Titanium	125 000,00 Ft
25.1	441.446	LCP Distal Tibial Plate 3.5, anterolateral, right, 11 holes, length 158 mm, Pure Titanium	125 000,00 Ft
25.1	441.448	LCP Distal Tibial Plate 3.5, anterolateral, right, 13 holes, length 184 mm, Pure Titanium	125 000,00 Ft
25.1	441.450	LCP Distal Tibial Plate 3.5, anterolateral, right, 15 holes, length 210 mm, Pure Titanium	125 000,00 Ft
25.1	441.452	LCP Distal Tibial Plate 3.5, anterolateral, right, 17 holes, length 236 mm, Pure Titanium	125 000,00 Ft
25.1	441.454	LCP Distal Tibial Plate 3.5, anterolateral, right, 19 holes, length 262 mm, Pure Titanium	125 000,00 Ft
25.1	441.456	LCP Distal Tibial Plate 3.5, anterolateral, right, 21 holes, length 288 mm, Pure Titanium	125 000,00 Ft
25.1	441.441	LCP Distal Tibial Plate 3.5, anterolateral, left, 5 holes, length 80 mm, Pure Titanium	125 000,00 Ft
25.1	441.443	LCP Distal Tibial Plate 3.5, anterolateral, left, 7 holes, length 106 mm, Pure Titanium	125 000,00 Ft
25.1	441.445	LCP Distal Tibial Plate 3.5, anterolateral, left, 9 holes, length 132 mm, Pure Titanium	125 000,00 Ft

25.1	441.447	LCP Distal Tibial Plate 3.5, anterolateral, left, 11 holes, length 158 mm, Pure Titanium	125 000,00 Ft
25.1	441.449	LCP Distal Tibial Plate 3.5, anterolateral, left, 13 holes, length 184 mm, Pure Titanium	125 000,00 Ft
25.1	441.451	LCP Distal Tibial Plate 3.5, anterolateral, left, 15 holes, length 210 mm, Pure Titanium	125 000,00 Ft
25.1	441.453	LCP Distal Tibial Plate 3.5, anterolateral, left, 17 holes, length 236 mm, Pure Titanium	125 000,00 Ft
25.1	441.455	LCP Distal Tibial Plate 3.5, anterolateral, left, 19 holes, length 262 mm, Pure Titanium	125 000,00 Ft
25.1	441.457	LCP Distal Tibial Plate 3.5, anterolateral, left, 21 holes, length 288 mm, Pure Titanium	125 000,00 Ft
25.1	441.351	LCP One-third Tubular Plate 3.5, 5 holes, length 64 mm, Pure Titanium	32 000,00 Ft
25.1	441.361	LCP One-third Tubular Plate 3.5, 6 holes, length 76 mm, Pure Titanium	32 000,00 Ft
25.1	441.371	LCP One-third Tubular Plate 3.5, 7 holes, length 88 mm, Pure Titanium	32 000,00 Ft
25.1	441.381	LCP One-third Tubular Plate 3.5, 8 holes, length 100 mm, Pure Titanium	32 000,00 Ft
25.1	441.401	LCP One-third Tubular Plate 3.5, 10 holes, length 124 mm, Pure Titanium	32 000,00 Ft
25.1	441.421	LCP One-third Tubular Plate 3.5, 12 holes, length 148 mm, Pure Titanium	32 000,00 Ft
25.1	241.351	LCP One-third Tubular Plate 3.5, 5 holes, length 64 mm, Stainless Steel	10 000,00 Ft
25.1	241.361	LCP One-third Tubular Plate 3.5, 6 holes, length 76 mm, Stainless Steel	10 000,00 Ft
25.1	241.371	LCP One-third Tubular Plate 3.5, 7 holes, length 88 mm, Stainless Steel	10 000,00 Ft
25.1	241.381	LCP One-third Tubular Plate 3.5, 8 holes, length 100 mm, Stainless Steel	10 000,00 Ft
25.1	241.401	LCP One-third Tubular Plate 3.5, 10 holes, length 124 mm, Stainless Steel	10 000,00 Ft
25.1	241.421	LCP One-third Tubular Plate 3.5, 12 holes, length 148 mm, Stainless Steel	10 000,00 Ft
25.1	02.112.510	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 4 holes, length 109 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.514	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 6 holes, length 135 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.518	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 8 holes, length 161 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.522	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 10 holes, length 187 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.526	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 12 holes, length 213 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.530	LCP Medial Distal Tibial Plate 3.5, Low Bend, right, 14 holes, length 239 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.511	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 4 holes, length 109 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.515	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 6 holes, length 135 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.519	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 8 holes, length 161 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.523	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 10 holes, length 187 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.527	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 12 holes, length 213 mm, Stainless Steel	125 000,00 Ft
25.1	02.112.531	LCP Medial Distal Tibial Plate 3.5, Low Bend, left, 14 holes, length 239 mm, Stainless Steel	125 000,00 Ft
25.1	241.440	LCP Distal Tibial Plate 3.5, anterolateral, right, 5 holes, length 80 mm, Stainless Steel	125 000,00 Ft
25.1	241.442	LCP Distal Tibial Plate 3.5, anterolateral, right, 7 holes, length 106 mm, Stainless Steel	125 000,00 Ft
25.1	241.444	LCP Distal Tibial Plate 3.5, anterolateral, right, 9 holes, length 132 mm, Stainless Steel	125 000,00 Ft
25.1	241.446	LCP Distal Tibial Plate 3.5, anterolateral, right, 11 holes, length 158 mm, Stainless Steel	125 000,00 Ft
25.1	241.448	LCP Distal Tibial Plate 3.5, anterolateral, right, 13 holes, length 184 mm, Stainless Steel	125 000,00 Ft
25.1	241.450	LCP Distal Tibial Plate 3.5, anterolateral, right, 15 holes, length 210 mm, Stainless Steel	125 000,00 Ft
25.1	241.452	LCP Distal Tibial Plate 3.5, anterolateral, right, 17 holes, length 236 mm, Stainless Steel	125 000,00 Ft
25.1	241.454	LCP Distal Tibial Plate 3.5, anterolateral, right, 19 holes, length 262 mm, Stainless Steel	125 000,00 Ft
25.1	241.456	LCP Distal Tibial Plate 3.5, anterolateral, right, 21 holes, length 288 mm, Stainless Steel	125 000,00 Ft
25.1	241.441	LCP Distal Tibial Plate 3.5, anterolateral, left, 5 holes, length 80 mm, Stainless Steel	125 000,00 Ft
25.1	241.443	LCP Distal Tibial Plate 3.5, anterolateral, left, 7 holes, length 106 mm, Stainless Steel	125 000,00 Ft
25.1	241.445	LCP Distal Tibial Plate 3.5, anterolateral, left, 9 holes, length 132 mm, Stainless Steel	125 000,00 Ft
25.1	241.447	LCP Distal Tibial Plate 3.5, anterolateral, left, 11 holes, length 158 mm, Stainless Steel	125 000,00 Ft
25.1	241.449	LCP Distal Tibial Plate 3.5, anterolateral, left, 13 holes, length 184 mm, Stainless Steel	125 000,00 Ft
25.1	241.451	LCP Distal Tibial Plate 3.5, anterolateral, left, 15 holes, length 210 mm, Stainless Steel	125 000,00 Ft
25.1	241.453	LCP Distal Tibial Plate 3.5, anterolateral, left, 17 holes, length 236 mm, Stainless Steel	125 000,00 Ft
25.1	241.455	LCP Distal Tibial Plate 3.5, anterolateral, left, 19 holes, length 262 mm, Stainless Steel	125 000,00 Ft
25.1	241.457	LCP Distal Tibial Plate 3.5, anterolateral, left, 21 holes, length 288 mm, Stainless Steel	125 000,00 Ft
25.1	445.051	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 5 holes, Pure Titanium	46 000,00 Ft
25.1	245.051	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 5 holes, Stainless Steel	46 000,00 Ft

25.1	445.061	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 6 holes, Pure Titanium	46 000,00 Ft
25.1	245.061	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 6 holes, Stainless Steel	46 000,00 Ft
25.1	445.071	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 7 holes, Pure Titanium	46 000,00 Ft
25.1	245.071	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 7 holes, Stainless Steel	46 000,00 Ft
25.1	445.081	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 8 holes, Pure Titanium	46 000,00 Ft
25.1	245.081	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 8 holes, Stainless Steel	46 000,00 Ft
25.1	445.091	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 9 holes, Pure Titanium	46 000,00 Ft
25.1	245.091	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 9 holes, Stainless Steel	46 000,00 Ft
25.1	445.101	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 10 holes, Pure Titanium	46 000,00 Ft
25.1	245.101	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 10 holes, Stainless Steel	46 000,00 Ft
25.1	445.121	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 12 holes, Pure Titanium	46 000,00 Ft
25.1	245.121	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 12 holes, Stainless Steel	46 000,00 Ft
25.1	445.141	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 14 holes, Pure Titanium	46 000,00 Ft
25.1	245.141	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 14 holes, Stainless Steel	46 000,00 Ft
25.1	445.161	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 16 holes, Pure Titanium	46 000,00 Ft
25.1	245.161	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 16 holes, Stainless Steel	46 000,00 Ft
25.1	445.181	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 18 holes, Pure Titanium	46 000,00 Ft
25.1	245.181	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 18 holes, Stainless Steel	46 000,00 Ft
25.1	445.201	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 20 holes, Pure Titanium	100 000,00 Ft
25.1	245.201	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 20 holes, Stainless Steel	100 000,00 Ft
25.1	445.221	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 22 holes, Pure Titanium	100 000,00 Ft
25.1	245.221	LCP Reconstruction Plate 3.5, straight, with Combined Hole, 22 holes, Stainless Steel	100 000,00 Ft
25.1	412.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Stainless Steel	9 000,00 Ft
25.1	412.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Stainless Steel	9 000,00 Ft
25.1	412.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Stainless Steel	9 000,00 Ft
25.1	412.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Stainless Steel	9 000,00 Ft
25.1	412.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Stainless Steel	9 000,00 Ft
25.1	412.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Stainless Steel	9 000,00 Ft
25.1	412.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Stainless Steel	9 000,00 Ft
25.1	412.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Stainless Steel	9 000,00 Ft
25.1	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Stainless Steel	9 000,00 Ft
25.1	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Stainless Steel	9 000,00 Ft
25.1	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Stainless Steel	9 000,00 Ft
25.1	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
25.1	212.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Stainless Steel	9 000,00 Ft
25.1	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Stainless Steel	9 000,00 Ft
25.1	412.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Stainless Steel	9 000,00 Ft

25.1	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Stainless Steel	9 000,00 Ft
25.1	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Stainless Steel	9 000,00 Ft
25.1	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Stainless Steel	9 000,00 Ft
25.1	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Stainless Steel	9 000,00 Ft
25.1	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Stainless Steel	9 000,00 Ft
25.1	412.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Stainless Steel	9 000,00 Ft
25.1	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Stainless Steel	9 000,00 Ft
25.1	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Stainless Steel	9 000,00 Ft
25.1	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Stainless Steel	9 000,00 Ft
25.1	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Stainless Steel	9 000,00 Ft
25.1	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	02.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Stainless Steel	9 000,00 Ft
25.1	412.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Stainless Steel	9 000,00 Ft
25.1	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	02.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Stainless Steel	9 000,00 Ft
25.1	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	02.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Stainless Steel	9 000,00 Ft
25.1	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Stainless Steel	9 000,00 Ft
25.1	412.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Stainless Steel	9 000,00 Ft
25.1	412.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Stainless Steel	9 000,00 Ft
25.1	412.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Stainless Steel	9 000,00 Ft
25.1	412.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Stainless Steel	9 000,00 Ft
25.1	412.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Stainless Steel	9 000,00 Ft
25.1	412.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Stainless Steel	9 000,00 Ft
25.1	412.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Titanium Alloy (TAN)	10 000,00 Ft
25.1	212.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Stainless Steel	9 000,00 Ft
25.1	404.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Pure Titanium	2 350,00 Ft
25.1	204.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Stainless Steel	2 250,00 Ft
25.1	404.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Pure Titanium	2 350,00 Ft
25.1	204.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Stainless Steel	2 250,00 Ft
25.1	404.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Pure Titanium	2 350,00 Ft
25.1	204.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Stainless Steel	2 250,00 Ft

25.1	404.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Pure Titanium	2 350,00 Ft
25.1	204.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Stainless Steel	2 250,00 Ft
25.1	404.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Pure Titanium	2 350,00 Ft
25.1	204.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Stainless Steel	2 250,00 Ft
25.1	404.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Pure Titanium	2 350,00 Ft
25.1	204.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Stainless Steel	2 250,00 Ft
25.1	404.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Pure Titanium	2 350,00 Ft
25.1	204.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Stainless Steel	2 250,00 Ft
25.1	404.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Pure Titanium	2 350,00 Ft
25.1	204.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Stainless Steel	2 250,00 Ft
25.1	404.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Pure Titanium	2 350,00 Ft
25.1	204.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Stainless Steel	2 250,00 Ft
25.1	404.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Pure Titanium	2 350,00 Ft
25.1	204.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Stainless Steel	2 250,00 Ft
25.1	404.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Pure Titanium	2 350,00 Ft
25.1	204.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Stainless Steel	2 250,00 Ft
25.1	404.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Pure Titanium	2 350,00 Ft
25.1	204.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Stainless Steel	2 250,00 Ft
25.1	404.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Pure Titanium	2 350,00 Ft
25.1	204.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Stainless Steel	2 250,00 Ft
25.1	404.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Pure Titanium	2 350,00 Ft
25.1	204.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Stainless Steel	2 250,00 Ft
25.1	404.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Pure Titanium	2 350,00 Ft
25.1	204.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Stainless Steel	2 250,00 Ft
25.1	404.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Pure Titanium	2 350,00 Ft
25.1	204.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Stainless Steel	2 250,00 Ft
25.1	404.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Pure Titanium	2 350,00 Ft
25.1	204.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Stainless Steel	2 250,00 Ft
25.1	404.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Pure Titanium	2 350,00 Ft
25.1	204.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Stainless Steel	2 250,00 Ft
25.1	404.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Pure Titanium	2 350,00 Ft
25.1	204.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Stainless Steel	2 250,00 Ft
25.1	404.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Pure Titanium	2 350,00 Ft
25.1	204.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Stainless Steel	2 250,00 Ft
25.1	404.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Pure Titanium	2 350,00 Ft
25.1	204.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Stainless Steel	2 250,00 Ft
25.1	404.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Pure Titanium	2 350,00 Ft
25.1	204.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Stainless Steel	2 250,00 Ft
25.1	404.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Pure Titanium	2 350,00 Ft
25.1	204.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Stainless Steel	2 250,00 Ft
25.1	404.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Pure Titanium	2 350,00 Ft
25.1	204.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Stainless Steel	2 250,00 Ft
25.1	404.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Pure Titanium	13 500,00 Ft
25.1	204.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Stainless Steel	12 500,00 Ft
25.1	404.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Pure Titanium	13 500,00 Ft
25.1	204.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Stainless Steel	12 500,00 Ft
25.1	404.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Pure Titanium	13 500,00 Ft
25.1	204.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Stainless Steel	12 500,00 Ft
25.1	404.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Pure Titanium	13 500,00 Ft
25.1	204.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Stainless Steel	12 500,00 Ft

25.1	404.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Pure Titanium	13 500,00 Ft
25.1	204.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Stainless Steel	12 500,00 Ft
25.1	404.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Pure Titanium	13 500,00 Ft
25.1	204.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Stainless Steel	12 500,00 Ft
25.1	404.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Pure Titanium	13 500,00 Ft
25.1	204.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Stainless Steel	12 500,00 Ft
25.1	404.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Pure Titanium	13 500,00 Ft
25.1	204.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Stainless Steel	12 500,00 Ft
25.1	404.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Pure Titanium	13 500,00 Ft
25.1	204.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Stainless Steel	12 500,00 Ft
25.1	404.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Pure Titanium	13 500,00 Ft
25.1	204.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Stainless Steel	12 500,00 Ft
25.1	404.915	Cortex Screw Ø 3.5 mm, self-tapping, length 115 mm, Pure Titanium	13 500,00 Ft
25.1	404.920	Cortex Screw Ø 3.5 mm, self-tapping, length 120 mm, Pure Titanium	13 500,00 Ft
25.1	404.925	Cortex Screw Ø 3.5 mm, self-tapping, length 125 mm, Pure Titanium	13 500,00 Ft
25.1	404.930	Cortex Screw Ø 3.5 mm, self-tapping, length 130 mm, Pure Titanium	13 500,00 Ft
25.2	04.005.516	Locking Screw Stardrive® Ø 5.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.616	Locking Screw Stardrive® Ø 6.0 mm, length 26 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.518	Locking Screw Stardrive® Ø 5.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.618	Locking Screw Stardrive® Ø 6.0 mm, length 28 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.520	Locking Screw Stardrive® Ø 5.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.620	Locking Screw Stardrive® Ø 6.0 mm, length 30 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.522	Locking Screw Stardrive® Ø 5.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.622	Locking Screw Stardrive® Ø 6.0 mm, length 32 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.524	Locking Screw Stardrive® Ø 5.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.624	Locking Screw Stardrive® Ø 6.0 mm, length 34 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.526	Locking Screw Stardrive® Ø 5.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.626	Locking Screw Stardrive® Ø 6.0 mm, length 36 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.528	Locking Screw Stardrive® Ø 5.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.628	Locking Screw Stardrive® Ø 6.0 mm, length 38 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.530	Locking Screw Stardrive® Ø 5.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.630	Locking Screw Stardrive® Ø 6.0 mm, length 40 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.532	Locking Screw Stardrive® Ø 5.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.632	Locking Screw Stardrive® Ø 6.0 mm, length 42 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.534	Locking Screw Stardrive® Ø 5.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.634	Locking Screw Stardrive® Ø 6.0 mm, length 44 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.536	Locking Screw Stardrive® Ø 5.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.636	Locking Screw Stardrive® Ø 6.0 mm, length 46 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.538	Locking Screw Stardrive® Ø 5.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.638	Locking Screw Stardrive® Ø 6.0 mm, length 48 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.540	Locking Screw Stardrive® Ø 5.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.640	Locking Screw Stardrive® Ø 6.0 mm, length 50 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.542	Locking Screw Stardrive® Ø 5.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.642	Locking Screw Stardrive® Ø 6.0 mm, length 52 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.544	Locking Screw Stardrive® Ø 5.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.644	Locking Screw Stardrive® Ø 6.0 mm, length 54 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.546	Locking Screw Stardrive® Ø 5.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.646	Locking Screw Stardrive® Ø 6.0 mm, length 56 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.548	Locking Screw Stardrive® Ø 5.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.648	Locking Screw Stardrive® Ø 6.0 mm, length 58 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft

25.2	04.005.550	Locking Screw Stardrive® Ø 5.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.650	Locking Screw Stardrive® Ø 6.0 mm, length 60 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.552	Locking Screw Stardrive® Ø 5.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.652	Locking Screw Stardrive® Ø 6.0 mm, length 62 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.554	Locking Screw Stardrive® Ø 5.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.654	Locking Screw Stardrive® Ø 6.0 mm, length 64 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.556	Locking Screw Stardrive® Ø 5.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.656	Locking Screw Stardrive® Ø 6.0 mm, length 66 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.558	Locking Screw Stardrive® Ø 5.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.658	Locking Screw Stardrive® Ø 6.0 mm, length 68 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.560	Locking Screw Stardrive® Ø 5.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.660	Locking Screw Stardrive® Ø 6.0 mm, length 70 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.562	Locking Screw Stardrive® Ø 5.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.662	Locking Screw Stardrive® Ø 6.0 mm, length 72 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.564	Locking Screw Stardrive® Ø 5.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.664	Locking Screw Stardrive® Ø 6.0 mm, length 74 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.566	Locking Screw Stardrive® Ø 5.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.666	Locking Screw Stardrive® Ø 6.0 mm, length 76 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.568	Locking Screw Stardrive® Ø 5.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.668	Locking Screw Stardrive® Ø 6.0 mm, length 78 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.570	Locking Screw Stardrive® Ø 5.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.670	Locking Screw Stardrive® Ø 6.0 mm, length 80 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.575	Locking Screw Stardrive® Ø 5.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.675	Locking Screw Stardrive® Ø 6.0 mm, length 85 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.580	Locking Screw Stardrive® Ø 5.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.680	Locking Screw Stardrive® Ø 6.0 mm, length 90 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.585	Locking Screw Stardrive® Ø 5.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.685	Locking Screw Stardrive® Ø 6.0 mm, length 95 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.005.590	Locking Screw Stardrive® Ø 5.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), light green	7 000,00 Ft
25.2	04.005.690	Locking Screw Stardrive® Ø 6.0 mm, length 100 mm, for Medullary Nails, Titanium Alloy (TAN), aqua	7 000,00 Ft
25.2	04.008.000S	Expert™ End Cap for Hindfoot Arthrodesis Nail, for Spiral Blade, Titanium Alloy (TAN), gold, sterile	19 000,00 Ft
25.2	04.008.001S	Expert™ End Cap for Hindfoot Arthrodesis Nail, for Locking Screw, Titanium Alloy (TAN), aqua, sterile	19 000,00 Ft
25.2	04.008.010S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, right, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.016S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.028S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.060S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, left, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.066S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.078S	Expert™ Hindfoot Arthrodesis Nail Ø 10.0 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.210S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, right, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.216S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.228S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.260S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, left, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.266S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.278S	Expert™ Hindfoot Arthrodesis Nail Ø 12.0 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft

25.2	04.008.310S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, right, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.316S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, right, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.328S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, right, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.360S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, left, cannulated, length 150 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.366S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, left, cannulated, length 180 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.008.378S	Expert™ Hindfoot Arthrodesis Nail Ø 13.0 mm, left, cannulated, length 240 mm, Titanium Alloy (TAN), light green, sterile	135 000,00 Ft
25.2	04.013.041	Spiral Blade for Expert™ Retrograde Femoral Nail, length 45 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.042	Spiral Blade for Expert™ Retrograde Femoral Nail, length 50 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.043	Spiral Blade for Expert™ Retrograde Femoral Nail, length 55 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.044	Spiral Blade for Expert™ Retrograde Femoral Nail, length 60 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.045	Spiral Blade for Expert™ Retrograde Femoral Nail, length 65 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.046	Spiral Blade for Expert™ Retrograde Femoral Nail, length 70 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.047	Spiral Blade for Expert™ Retrograde Femoral Nail, length 75 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.048	Spiral Blade for Expert™ Retrograde Femoral Nail, length 80 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.049	Spiral Blade for Expert™ Retrograde Femoral Nail, length 85 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.050	Spiral Blade for Expert™ Retrograde Femoral Nail, length 90 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.051	Spiral Blade for Expert™ Retrograde Femoral Nail, length 95 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.052	Spiral Blade for Expert™ Retrograde Femoral Nail, length 100 mm, Titanium Alloy (TAN), gold	34 000,00 Ft
25.2	04.013.041S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 45 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.042S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 50 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.043S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 55 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.044S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 60 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.045S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 65 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.046S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 70 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.047S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 75 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.048S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 80 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.049S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 85 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.050S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 90 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.051S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 95 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
25.2	04.013.052S	Spiral Blade for Expert™ Retrograde Femoral Nail, length 100 mm, Titanium Alloy (TAN), gold, sterile	74 000,00 Ft
27.1	421.312	Adaption Plate 1.3, 12 holes, Pure Titanium	17 000,00 Ft
27.1	421.320	Strut Plate 1.3, oblique-angled, right, 8 holes, Pure Titanium	18 500,00 Ft
27.1	421.321	Strut Plate 1.3, oblique-angled, left, 8 holes, Pure Titanium	18 500,00 Ft
27.1	421.333	T-Adaption Plate 1.3, shaft 8 holes, head 3 holes, Pure Titanium	16 000,00 Ft
27.1	421.334	T-Adaption Plate 1.3, shaft 8 holes, head 4 holes, Pure Titanium	16 000,00 Ft
27.1	421.335	Y-Adaption Plate 1.3, 11 holes, Pure Titanium	16 000,00 Ft
27.1	400.526	Cortex Screw Ø 1.0 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.527	Cortex Screw Ø 1.0 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.528	Cortex Screw Ø 1.0 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.529	Cortex Screw Ø 1.0 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.530	Cortex Screw Ø 1.0 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.531	Cortex Screw Ø 1.0 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.532	Cortex Screw Ø 1.0 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.533	Cortex Screw Ø 1.0 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.534	Cortex Screw Ø 1.0 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.686	Cortex Screw Ø 1.3 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.687	Cortex Screw Ø 1.3 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.688	Cortex Screw Ø 1.3 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft

27.1	400.689	Cortex Screw Ø 1.3 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.690	Cortex Screw Ø 1.3 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.691	Cortex Screw Ø 1.3 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.692	Cortex Screw Ø 1.3 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.693	Cortex Screw Ø 1.3 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.694	Cortex Screw Ø 1.3 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.695	Cortex Screw Ø 1.3 mm, self-tapping, length 15 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.696	Cortex Screw Ø 1.3 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.698	Cortex Screw Ø 1.3 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	04.114.002	LCP Plate 1.5, straight, 4 holes, length 23 mm, Pure Titanium	35 000,00 Ft
27.1	04.114.004	LCP Plate 1.5, straight, 6 holes, length 36 mm, Pure Titanium	35 000,00 Ft
27.1	04.114.002S	LCP Plate 1.5, straight, 4 holes, length 23 mm, Pure Titanium, sterile	65 000,00 Ft
27.1	04.114.004S	LCP Plate 1.5, straight, 6 holes, length 36 mm, Pure Titanium, sterile	65 000,00 Ft
27.1	04.114.003	Locking Plate 1.5, straight, 6 holes, length 29 mm, Pure Titanium	35 000,00 Ft
27.1	04.114.005	Locking Plate 1.5, straight, 12 holes, length 59 mm, Pure Titanium	35 000,00 Ft
27.1	04.114.003S	Locking Plate 1.5, straight, 6 holes, length 29 mm, Pure Titanium, sterile	65 000,00 Ft
27.1	04.114.005S	Locking Plate 1.5, straight, 12 holes, length 59 mm, Pure Titanium, sterile	65 000,00 Ft
27.1	04.114.006	Locking T-Plate 1.5, shaft 8 holes, head 3 holes, Pure Titanium	25 000,00 Ft
27.1	04.114.007	Locking T-Plate 1.5, shaft 8 holes, head 4 holes, Pure Titanium	25 000,00 Ft
27.1	04.114.009	Locking Strut Plate 1.5, 8 holes, oblique-angled, left, Pure Titanium	29 000,00 Ft
27.1	04.114.010	Locking Strut Plate 1.5, 8 holes, oblique-angled, right, Pure Titanium	29 000,00 Ft
27.1	04.114.013	Locking Y-Plate 1.5, shaft 8 holes, head 3 holes, Pure Titanium	25 000,00 Ft
27.1	04.114.014	Locking Condylar Plate 1.5, shaft 6 holes, head 2 holes, Pure Titanium	25 000,00 Ft
27.1	04.214.006	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.007	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.008	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.009	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.010	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.011	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.012	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.013	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.014	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.015	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 15 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.016	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.018	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.020	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.022	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.024	Locking Screw Stardrive® Ø 1.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	6 900,00 Ft
27.1	04.214.106	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.107	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.108	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.109	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.110	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.111	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.112	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.113	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.114	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.115	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 15 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.116	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.118	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft

27.1	04.214.120	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.122	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.124	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.806	Cortex Screw Ø 1.5 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.807	Cortex Screw Ø 1.5 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.808	Cortex Screw Ø 1.5 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.809	Cortex Screw Ø 1.5 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.810	Cortex Screw Ø 1.5 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.811	Cortex Screw Ø 1.5 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.812	Cortex Screw Ø 1.5 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.813	Cortex Screw Ø 1.5 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.814	Cortex Screw Ø 1.5 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.816	Cortex Screw Ø 1.5 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.818	Cortex Screw Ø 1.5 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.820	Cortex Screw Ø 1.5 mm, self-tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.822	Cortex Screw Ø 1.5 mm, self-tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	400.824	Cortex Screw Ø 1.5 mm, self-tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.356	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.357	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.358	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.359	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.360	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.361	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.362	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.363	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.364	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.366	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.368	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.370	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.372	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.374	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.375	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.376	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.377	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.378	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.379	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.380	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.381	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.876	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.877	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.878	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.879	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.880	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.881	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.882	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.883	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.884	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.886	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.888	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.890	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft

27.1	401.892	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.894	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.896	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.898	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	401.900	Locking Screw Stardrive® Ø 2.0 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	447.344	LCP Plate 2.0, straight, 4 holes, length 31 mm, Pure Titanium	55 000,00 Ft
27.1	447.345	LCP Plate 2.0, straight, 5 holes, length 38 mm, Pure Titanium	55 000,00 Ft
27.1	447.346	LCP Plate 2.0, straight, 6 holes, length 45 mm, Pure Titanium	55 000,00 Ft
27.1	447.347	LCP Plate 2.0, straight, 7 holes, length 52 mm, Pure Titanium	55 000,00 Ft
27.1	447.349	LCP Condylar Plate 2.0, shaft 7 holes, head 2 holes, Pure Titanium	50 000,00 Ft
27.1	447.354	LCP Rotation Correction Plate 2.0, shaft 4 holes, head 2 holes, length 34 mm, Pure Titanium	53 000,00 Ft
27.1	447.355	LCP Rotation Correction Plate 2.0, shaft 5 holes, head 2 holes, length 40 mm, Pure Titanium	53 000,00 Ft
27.1	447.615	LCP T-Plate 2.0, shaft 7 holes, head 3 holes, Pure Titanium	59 000,00 Ft
27.1	401.756	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.757	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.758	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.759	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.760	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.761	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.762	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.763	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.764	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.766	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.768	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.770	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.772	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.774	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.776	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.778	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.780	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.782	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.784	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.786	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.788	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	401.790	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	412.806	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.807	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.808	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.809	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.810	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.811	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.812	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.813	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.814	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.816	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.818	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.820	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.822	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.824	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.826	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 900,00 Ft

27.1	412.828	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	412.830	Locking Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 900,00 Ft
27.1	449.615	LCP T-Plate 2.4, shaft 7 holes, head 3 holes, Pure Titanium	65 000,00 Ft
27.1	449.674	LCP Plate 2.4, straight, 4 holes, length 36 mm, Pure Titanium	65 000,00 Ft
27.1	449.676	LCP Plate 2.4, straight, 6 holes, length 52 mm, Pure Titanium	65 000,00 Ft
27.1	449.678	LCP Plate 2.4, straight, 8 holes, length 68 mm, Pure Titanium	65 000,00 Ft
27.1	449.679	LCP Condylar Plate 2.4, shaft 7 holes, head 2 holes, Pure Titanium	65 000,00 Ft
27.1	04.130.150	Locking Plate 1.3, 6 holes, straight, length 24 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.151	Locking Plate 1.3, 12 holes, straight, length 48 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.152	Locking T-Plate 1.3, head 3 holes, shaft 5 holes, length 26 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.153	Locking Y-Plate 1.3, head 3 holes, shaft 5 holes, length 27 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.154	Locking Phalangeal Base Plate 1.3, head 2 holes, shaft 5 holes, length 26 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.156	Locking Phalangeal Head Plate 1.3, right, length 22 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.157	Locking Phalangeal Head Plate 1.3, left, length 22 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.158	Locking Strut Plate 1.3, 8 holes, oblique-angled, right, length 19 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.159	Locking Strut Plate 1.3, 8 holes, oblique-angled, left, length 19 mm, Pure Titanium	70 000,00 Ft
27.1	04.130.161	Locking Web Plate 1.3, 14 holes, length 29 mm, Pure Titanium	70 000,00 Ft
27.1	400.526	Cortex Screw Ø 1.0 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.527	Cortex Screw Ø 1.0 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.528	Cortex Screw Ø 1.0 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.529	Cortex Screw Ø 1.0 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.530	Cortex Screw Ø 1.0 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.531	Cortex Screw Ø 1.0 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.532	Cortex Screw Ø 1.0 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.533	Cortex Screw Ø 1.0 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	400.534	Cortex Screw Ø 1.0 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.1	04.130.004	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 4 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.005	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 5 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.006	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.007	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.008	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.009	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.010	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.011	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.012	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.013	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.014	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.015	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 15 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.016	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.018	Cortex Screw Stardrive®, Ø 1.3 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	7 000,00 Ft
27.1	04.130.104	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 4 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.105	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 5 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.106	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.107	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.108	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.109	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.110	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.111	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.112	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.113	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	9 300,00 Ft

27.1	04.130.114	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.115	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 15 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.116	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.118	Locking Screw Stardrive®, Ø 1.3 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.1	04.130.250	VA Locking Plate 1.5, 6 holes, straight, length 28 mm, Pure Titanium	53 000,00 Ft
27.1	04.130.251	VA Locking Plate 1.5, 12 holes, straight, length 57 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.252	VA Locking T-Plate 1.5, head 3 holes, shaft 7 holes, length 40 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.253	VA Locking Y-Plate 1.5, head 3 holes, shaft 7 holes, length 42 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.254	VA Locking Phalangeal Base Plate 1.5, head 2 holes, shaft 6 holes, length 36 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.255	VA Locking Condylar Plate 1.5, head 2 holes, shaft 6 holes, length 36 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.256	VA Locking Phalangeal Head Plate 1.5, right, length 26 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.257	VA Locking Phalangeal Head Plate 1.5, left, length 26 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.258	VA Locking Strut Plate 1.5, 8 holes, oblique-angled, right, length 23 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.259	VA Locking Strut Plate 1.5, 8 holes, oblique-angled, left, length 23 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.260	VA Locking Strut Plate 1.5, 12 holes, rectangular, length 36 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.261	VA Locking Web Plate 1.5, 14 holes, length 33 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.262	VA Locking Strut Plate 1.5, 4 holes, rectangular, length 11 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.263	VA Locking Plate 1.5, for Metacarpal I, dorsal, length 29 mm, Pure Titanium	110 000,00 Ft
27.1	04.130.264	VA Locking Plate 1.5, for Metacarpal I, lateral, right, Pure Titanium	110 000,00 Ft
27.1	04.130.265	VA Locking Plate 1.5, for Metacarpal I, lateral, left, Pure Titanium	110 000,00 Ft
27.1	04.130.266	VA Locking Rotation Correction Plate 1.5, head 2 holes, shaft 6 holes, length 33 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.267	VA Locking Rotation Correction Fracture Plate 1.5, length 32 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.268	VA Locking Metacarpal Neck Plate 1.5, length 29 mm, Pure Titanium	110 000,00 Ft
27.1	04.214.104	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 4 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.1	04.214.105	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 5 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.1	04.214.106	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.107	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.108	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.109	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.110	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.111	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.112	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.113	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.114	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.115	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 15 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.116	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.118	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.120	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.214.122	Cortex Screw Stardrive® Ø 1.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.130.204	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 4 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.205	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 5 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.206	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.207	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.208	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.209	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.210	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.211	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.212	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.213	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.214	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	11 000,00 Ft

27.1	04.130.215	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 15 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.216	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.218	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.220	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 20 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.222	VA Locking Screw Stardrive®, Ø 1.5 mm, self-tapping, length 22 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.350	VA Locking Plate 2.0, 6 holes, straight, length 35 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.351	VA Locking Plate 2.0, 12 holes, straight, length 71 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.352	VA Locking T-Plate 2.0, head 3 holes, shaft 7 holes, length 50 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.353	VA Locking Y-Plate 2.0, head 3 holes, shaft 7 holes, length 52 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.354	VA Locking Phalangeal Base Plate 2.0, head 2 holes, shaft 6 holes, length 44 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.355	VA Locking Condylar Plate 2.0, head 2 holes, shaft 6 holes, length 44 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.360	VA Locking Strut Plate 2.0, 12 holes, rectangular, length 45 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.362	VA Locking Strut Plate 2.0, 4 holes, rectangular, length 13 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.363	VA Locking Plate 2.0, for Metacarpal I, dorsal, length 32 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.366	VA Locking Rotation Correction Plate 2.0, 2 + 6 holes, length 41 mm, Pure Titanium	100 000,00 Ft
27.1	04.130.367	VA Locking Rotation Correction Fracture Plate 2.0, length 42 mm, Pure Titanium	100 000,00 Ft
27.1	401.360	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.361	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.362	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.363	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.364	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.365	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 15 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.1	401.366	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.368	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.370	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.372	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	401.374	Cortex Screw Stardrive® Ø 2.0 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.1	04.130.308	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.309	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.310	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.311	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.312	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.313	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.314	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.315	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 15 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.316	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.318	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.320	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 20 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.322	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 22 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.1	04.130.324	VA Locking Screw Stardrive®, Ø 2.0 mm, self-tapping, length 24 mm, Titanium Alloy (TAN)	11 000,00 Ft
27.2	04.226.010	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 10/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.011	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 11/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.012	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 12/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.013	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 13/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.014	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 14/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.015	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 15/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.016	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 16/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.017	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 17/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.018	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 18/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.019	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 19/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft

27.2	04.226.020	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 20/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.021	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 21/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.022	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 22/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.023	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 23/4 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.024	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 24/5 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.025	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 25/5 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.026	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 26/5 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.027	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 27/6 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.028	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 28/6 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.029	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 29/6 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.030	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 30/7 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.032	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 32/7 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.034	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 34/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.036	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 36/9 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.038	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 38/9 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.040	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 40/10 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.116	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 16/5 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.117	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 17/6 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.118	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 18/6 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.119	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 19/7 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.120	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 20/7 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.121	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 21/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.122	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 22/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.123	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 23/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.124	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 24/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.125	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 25/8 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.126	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 26/10 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.127	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 27/10 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.128	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 28/10 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.129	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 29/10 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.130	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 30/12 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.132	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 32/12 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.134	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 34/14 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.136	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 36/14 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.138	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 38/16 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.140	HCS - Headless Compression Screw Ø 3.0 mm, self-drilling, cannulated, length 40/16 mm, Titanium Alloy (TAN), gold	35 000,00 Ft
27.2	04.226.209	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 9/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.210	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 10/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.211	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 11/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.212	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 12/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.213	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 13/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.214	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 14/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.215	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 15/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.216	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 16/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.217	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 17/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.218	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 18/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.219	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 19/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.220	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 20/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.221	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 21/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.222	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 22/4 mm, Titanium Alloy (TAN)	28 000,00 Ft

27.2	04.226.223	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 23/4 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.224	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 24/5 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.225	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 25/5 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.226	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 26/5 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.227	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 27/6 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.228	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 28/6 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.229	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 29/6 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.230	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 30/7 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.232	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 32/7 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.234	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 34/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.236	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 36/9 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.238	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 38/9 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.240	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 40/10 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.316	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 16/5 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.317	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 17/6 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.318	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 18/6 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.319	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 19/7 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.320	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 20/7 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.321	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 21/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.322	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 22/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.323	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 23/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.324	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 24/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.325	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 25/8 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.326	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 26/10 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.327	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 27/10 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.328	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 28/10 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.329	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 29/10 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.330	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 30/12 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.332	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 32/12 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.334	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 34/14 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.336	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 36/14 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.338	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 38/16 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.340	HCS - Headless Compression Screw Ø 2.4 mm, self-drilling, cannulated, length 40/16 mm, Titanium Alloy (TAN)	28 000,00 Ft
27.2	04.226.620	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 20/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.622	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 22/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.624	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 24/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.626	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 26/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.628	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 28/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.630	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 30/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.632	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 32/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.634	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 34/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.636	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 36/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.638	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 38/7 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.640	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 40/8 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.642	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 42/8 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.644	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 44/9 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.646	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 46/9 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.648	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 48/9 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.650	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 50/10 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.652	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 52/10 mm, Titanium Alloy (TAN)	37 000,00 Ft

27.2	04.226.654	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 54/11 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.656	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 56/11 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.658	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 58/11 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.660	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 60/12 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.665	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 65/13 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.670	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 70/14 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.675	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 75/15 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.680	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 80/16 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.730	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 30/12 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.732	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 32/12 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.734	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 34/12 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.736	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 36/14 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.738	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 38/14 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.740	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 40/16 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.742	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 42/16 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.744	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 44/18 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.746	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 46/18 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.748	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 48/18 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.750	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 50/20 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.752	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 52/20 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.754	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 54/22 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.756	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 56/22 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.758	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 58/22 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.760	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 60/24 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.765	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 65/26 mm, Titanium Alloy (TAN)	37 000,00 Ft

27.2	04.226.770	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 70/28 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.775	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 75/30 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.226.780	HCS - Headless Compression Screw Ø 4.5 mm, self-drilling, cannulated, length 80/32 mm, Titanium Alloy (TAN)	37 000,00 Ft
27.2	04.227.030	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 30/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.035	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 35/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.040	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 40/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.045	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 45/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.050	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 50/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.055	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 55/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.060	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 60/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.065	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 65/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.070	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 70/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.075	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 75/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.080	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 80/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.085	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 85/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.090	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 90/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.095	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 95/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.100	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 100/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.105	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 105/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.110	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 110/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.115	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 115/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.120	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 120/16 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.245	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 45/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.250	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 50/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.255	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 55/32 mm, Titanium Alloy (TAN)	39 000,00 Ft

27.2	04.227.260	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 60/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.265	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 65/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.270	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 70/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.275	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 75/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.280	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 80/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.285	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 85/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.290	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 90/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.295	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 95/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.300	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 100/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.305	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 105/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.310	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 110/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.315	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 115/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.2	04.227.320	HCS - Headless Compression Screw Ø 6.5 mm, self-drilling, cannulated, length 120/32 mm, Titanium Alloy (TAN)	39 000,00 Ft
27.3	04.211.201	X-Plate 2.4/2.7, VA Locking, extra- small, 23.5 x 15 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.202	X-Plate 2.4/2.7, VA Locking, small, 27 x 18 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.203	X-Plate 2.4/2.7, VA Locking, medium, 32 x 20 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.204	X-Plate 2.4/2.7, VA Locking, large, 36 x 20 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.201S	X-Plate 2.4/2.7, VA Locking, extra- small, 23.5 x 15 mm, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.202S	X-Plate 2.4/2.7, VA Locking, small, 27 x 18 mm, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.203S	X-Plate 2.4/2.7, VA Locking, medium, 32 x 20 mm, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.204S	X-Plate 2.4/2.7, VA Locking, large, 36 x 20 mm, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.250	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 38 mm, head 3 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.251	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 45 mm, head 3 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.252	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 64 mm, head 3 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.250S	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 38 mm, head 3 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft

27.3	04.211.251S	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 45 mm, head 3 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.252S	Cloverleaf Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 64 mm, head 3 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.253	T-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 35 mm, head 2 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.254	T-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 42 mm, head 2 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.255	T-Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 60 mm, head 2 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.253S	T-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 35 mm, head 2 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.254S	T-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 42 mm, head 2 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.255S	T-Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 60 mm, head 2 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.265S	T-Fusion Plate 2.4/2.7, VA Locking, 7 holes, length 92 mm, head 3 holes, Titanium Alloy (TAN), sterile	90 000,00 Ft
27.3	04.211.256	L-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 37 mm, head 2 holes, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.257	L-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 37 mm, head 2 holes, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.258	L-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 44 mm, head 2 holes, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.259	L-Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 44 mm, head 2 holes, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.260	L-Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 62 mm, head 2 holes, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.261	L-Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 62 mm, head 2 holes, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.262	Straight Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 27 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.263	Straight Fusion Plate 2.4/2.7, VA Locking, 4 holes, length 40 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.246	1st TMT Fusion Plate 2.4/2.7, VA Locking, length 39 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.247	1st TMT Fusion Plate 2.4/2.7, VA Locking, length 48 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.266	TMT Fusion Plate 2.4/2.7, VA Locking, 2 holes, length 43 mm, head 2 holes, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.230	1st MTP Fusion Plate 2.4/2.7, VA Locking, small, length 42 mm, neutral, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.231	1st MTP Fusion Plate 2.4/2.7, VA Locking, small, length 42 mm, neutral, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.236	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, neutral, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.237	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, neutral, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.238	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, 5°, right, Titanium Alloy (TAN)	67 000,00 Ft

27.3	04.211.239	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, 5°, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.240	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, 10°, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.241	1st MTP Fusion Plate 2.4/2.7, VA Locking, medium, length 52 mm, 10°, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.242	1st MTP Fusion Plate 2.4/2.7, VA Locking, large, length 57 mm, 5°, right, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.243	1st MTP Fusion Plate 2.4/2.7, VA Locking, large, length 57 mm, 5°, left, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.244S	1st MTP Fusion Plate 2.4/2.7, VA Locking, for Revision, length 53 mm, neutral, right, Titanium Alloy (TAN), sterile	93 000,00 Ft
27.3	04.211.245S	1st MTP Fusion Plate 2.4/2.7, VA Locking, for Revision, length 53 mm, neutral, left, Titanium Alloy (TAN), sterile	93 000,00 Ft
27.3	04.211.211	Opening Wedge Plate 2.4/2.7, VA Locking, Spacer 3 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.212	Opening Wedge Plate 2.4/2.7, VA Locking, Spacer 4 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.213	Opening Wedge Plate 2.4/2.7, VA Locking, Spacer 5 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.214	Opening Wedge Plate 2.4/2.7, VA Locking, Spacer 6 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.215	Opening Wedge Plate 2.4/2.7, VA Locking, Spacer 7 mm, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.210	Opening Wedge Plate 2.4/2.7, VA Locking, without Spacer, Titanium Alloy (TAN)	67 000,00 Ft
27.3	04.211.220S	Navicular Plate 2.4/2.7, VA Locking, Titanium Alloy (TAN), sterile	93 000,00 Ft
27.3	04.211.221S	Cuboid Plate 2.4/2.7, VA Locking, left, Titanium Alloy (TAN), sterile	93 000,00 Ft
27.3	04.211.222S	Cuboid Plate 2.4/2.7, VA Locking, right, Titanium Alloy (TAN), sterile	93 000,00 Ft
27.3	04.210.106	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 6 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.107	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 7 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.108	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 8 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.109	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 9 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.110	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 10 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.111	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 11 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.112	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 12 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.113	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 13 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.114	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 14 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.116	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 16 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.118	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 18 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.120	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 20 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.122	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 22 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.124	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 24 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.126	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 26 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.128	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 28 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.130	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 30 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.132	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 32 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.134	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 34 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.136	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 36 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.138	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 38 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.210.140	VA Locking Screw Stardrive® Ø 2.4 mm, self-tapping, length 40 mm, Titanium Alloy (TAN)	8 800,00 Ft
27.3	04.211.010	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 10 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.012	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 12 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.014	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 14 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.016	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 16 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.018	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 18 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.020	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 20 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.022	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 22 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.024	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 24 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.026	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 26 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.028	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 28 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.030	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 30 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.032	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 32 mm, Titanium Alloy (TAN)	15 200,00 Ft

27.3	04.211.034	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 34 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.036	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 36 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.038	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 38 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	04.211.040	VA Locking Screw Stardrive® Ø 2.7 mm (head 2.4), self-tapping, length 40 mm, Titanium Alloy (TAN)	15 200,00 Ft
27.3	401.756	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 6 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.757	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 7 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.758	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 8 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.759	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 9 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.760	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.761	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 11 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.762	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.763	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 13 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.764	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.766	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.768	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.770	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.772	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.774	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.776	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.778	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.780	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.782	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.784	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.786	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.788	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	401.790	Cortex Screw Stardrive® Ø 2.4 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	402.870	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	5 500,00 Ft
27.3	402.872	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.874	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.876	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.878	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.880	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.882	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.884	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.886	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.888	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.890	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.892	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.894	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.896	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.898	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.3	402.900	Cortex Screw Stardrive® Ø 2.7 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	5 000,00 Ft
27.4	441.619	Calcaneal Locking Plate 3.5, left, extra-small, length 64 mm, Pure Titanium	90 000,00 Ft
27.4	441.618	Calcaneal Locking Plate 3.5, right, extra-small, length 64 mm, Pure Titanium	90 000,00 Ft
27.4	441.623	Calcaneal Locking Plate 3.5, left, small, length 69 mm, Pure Titanium	90 000,00 Ft
27.4	441.622	Calcaneal Locking Plate 3.5, right, small, length 69 mm, Pure Titanium	90 000,00 Ft
27.4	441.625	Calcaneal Locking Plate 3.5, left, large, length 76 mm, Pure Titanium	90 000,00 Ft
27.4	441.624	Calcaneal Locking Plate 3.5, right, large, length 76 mm, Pure Titanium	90 000,00 Ft
27.4	441.627	Calcaneal Locking Plate 3.5, left, extra-large, length 81 mm, Pure Titanium	90 000,00 Ft
27.4	441.626	Calcaneal Locking Plate 3.5, right, extra-large, length 81 mm, Pure Titanium	90 000,00 Ft

27.4	412.101	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 10 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.102	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 12 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.103	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 14 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.104	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 16 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.105	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 18 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.106	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 20 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.107	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 22 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.108	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 24 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.109	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 26 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.110	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 28 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.111	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 30 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.112	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 32 mm, Titanium Alloy (TAN)	9 300,00 Ft
27.4	412.113	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 34 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.114	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 35 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.115	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 36 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.116	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 38 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.117	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 40 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.118	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 42 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.134	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 44 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.119	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 45 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.136	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 46 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.120	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 48 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.121	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 50 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.122	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 52 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	04.212.054	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 54 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.123	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 55 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	04.212.056	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 56 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	04.212.058	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 58 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.124	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 60 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.125	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 65 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.126	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 70 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.127	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 75 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.128	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 80 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.129	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 85 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.130	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 90 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	412.131	Locking Screw Stardrive® Ø 3.5 mm, self- tapping, length 95 mm, Titanium Alloy (TAN)	10 000,00 Ft
27.4	404.810	Cortex Screw Ø 3.5 mm, self-tapping, length 10 mm, Pure Titanium	2 350,00 Ft
27.4	404.812	Cortex Screw Ø 3.5 mm, self-tapping, length 12 mm, Pure Titanium	2 350,00 Ft
27.4	404.814	Cortex Screw Ø 3.5 mm, self-tapping, length 14 mm, Pure Titanium	2 350,00 Ft
27.4	404.816	Cortex Screw Ø 3.5 mm, self-tapping, length 16 mm, Pure Titanium	2 350,00 Ft
27.4	404.818	Cortex Screw Ø 3.5 mm, self-tapping, length 18 mm, Pure Titanium	2 350,00 Ft
27.4	404.820	Cortex Screw Ø 3.5 mm, self-tapping, length 20 mm, Pure Titanium	2 350,00 Ft
27.4	404.822	Cortex Screw Ø 3.5 mm, self-tapping, length 22 mm, Pure Titanium	2 350,00 Ft
27.4	404.824	Cortex Screw Ø 3.5 mm, self-tapping, length 24 mm, Pure Titanium	2 350,00 Ft
27.4	404.826	Cortex Screw Ø 3.5 mm, self-tapping, length 26 mm, Pure Titanium	2 350,00 Ft
27.4	404.828	Cortex Screw Ø 3.5 mm, self-tapping, length 28 mm, Pure Titanium	2 350,00 Ft
27.4	404.830	Cortex Screw Ø 3.5 mm, self-tapping, length 30 mm, Pure Titanium	2 350,00 Ft
27.4	404.832	Cortex Screw Ø 3.5 mm, self-tapping, length 32 mm, Pure Titanium	2 350,00 Ft
27.4	404.834	Cortex Screw Ø 3.5 mm, self-tapping, length 34 mm, Pure Titanium	2 350,00 Ft
27.4	404.836	Cortex Screw Ø 3.5 mm, self-tapping, length 36 mm, Pure Titanium	2 350,00 Ft

27.4	404.838	Cortex Screw Ø 3.5 mm, self-tapping, length 38 mm, Pure Titanium	2 350,00 Ft
27.4	404.840	Cortex Screw Ø 3.5 mm, self-tapping, length 40 mm, Pure Titanium	2 350,00 Ft
27.4	404.842	Cortex Screw Ø 3.5 mm, self-tapping, length 42 mm, Pure Titanium	2 350,00 Ft
27.4	404.844	Cortex Screw Ø 3.5 mm, self-tapping, length 44 mm, Pure Titanium	2 350,00 Ft
27.4	404.845	Cortex Screw Ø 3.5 mm, self-tapping, length 45 mm, Pure Titanium	2 350,00 Ft
27.4	404.846	Cortex Screw Ø 3.5 mm, self-tapping, length 46 mm, Pure Titanium	2 350,00 Ft
27.4	404.848	Cortex Screw Ø 3.5 mm, self-tapping, length 48 mm, Pure Titanium	2 350,00 Ft
27.4	404.850	Cortex Screw Ø 3.5 mm, self-tapping, length 50 mm, Pure Titanium	2 350,00 Ft
27.4	404.855	Cortex Screw Ø 3.5 mm, self-tapping, length 55 mm, Pure Titanium	2 350,00 Ft
27.4	404.860	Cortex Screw Ø 3.5 mm, self-tapping, length 60 mm, Pure Titanium	2 350,00 Ft
27.4	404.865	Cortex Screw Ø 3.5 mm, self-tapping, length 65 mm, Pure Titanium	13 500,00 Ft
27.4	404.870	Cortex Screw Ø 3.5 mm, self-tapping, length 70 mm, Pure Titanium	13 500,00 Ft
27.4	404.875	Cortex Screw Ø 3.5 mm, self-tapping, length 75 mm, Pure Titanium	13 500,00 Ft
27.4	404.880	Cortex Screw Ø 3.5 mm, self-tapping, length 80 mm, Pure Titanium	13 500,00 Ft
27.4	404.885	Cortex Screw Ø 3.5 mm, self-tapping, length 85 mm, Pure Titanium	13 500,00 Ft
27.4	404.890	Cortex Screw Ø 3.5 mm, self-tapping, length 90 mm, Pure Titanium	13 500,00 Ft
27.4	404.895	Cortex Screw Ø 3.5 mm, self-tapping, length 95 mm, Pure Titanium	13 500,00 Ft
27.4	404.900	Cortex Screw Ø 3.5 mm, self-tapping, length 100 mm, Pure Titanium	13 500,00 Ft
27.4	404.905	Cortex Screw Ø 3.5 mm, self-tapping, length 105 mm, Pure Titanium	13 500,00 Ft
27.4	404.910	Cortex Screw Ø 3.5 mm, self-tapping, length 110 mm, Pure Titanium	13 500,00 Ft
27.4	404.915	Cortex Screw Ø 3.5 mm, self-tapping, length 115 mm, Pure Titanium	13 500,00 Ft
27.4	404.920	Cortex Screw Ø 3.5 mm, self-tapping, length 120 mm, Pure Titanium	13 500,00 Ft
27.4	404.925	Cortex Screw Ø 3.5 mm, self-tapping, length 125 mm, Pure Titanium	13 500,00 Ft
27.4	404.930	Cortex Screw Ø 3.5 mm, self-tapping, length 130 mm, Pure Titanium	13 500,00 Ft
29.1	710.000S	chronOS Granules Bone Void Filler 0.5 to 0.7 mm, 0.5 cc, Porosity 60%, sterile	18 000,00 Ft
29.1	710.001S	chronOS Granules Bone Void Filler 0.7 to 1.4 mm, 0.5 cc, Porosity 60%, sterile	18 000,00 Ft
29.1	710.002S	chronOS Granules Bone Void Filler 0.7 to 1.4 mm, 1.0 cc, Porosity 60%, sterile	22 500,00 Ft
29.1	710.003S	chronOS Granules Bone Void Filler 0.7 to 1.4 mm, 2.5 cc, Porosity 60%, sterile	25 000,00 Ft
29.1	710.011S	chronOS Granules Bone Void Filler 1.4 to 2.8 mm, 2.5 cc, Porosity 60%, sterile	26 500,00 Ft
29.1	710.014S	chronOS Granules Bone Void Filler 1.4 to 2.8 mm, 5.0 cc, Porosity 60%, sterile	34 500,00 Ft
29.1	710.019S	chronOS Granules Bone Void Filler 1.4 to 2.8 mm, 10.0 cc, Porosity 60%, sterile	101 500,00 Ft
29.1	710.021S	chronOS Granules Bone Void Filler 1.4 to 2.8 mm, 20.0 cc, Porosity 60%, sterile	134 500,00 Ft
29.1	710.024S	chronOS Granules Bone Void Filler 2.8 to 5.6 mm, 2.5 cc, Porosity 60%, sterile	26 500,00 Ft
29.1	710.025S	chronOS Granules Bone Void Filler 2.8 to 5.6 mm, 5.0 cc, Porosity 60%, sterile	34 500,00 Ft
29.1	710.026S	chronOS Granules Bone Void Filler 2.8 to 5.6 mm, 10.0 cc, Porosity 60%, sterile	101 500,00 Ft
29.1	710.027S	chronOS Granules Bone Void Filler 2.8 to 5.6 mm, 20.0 cc, Porosity 60%, sterile	145 000,00 Ft
29.1	07.720.030S	chronOS Vivify Cylinder Bone Void Filler Ø 8.5 mm, length 25 mm, sterile	223 500,00 Ft
29.1	07.720.031S	chronOS Vivify Cylinder Bone Void Filler Ø 9.5 mm, length 25 mm, sterile	220 000,00 Ft
29.1	07.720.032S	chronOS Vivify Cylinder Bone Void Filler Ø 10.5 mm, length 25 mm, sterile	220 000,00 Ft
29.1	07.720.033S	chronOS Vivify Cylinder Bone Void Filler Ø 12.5 mm, length 25 mm, sterile	229 500,00 Ft
29.1	07.720.035S	chronOS Vivify Cylinder Bone Void Filler Ø 14 mm, length 25 mm, sterile	200 000,00 Ft
29.1	710.042S	chronOS Block Bone Void Filler, 5 x 5 x 10 mm, sterile	97 500,00 Ft
29.1	710.045S	chronOS Block Bone Void Filler, 12.5 x 12.5 x 10 mm, sterile	126 500,00 Ft
29.1	710.047S	chronOS Block Bone Void Filler, 20 x 20 x 10 mm, sterile	172 000,00 Ft
29.1	07.720.042S	chronOS Vivify Block Bone Void Filler, 5.0 x 5.0 x 10.0 mm, sterile	104 500,00 Ft
29.1	07.720.045S	chronOS Vivify Block Bone Void Filler, 12.5 x 12.5 x 10.0 mm, sterile	123 500,00 Ft
29.1	07.720.047S	chronOS Vivify Block Bone Void Filler, 20 x 20 x 10.0 mm, sterile	134 000,00 Ft
29.1	710.050S	chronOS Wedge Bone Void Filler, 10°, 25 x 20 x 6 mm, sterile	186 500,00 Ft
29.1	710.051S	chronOS Wedge Bone Void Filler, 14°, 25 x 20 x 8 mm, sterile	303 000,00 Ft
29.1	710.052S	chronOS Wedge Bone Void Filler, 18°, 25 x 20 x 10 mm, sterile	312 500,00 Ft
29.1	710.053S	chronOS Wedge Bone Void Filler, 22°, 25 x 20 x 12 mm, sterile	304 000,00 Ft

29.1	710.054S	chronOS Wedge Bone Void Filler, 26°, 25 x 20 x 14 mm, sterile	303 000,00 Ft
29.1	07.720.057S	chronOS Vivify Wedge Bone Void Filler, semicircular, 7°, 25 x 35 x 7.0 mm, sterile	236 500,00 Ft
29.1	07.720.060S	chronOS Vivify Wedge Bone Void Filler, semicircular, 10°, 25 x 35 x 10.0 mm, sterile	236 500,00 Ft
29.1	07.720.063S	chronOS Vivify Wedge Bone Void Filler, semicircular, 13°, 25 x 35 x 13 mm, sterile	236 500,00 Ft
29.1	710.701S	chronOS Putty, 1 cc	85 000,00 Ft
29.1	710.702S	chronOS Putty, 2.5 cc	102 000,00 Ft
29.1	710.703S	chronOS Putty, 5 cc	134 000,00 Ft
29.1	710.704S	chronOS Putty, 10 cc	227 000,00 Ft
29.1	314.745S	RIA Tube Assembly, for RIA Drive Shaft minimum length 360 mm, for No. 314.742, sterile	54 000,00 Ft
29.1	314.746S	RIA Tube Assembly, for RIA Drive Shaft minimum length 520 mm, for No. 314.743, sterile	64 500,00 Ft
29.1	351.718.02S	Seal for RIA Drive Shaft, sterile, pack of 2 units	20 500,00 Ft
29.1	352.229S	Graft Filter for RIA, sterile	59 000,00 Ft
29.1	352.260S	Locking Clip for RIA, sterile	16 000,00 Ft
29.1	352.250S	RIA Medullary Reamer Head Ø 12.0 mm, sterile	150 000,00 Ft
29.1	352.251S	RIA Medullary Reamer Head Ø 12.5 mm, sterile	150 000,00 Ft
29.1	352.252S	RIA Medullary Reamer Head Ø 13.0 mm, sterile	150 000,00 Ft
29.1	352.253S	RIA Medullary Reamer Head Ø 13.5 mm, sterile	150 000,00 Ft
29.1	352.254S	RIA Medullary Reamer Head Ø 14.0 mm, sterile	150 000,00 Ft
29.1	352.255S	RIA Medullary Reamer Head Ø 14.5 mm, sterile	150 000,00 Ft
29.1	352.256S	RIA Medullary Reamer Head Ø 15.0 mm, sterile	150 000,00 Ft
29.1	352.257S	RIA Medullary Reamer Head Ø 15.5 mm, sterile	150 000,00 Ft
29.1	352.258S	RIA Medullary Reamer Head Ø 16.0 mm, sterile	150 000,00 Ft
29.1	352.259S	RIA Medullary Reamer Head Ø 16.5 mm, sterile	150 000,00 Ft
29.1	352.261S	RIA Medullary Reamer Head Ø 17.0 mm, sterile	150 000,00 Ft
29.1	352.262S	RIA Medullary Reamer Head Ø 17.5 mm, sterile	150 000,00 Ft
29.1	352.263S	RIA Medullary Reamer Head Ø 18.0 mm, sterile	150 000,00 Ft
29.1	352.264S	RIA Medullary Reamer Head Ø 18.5 mm, sterile	150 000,00 Ft
29.1	352.265S	RIA Medullary Reamer Head Ø 19.0 mm, sterile	150 000,00 Ft
29.2	8.025.032.01	Sleeve ASLS4, resorbable, sterile	15 500,00 Ft
29.2	8.025.044.01	Sleeve ASLS5, resorbable, sterile	15 500,00 Ft
29.2	04.025.416S	Screw ASLS4, length 26 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.418S	Screw ASLS4, length 28 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.420S	Screw ASLS4, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.520S	Screw ASLS5, length 30 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.422S	Screw ASLS4, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.522S	Screw ASLS5, length 32 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.424S	Screw ASLS4, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.524S	Screw ASLS5, length 34 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.426S	Screw ASLS4, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.526S	Screw ASLS5, length 36 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.428S	Screw ASLS4, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.528S	Screw ASLS5, length 38 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.430S	Screw ASLS4, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.530S	Screw ASLS5, length 40 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.432S	Screw ASLS4, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.532S	Screw ASLS5, length 42 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.434S	Screw ASLS4, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.534S	Screw ASLS5, length 44 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.436S	Screw ASLS4, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.536S	Screw ASLS5, length 46 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.438S	Screw ASLS4, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.538S	Screw ASLS5, length 48 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.440S	Screw ASLS4, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.540S	Screw ASLS5, length 50 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.442S	Screw ASLS4, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.542S	Screw ASLS5, length 52 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.444S	Screw ASLS4, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.544S	Screw ASLS5, length 54 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.446S	Screw ASLS4, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.546S	Screw ASLS5, length 56 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.448S	Screw ASLS4, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.548S	Screw ASLS5, length 58 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft

29.2	04.025.450S	Screw ASLS4, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.550S	Screw ASLS5, length 60 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.452S	Screw ASLS4, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.552S	Screw ASLS5, length 62 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.454S	Screw ASLS4, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.554S	Screw ASLS5, length 64 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.456S	Screw ASLS4, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.556S	Screw ASLS5, length 66 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.458S	Screw ASLS4, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.558S	Screw ASLS5, length 68 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.460S	Screw ASLS4, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.560S	Screw ASLS5, length 70 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.462S	Screw ASLS4, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.562S	Screw ASLS5, length 72 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.464S	Screw ASLS4, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.564S	Screw ASLS5, length 74 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.466S	Screw ASLS4, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.566S	Screw ASLS5, length 76 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.468S	Screw ASLS4, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.568S	Screw ASLS5, length 78 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.470S	Screw ASLS4, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.032S, sterile	25 000,00 Ft
29.2	04.025.570S	Screw ASLS5, length 80 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.575S	Screw ASLS5, length 85 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.580S	Screw ASLS5, length 90 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.585S	Screw ASLS5, length 95 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft
29.2	04.025.590S	Screw ASLS5, length 100 mm, Titanium Alloy (TAN), only to be used with No. 08.025.044S, sterile	27 500,00 Ft